

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	22-Jun-05	8:40	UCD Phase II	samplewater	Ammonia as N	0.185	mg/L	0.04	0.1	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	7-Jul-05	9:10	UCD Phase II	samplewater	Ammonia as N	0.718	mg/L	0.04	0.1	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20-Jul-05	8:20	UCD Phase II	samplewater	Ammonia as N	0.28	mg/L	0.04	0.1	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	3-Aug-05	8:40	UCD Phase II	samplewater	Ammonia as N	0.243	mg/L	0.04	0.1	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	22-Jun-05	8:40	UCD Phase II	samplewater	Arsenic,Total	5.19	µg/L	0.1	0.3	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	7-Jul-05	9:10	UCD Phase II	samplewater	Arsenic,Total	5.58	µg/L	0.1	0.3	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20-Jul-05	8:20	UCD Phase II	samplewater	Arsenic,Total	6.47	µg/L	0.1	0.3	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	3-Aug-05	8:40	UCD Phase II	samplewater	Boron,Total	0.538	mg/L	0.0002	0.0006	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	7-Jul-05	9:10	UCD Phase II	samplewater	Boron,Total	0.527	mg/L	0.0002	0.0006	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20-Jul-05	8:20	UCD Phase II	samplewater	Boron,Total	0.42	mg/L	0.0002	0.0006	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	3-Aug-05	8:40	UCD Phase II	samplewater	Boron,Total	0.494	mg/L	0.0002	0.0006	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	22-Jun-05	8:40	UCD Phase II	samplewater	Cadmium,Total	0.06	µg/L	0.01	0.03	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	7-Jul-05	9:10	UCD Phase II	samplewater	Cadmium,Total	0.05	µg/L	0.01	0.03	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20-Jul-05	8:20	UCD Phase II	samplewater	Cadmium,Total	0.04	µg/L	0.01	0.03	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	3-Aug-05	8:40	UCD Phase II	samplewater	Cadmium,Total	0.07	µg/L	0.01	0.03	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	22-Jun-05	8:40	UCD Phase II	samplewater	Color	22	color	5	10	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	7-Jul-05	9:10	UCD Phase II	samplewater	Color	22	color	5	10	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20-Jul-05	8:20	UCD Phase II	samplewater	Color	25	color	5	10	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	3-Aug-05	8:40	UCD Phase II	samplewater	Copper,Total	6.34	µg/L	0.01	0.03	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	22-Jun-05	8:40	UCD Phase II	samplewater	Copper,Total	5.25	µg/L	0.01	0.03	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	7-Jul-05	9:10	UCD Phase II	samplewater	Copper,Total	5.01	µg/L	0.01	0.03	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20-Jul-05	8:20	UCD Phase II	samplewater	Copper,Total	6.22	µg/L	0.01	0.03	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	3-Aug-05	8:40	UCD Phase II	samplewater	Hardness as CaCO ₃	237	mg/L	1	1	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	7-Jul-05	9:10	UCD Phase II	samplewater	Hardness as CaCO ₃	228	mg/L	1	1	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20-Jul-05	8:20	UCD Phase II	samplewater	Hardness as CaCO ₃	190	mg/L	1	1	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	3-Aug-05	8:40	UCD Phase II	samplewater	Hardness as CaCO ₃	238	mg/L	5	10	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	22-Jun-05	8:40	UCD Phase II	samplewater	Lead,Total	1.23	µg/L	0.01	0.03	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	7-Jul-05	9:10	UCD Phase II	samplewater	Lead,Total	1.11	µg/L	0.01	0.03	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20-Jul-05	8:20	UCD Phase II	samplewater	Lead,Total	1.2	µg/L	0.01	0.03	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	3-Aug-05	8:40	UCD Phase II	samplewater	Lead,Total	1.37	µg/L	0.01	0.03	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	22-Jun-05	8:40	UCD Phase II	samplewater	Nickel,Total	4	µg/L	0.01	0.05	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	7-Jul-05	9:10	UCD Phase II	samplewater	Nickel,Total	4.26	µg/L	0.01	0.05	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20-Jul-05	8:20	UCD Phase II	samplewater	Nickel,Total	4.06	µg/L	0.01	0.05	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	3-Aug-05	8:40	UCD Phase II	samplewater	Nickel,Total	3.99	µg/L	0.01	0.05	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	22-Jun-05	8:40	UCD Phase II	samplewater	Nitrate + Nitrite as N	1.048	mg/L	0.01	0.02	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	7-Jul-05	9:10	UCD Phase II	samplewater	Nitrate + Nitrite as N	3.76	mg/L	0.01	0.02	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20-Jul-05	8:20	UCD Phase II	samplewater	Nitrate + Nitrite as N	1.79	mg/L	0.005	0.01	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	3-Aug-05	8:40	UCD Phase II	samplewater	Nitrate + Nitrite as N	1.11	mg/L	0.005	0.01	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	22-Jun-05	8:40	UCD Phase II	samplewater	Nitrite as N	0.0831	mg/L	0.005	0.01	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	7-Jul-05	9:10	UCD Phase II	samplewater	Nitrite as N	0.21	mg/L	0.005	0.01	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20-Jul-05	8:20	UCD Phase II	samplewater	Nitrite as N	0.112	mg/L	0.005	0.01	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	3-Aug-05	8:40	UCD Phase II	samplewater	Nitrite as N	0.0907	mg/L	0.005	0.01	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	22-Jun-05	8:40	UCD Phase II	samplewater	OrthoPhosphate as P	0.0629	mg/L	0.005	0.01	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	7-Jul-05	9:10	UCD Phase II	samplewater	OrthoPhosphate as P	0.214	mg/L	0.005	0.01	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20-Jul-05	8:20	UCD Phase II	samplewater	OrthoPhosphate as P	0.243	mg/L	0.005	0.01	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	3-Aug-05	8:40	UCD Phase II	samplewater	OrthoPhosphate as P	0.162	mg/L	0.005	0.01	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	22-Jun-05	8:40	UCD Phase II	samplewater	Phosphorus as P,Total	349	µg/L	2	6	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	7-Jul-05	9:10	UCD Phase II	samplewater	Phosphorus as P,Total	416	µg/L	2	6	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20-Jul-05	8:20	UCD Phase II	samplewater	Phosphorus as P,Total	416	µg/L	2	6	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	3-Aug-05	8:40	UCD Phase II	samplewater	Phosphorus as P,Total	407	µg/L	2	6	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	22-Jun-05	8:40	UCD Phase II	samplewater	Selenium,Total	4.37	µg/L	0.1	0.5	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	7-Jul-05	9:10	UCD Phase II	samplewater	Selenium,Total	5.13	µg/L	0.1	0.5	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20-Jul-05	8:20	UCD Phase II	samplewater	Selenium,Total	5.63	µg/L	0.1	0.5	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	3-Aug-05	8:40	UCD Phase II	samplewater	Selenium,Total	5	µg/L	0.1	0.5	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	22-Jun-05	8:40	UCD Phase II	samplewater	Total Dissolved Solids	688	mg/L	10	10	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	7-Jul-05	9:10	UCD Phase II	samplewater	Total Dissolved Solids	642	mg/L	10	10	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20-Jul-05	8:20	UCD Phase II	samplewater	Total Dissolved Solids	556	mg/L	10	10	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	3-Aug-05	8:40	UCD Phase II	samplewater	Total Dissolved Solids	618	mg/L	10	10	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	22-Jun-05	8:40	UCD Phase II	samplewater	Total Organic Carbon	5.177109	mg/L	0.5	1	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	7-Jul-05	9:10	UCD Phase II	samplewater	Total Organic Carbon	8.543183	mg/L	0.5	1	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20-Jul-05	8:20	UCD Phase II	samplewater	Total Organic Carbon	6.08	mg/L	0.2	1	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	3-Aug-05	8:40	UCD Phase II	samplewater	Total Organic Carbon	5.44	mg/L	0.2	1	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	22-Jun-05	8:40	UCD Phase II	samplewater	Turbidity	32	NTU	10	10	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	7-Jul-05	9:10	UCD Phase II	samplewater	Turbidity	29	NTU	10	10	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20-Jul-05	8:20	UCD Phase II	samplewater	Turbidity	34	NTU	10	10	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	3-Aug-05	8:40	UCD Phase II	samplewater	Turbidity	40	NTU	10	10	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	22-Jun-05	8:40	UCD Phase II	samplewater	Zinc,Total	10.2	µg/L	0.1	0.3	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	7-Jul-05	9:10	UCD Phase II	samplewater	Zinc,Total	9.1	µg/L	0.1	0.3	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20-Jul-05	8:20	UCD Phase II	samplewater	Zinc,Total	8.88	µg/L	0.1	0.3	
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	3-Aug-05	8:40	UCD Phase II	samplewater	Zinc,Total	9.64	µg/L	0.1	0.3	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	Bromide	0.29	mg/L	0.005	0.02	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	Bromide	0.39	mg/L	0.01	0.02	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	Bromide	0.55	mg/L	0.01	0.02	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	Bromide	0.53	mg/L	0.01	0.02	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	Bromide	0.29	mg/L	0.01	0.02	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	Bromide	0.11	mg/L	0.005	0.015	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	11/Jan/2005		Westside Coalition	samplewater	Bromide	0.015	mg/L	0.01	0.02	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	Color	150	units	1	100	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	Color	50	units	1	100	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	Color	50	units	1	100	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	Color	50	units	1	100	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	Color	200	units	1	100	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	11/Jan/2005		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	4.4	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	3.6	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	3.7	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	3.6	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	5.3	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	4.8	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	11/Jan/2005		Westside Coalition	samplewater	Dissolved Organic Carbon	7.4	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	E. Coli	1600	MPN/10	2	2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	E. Coli	1600	MPN/10 >	2	2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	E. Coli	140	MPN/10	2	2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	E. Coli	80	MPN/10	2	2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	E. Coli		MPN/10	2	2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	E. Coli	1600	MPN/10 >	2	2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Jun/2005		Westside Coalition	samplewater	E. Coli	140	MPN/10	2	2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	pH, Lab	8.1	units	-88	-88	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	pH, Lab	8.1	units	-88	-88	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	pH, Lab	8.1	units	-88	-88	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	pH, Lab	8.1	units	-88	-88	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	pH, Lab	8	units	-88	-88	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	pH, Lab	7.7	units	-88	-88	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	11/Jan/2005		Westside Coalition	samplewater	pH, Lab	8.2	units	-88	-88	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	Total Dissolved Solids	460	mg/L	5	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	Total Dissolved Solids	710	mg/L	5	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	Total Dissolved Solids	710	mg/L	5	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	Total Dissolved Solids	320	mg/L	5	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	Total Dissolved Solids	370	mg/L	5	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	11/Jan/2005		Westside Coalition	samplewater	Total Dissolved Solids	280	mg/L	5	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	Total Dissolved Solids	490	mg/L	5	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	Total Organic Carbon	5.4	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	Total Organic Carbon	4.4	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	Total Organic Carbon	4.5	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	Total Organic Carbon	4.4	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	Total Organic Carbon	7.3	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	Total Organic Carbon	12	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	11/Jan/2005		Westside Coalition	samplewater	Total Organic Carbon	6.4	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	Total Suspended Solids	270	mg/L	5	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	Total Suspended Solids	97	mg/L	5	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	Total Suspended Solids	97	mg/L	5	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	Total Suspended Solids	97	mg/L	5	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	Total Suspended Solids	67	mg/L	5	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	Total Suspended Solids	62	mg/L	5	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	Total Suspended Solids	190	mg/L	5	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	Total Suspended Solids	85	mg/L	5	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	Total Suspended Solids	39	mg/L	5	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	11/Jan/2005		Westside Coalition	samplewater	Turbidity	130	NTU	0.1	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	Turbidity	43	NTU	0.1	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	Turbidity	25	NTU	0.1	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	Turbidity	30	NTU	0.1	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	Turbidity					

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	Turbidity	64	NTU	0.1	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	Turbidity	81	NTU	0.1	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	11/Jan/2005		Westside Coalition	samplewater	Turbidity	32	NTU	0.1	5	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	15-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.11	mg/L	0.010	0.005	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	8-Mar-05		Westside Coalition	samplewater	Bromide (Br)	0.055	mg/L	0.010	0.005	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	12-Apr-05		Westside Coalition	samplewater	Bromide (Br)	0.17	mg/L	0.005	0.005	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	10-May-05		Westside Coalition	samplewater	Bromide (Br)	0.18	mg/L	0.005	0.005	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	14-Jun-05		Westside Coalition	samplewater	Bromide (Br)	0.087	mg/L	0.005	0.005	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	12-Jul-05		Westside Coalition	samplewater	Bromide (Br)	0.27	mg/L	0.005	0.005	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	9-Aug-05		Westside Coalition	samplewater	Bromide (Br)	0.38	mg/L	0.010	0.005	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	14-Sep-05		Westside Coalition	samplewater	Bromide (Br)	0.25	mg/L	0.005	0.005	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	12-Oct-05		Westside Coalition	samplewater	Bromide (Br)	0.17	mg/L	0.010	0.005	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	8-Nov-05		Westside Coalition	samplewater	Bromide (Br)	0.21	mg/L	0.005	0.005	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	13-Dec-05		Westside Coalition	samplewater	Bromide (Br)	0.36	mg/L	0.010	0.005	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	3-Jan-06		Westside Coalition	samplewater	Bromide (Br)	0.022	mg/L	0.005	0.005	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	14-Feb-06		Westside Coalition	samplewater	Bromide (Br)	0.14	mg/L	0.005	0.005	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	14-Mar-06		Westside Coalition	samplewater	Bromide (Br)	0.057	mg/L	0.005	0.005	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	4-Apr-06		Westside Coalition	samplewater	Bromide (Br)	0.0060	mg/L	0.005	0.005	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	15-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A)	1200	units	50	1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	8-Mar-05		Westside Coalition	samplewater	Color (A.P.H.A)	15	units	1	1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	12-Apr-05		Westside Coalition	samplewater	Color (A.P.H.A)	50	units	10	1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	10-May-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	5	1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	14-Jun-05		Westside Coalition	samplewater	Color (A.P.H.A)	75	units	5	1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	12-Jul-05		Westside Coalition	samplewater	Color (A.P.H.A)	40	units	1	1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	9-Aug-05		Westside Coalition	samplewater	Color (A.P.H.A)	200	units	10	1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	14-Sep-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	10	1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	12-Oct-05		Westside Coalition	samplewater	Color (A.P.H.A)	70	units	2	1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	8-Nov-05		Westside Coalition	samplewater	Color (A.P.H.A)	60	units	2	1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	13-Dec-05		Westside Coalition	samplewater	Color (A.P.H.A)	40	units	2	1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	3-Jan-06		Westside Coalition	samplewater	Color (A.P.H.A)	500	units	20	1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	14-Feb-06		Westside Coalition	samplewater	Color (A.P.H.A)	120	units	5	1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	14-Mar-06		Westside Coalition	samplewater	Color (A.P.H.A)	30	units	1	1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	4-Apr-06		Westside Coalition	samplewater	Color (A.P.H.A)	150	units	10	1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	12-Apr-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	420	µmho/c	1	1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	10-May-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	530	µmho/c	1	1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	14-Jun-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	270	µmho/c	1	1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	12-Jul-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	590	µmho/c	1	1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	9-Aug-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	910	µmho/c	1	1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	15-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.6	mg/L	2.0	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	8-Mar-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.8	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	12-Apr-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.9	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	10-May-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.1	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	14-Jun-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.7	mg/L	0.4	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	12-Jul-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.0	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	9-Aug-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	9.5	mg/L	1.0	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	14-Sep-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.5	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	12-Oct-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.8	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	8-Nov-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.2	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	13-Dec-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.4	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	3-Jan-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	6.9	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	14-Feb-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.3	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	14-Mar-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.3	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	4-Apr-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.3	mg/L	0.2	0.2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	15-Feb-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	>1600	MPN/10	2	2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	8-Mar-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	240	MPN/10	2	2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	12-Apr-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	>1600	MPN/10	2	2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	10-May-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	500	MPN/10	2	2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	14-Jun-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	>1600	MPN/10	2	2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	12-Jul-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	300	MPN/10	2	2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	9-Aug-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	1600	MPN/10	2	2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	14-Sep-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	900	MPN/10	2	2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	12-Oct-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	130	MPN/10	2	2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	8-Nov-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	50	MPN/10	2	2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	13-Dec-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	350	MPN/10	2	2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	3-Jan-06		Westside Coalition	samplewater	E. coli (3x5 MTF)	>1600	MPN/10	2	2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	14-Feb-06		Westside Coalition	samplewater	E. coli (3x5 MTF)	170	MPN/10	2	2	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	14-Mar-06		Westside Coalition	samplewater	E. coli (3x5 MTF)	170	MPN/10	2	2	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	9-Aug-05		Westside Coalition	samplewater	Turbidity	87	NTU	1.0	0.1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	14-Sep-05		Westside Coalition	samplewater	Turbidity	48	NTU	1.0	0.1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	12-Oct-05		Westside Coalition	samplewater	Turbidity	16	NTU	0.2	0.1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	8-Nov-05		Westside Coalition	samplewater	Turbidity	16	NTU	0.2	0.1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	13-Dec-05		Westside Coalition	samplewater	Turbidity	13	NTU	0.2	0.1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	3-Jan-06		Westside Coalition	samplewater	Turbidity	140	NTU	2.0	0.1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	14-Feb-06		Westside Coalition	samplewater	Turbidity	36	NTU	0.5	0.1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	14-Mar-06		Westside Coalition	samplewater	Turbidity	2.2	NTU	0.1	0.1	
Westside Coalition	541XDPCHW	Del Puerto Creek at Hwy 33	4-Apr-06		Westside Coalition	samplewater	Turbidity	52	NTU	1.0	0.1	
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	06Jul/2004		Westside Coalition	samplewater	Bromide	0.62	mg/L	0.005	0.02	
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	10/Aug/2004		Westside Coalition	samplewater	Bromide	0.51	mg/L	0.01	0.02	
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	14/Sep/2004		Westside Coalition	samplewater	Bromide	0.62	mg/L	0.01	0.02	
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	12/Oct/2004		Westside Coalition	samplewater	Bromide	0.56	mg/L	0.01	0.02	
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	09/Nov/2004		Westside Coalition	samplewater	Bromide	0.25	mg/L	0.01	0.02	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	8-Mar-05		Westside Coalition	samplewater	Bromide (Br)	0.047	mg/L	0.010	0.005	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	12-Apr-05		Westside Coalition	samplewater	Bromide (Br)	0.36	mg/L	0.010	0.005	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	10-May-05		Westside Coalition	samplewater	Bromide (Br)	0.18	mg/L	0.005	0.005	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Jun-05		Westside Coalition	samplewater	Bromide (Br)	0.15	mg/L	0.005	0.005	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	12-Jul-05		Westside Coalition	samplewater	Bromide (Br)	0.35	mg/L	0.010	0.005	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	9-Aug-05		Westside Coalition	samplewater	Bromide (Br)	0.48	mg/L	0.015	0.005	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Sep-05		Westside Coalition	samplewater	Bromide (Br)	0.30	mg/L	0.005	0.005	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	12-Oct-05		Westside Coalition	samplewater	Bromide (Br)	0.19	mg/L	0.010	0.005	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	8-Nov-05		Westside Coalition	samplewater	Bromide (Br)	0.23	mg/L	0.005	0.005	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	13-Dec-05		Westside Coalition	samplewater	Bromide (Br)	0.54	mg/L	0.010	0.005	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	3-Jan-06		Westside Coalition	samplewater	Bromide (Br)	0.016	mg/L	0.005	0.005	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Feb-06		Westside Coalition	samplewater	Bromide (Br)	0.40	mg/L	0.010	0.005	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Mar-06		Westside Coalition	samplewater	Bromide (Br)	0.079	mg/L	0.005	0.005	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	5-Apr-06		Westside Coalition	samplewater	Bromide (Br)	0.010	mg/L	0.010	0.005	
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	06Jul/2004		Westside Coalition	samplewater	Color	30	units	1	100	
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	10/Aug/2004		Westside Coalition	samplewater	Color	50	units	1	100	
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	14/Sep/2004		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	12/Oct/2004		Westside Coalition	samplewater	Color	50	units	1	100	
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	09/Nov/2004		Westside Coalition	samplewater	Color	30	units	1	100	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	8-Mar-05		Westside Coalition	samplewater	Color (A.P.H.A)	25	units	1	1	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	12-Apr-05		Westside Coalition	samplewater	Color (A.P.H.A)	50	units	10	1	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	10-May-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	20	1	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Jun-05		Westside Coalition	samplewater	Color (A.P.H.A)	50	units	5	1	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	12-Jul-05		Westside Coalition	samplewater	Color (A.P.H.A)	35	units	1	1	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	9-Aug-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	10	1	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Sep-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	10	1	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	12-Oct-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	10	1	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	8-Nov-05		Westside Coalition	samplewater	Color (A.P.H.A)	40	units	4	1	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	13-Dec-05		Westside Coalition	samplewater	Color (A.P.H.A)	50	units	5	1	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	3-Jan-06		Westside Coalition	samplewater	Color (A.P.H.A)	1000	units	100	1	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Feb-06		Westside Coalition	samplewater	Color (A.P.H.A)	120	units	5	1	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Mar-06		Westside Coalition	samplewater	Color (A.P.H.A)	70	units	2	1	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	5-Apr-06		Westside Coalition	samplewater	Color (A.P.H.A)	300	units	20	1	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	12-Apr-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	980	umho/c	1	1	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	10-May-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	500	umho/c	1	1	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Jun-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	380	umho/c	1	1	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	12-Jul-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	710	umho/c	1	1	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	9-Aug-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	870	umho/c	1	1	
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	06Jul/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	3	mg/L	0.2	0.2	
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	10/Aug/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	3.7	mg/L	0.2	0.2	
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	14/Sep/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	4.2	mg/L	0.2	0.2	
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	12/Oct/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	3.9	mg/L	0.2	0.2	
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	09/Nov/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	4.4	mg/L	0.2	0.2	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	8-Mar-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.8	mg/L	0.2	0.2	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	12-Apr-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	1.9	mg/L	0.2	0.2	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	10-May-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.1	mg/L	0.2	0.2	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Jun-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.6	mg/L	0.4	0.2	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	12-Jul-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.8	mg/L	0.2	0.2	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	9-Aug-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.1	mg/L	0.4	0.2	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Sep-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.8	mg/L	0.2	0.2	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	12-Oct-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.2	mg/L	1.0	0.2	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	8-Nov-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.2	mg/L	0.2	0.2	
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	13-Dec-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.4	mg/L	0.2	0.2	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte		Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	12-Apr-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	2.3	mg/L	0.2	0.2		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	10-May-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.6	mg/L	0.2	0.2		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Jun-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	4.9	mg/L	0.4	0.2		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	12-Jul-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.7	mg/L	0.2	0.2		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	9-Aug-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	4.1	mg/L	0.4	0.2		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Sep-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.4	mg/L	0.2	0.2		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	12-Oct-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	4.5	mg/L	1.0	0.2		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	8-Nov-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	2.9	mg/L	0.2	0.2		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	13-Dec-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.0	mg/L	0.2	0.2		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	3-Jan-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	9.8	mg/L	0.2	0.2		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Feb-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	4.0	mg/L	0.2	0.2		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Mar-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.6	mg/L	0.2	0.2		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	5-Apr-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	6.5	mg/L	0.2	0.2		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	8-Mar-05		Westside Coalition	samplewater	Total Suspended (TSS)	9.0	mg/L	5	5		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	12-Apr-05		Westside Coalition	samplewater	Total Suspended (TSS)	66	mg/L	5	5		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	10-May-05		Westside Coalition	samplewater	Total Suspended (TSS)	200	mg/L	5	5		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Jun-05		Westside Coalition	samplewater	Total Suspended (TSS)	35	mg/L	5	5		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	12-Jul-05		Westside Coalition	samplewater	Total Suspended (TSS)	130	mg/L	5	5		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	9-Aug-05		Westside Coalition	samplewater	Total Suspended (TSS)	130	mg/L	5	5		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Sep-05		Westside Coalition	samplewater	Total Suspended (TSS)	65	mg/L	5	5		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	12-Oct-05		Westside Coalition	samplewater	Total Suspended (TSS)	94	mg/L	5	5		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	8-Nov-05		Westside Coalition	samplewater	Total Suspended (TSS)	38	mg/L	5	5		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	13-Dec-05		Westside Coalition	samplewater	Total Suspended (TSS)	41	mg/L	5	5		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	3-Jan-06		Westside Coalition	samplewater	Total Suspended (TSS)	230	mg/L	5	5		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Feb-06		Westside Coalition	samplewater	Total Suspended (TSS)	68	mg/L	5	5		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Mar-06		Westside Coalition	samplewater	Total Suspended (TSS)	18	mg/L	5	5		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	5-Apr-06		Westside Coalition	samplewater	Total Suspended (TSS)	210	mg/L	5	5		
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	06/Jul/2004		Westside Coalition	samplewater	Total Suspended Solids	18	mg/L	5	5		
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	10/Aug/2004		Westside Coalition	samplewater	Total Suspended Solids	78	mg/L	5	5		
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	14/Sep/2004		Westside Coalition	samplewater	Total Suspended Solids	180	mg/L	5	5		
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	12/Oct/2004		Westside Coalition	samplewater	Total Suspended Solids	47	mg/L	5	5		
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	09/Nov/2004		Westside Coalition	samplewater	Total Suspended Solids	-5	mg/L	ND	5	5	
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	06/Jul/2004		Westside Coalition	samplewater	Turbidity	5.9	NTU	0.1	5		
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	10/Aug/2004		Westside Coalition	samplewater	Turbidity	36	NTU	0.1	5		
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	14/Sep/2004		Westside Coalition	samplewater	Turbidity	77	NTU	0.1	5		
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	12/Oct/2004		Westside Coalition	samplewater	Turbidity	38	NTU	0.1	5		
Westside Coalition	541XDPCCR	Del Puerto Creek Near Cox Road	09/Nov/2004		Westside Coalition	samplewater	Turbidity	3.8	NTU	0.1	5		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	8-Mar-05		Westside Coalition	samplewater	Turbidity	8.2	NTU	0.1	0.1		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	12-Apr-05		Westside Coalition	samplewater	Turbidity	49	NTU	1.0	0.1		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	10-May-05		Westside Coalition	samplewater	Turbidity	140	NTU	2.0	0.1		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Jun-05		Westside Coalition	samplewater	Turbidity	19	NTU	0.5	0.1		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	12-Jul-05		Westside Coalition	samplewater	Turbidity	17	NTU	0.2	0.1		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	9-Aug-05		Westside Coalition	samplewater	Turbidity	66	NTU	1.0	0.1		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Sep-05		Westside Coalition	samplewater	Turbidity	52	NTU	1.0	0.1		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	12-Oct-05		Westside Coalition	samplewater	Turbidity	58	NTU	1.0	0.1		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	8-Nov-05		Westside Coalition	samplewater	Turbidity	16	NTU	0.4	0.1		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	13-Dec-05		Westside Coalition	samplewater	Turbidity	21	NTU	0.5	0.1		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	3-Jan-06		Westside Coalition	samplewater	Turbidity	390	NTU	10	0.1		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Feb-06		Westside Coalition	samplewater	Turbidity	48	NTU	0.5	0.1		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	14-Mar-06		Westside Coalition	samplewater	Turbidity	14	NTU	0.2	0.1		
Westside Coalition	541XDPCCR	Del Puerto Creek near Cox Road	5-Apr-06		Westside Coalition	samplewater	Turbidity	130	NTU	2.0	0.1		
Westside Coalition	DMCDP	Delta Mendota Canal at DPWD	9-Aug-05		Westside Coalition	samplewater	Bromide (Br)	0.21	mg/L	0.010	0.005		
Westside Coalition	DMCDP	Delta Mendota Canal at DPWD	9-Aug-05		Westside Coalition	samplewater	Color (A.P.H.A)	50	units	2	1		
Westside Coalition	DMCDP	Delta Mendota Canal at DPWD	9-Aug-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	370	µmho/c	1	1		
Westside Coalition	DMCDP	Delta Mendota Canal at DPWD	9-Aug-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.6	mg/L	0.4	0.2		
Westside Coalition	DMCDP	Delta Mendota Canal at DPWD	9-Aug-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	2	MPN/10	2	2		
Westside Coalition	DMCDP	Delta Mendota Canal at DPWD	9-Aug-05		Westside Coalition	samplewater	pH	7.7	Std.Unit	N/A	-		
Westside Coalition	DMCDP	Delta Mendota Canal at DPWD	9-Aug-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	240	mg/L	5	5		
Westside Coalition	DMCDP	Delta Mendota Canal at DPWD	9-Aug-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.4	mg/L	0.4	0.2		
Westside Coalition	DMCDP	Delta Mendota Canal at DPWD	9-Aug-05		Westside Coalition	samplewater	Total Suspended (TSS)	26	mg/L	5	5		
Westside Coalition	DMCDP	Delta Mendota Canal at DPWD	9-Aug-05		Westside Coalition	samplewater	Turbidity	16	NTU	0.2	0.1		
Westside Coalition	541XHCARR	Hospital Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	Bromide	0.42	mg/L	0.005	0.02		
Westside Coalition	541XHCARR	Hospital Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	Bromide	0.45	mg/L	0.01	0.02		
Westside Coalition	541XHCARR	Hospital Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	Bromide	0.64	mg/L	0.01	0.02		
Westside Coalition	541XHCARR	Hospital Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Bromide	0.53	mg/L	0.01	0.02		
Westside Coalition	541XHCARR	Hospital Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	Bromide	0.03	mg/L	0.005	0.015		
Westside Coalition	541XHCARR	Hospital Creek at River Road	15-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.11	mg/L	0.005	0.005		

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XHCARR	Hospital Creek at River Road	10-May-05		Westside Coalition	samplewater	Bromide (Br)	0.16	mg/L	0.005	0.005	
Westside Coalition	541XHCARR	Hospital Creek at River Road	14-Jun-05		Westside Coalition	samplewater	Bromide (Br)	0.061	mg/L	0.005	0.005	
Westside Coalition	541XHCARR	Hospital Creek at River Road	12-Jul-05		Westside Coalition	samplewater	Bromide (Br)	0.32	mg/L	0.010	0.005	
Westside Coalition	541XHCARR	Hospital Creek at River Road	9-Aug-05		Westside Coalition	samplewater	Bromide (Br)	0.29	mg/L	0.010	0.005	
Westside Coalition	541XHCARR	Hospital Creek at River Road	14-Sep-05		Westside Coalition	samplewater	Bromide (Br)	0.27	mg/L	0.005	0.005	
Westside Coalition	541XHCARR	Hospital Creek at River Road	12-Oct-05		Westside Coalition	samplewater	Bromide (Br)	0.16	mg/L	0.010	0.005	
Westside Coalition	541XHCARR	Hospital Creek at River Road	8-Nov-05		Westside Coalition	samplewater	Bromide (Br)	0.21	mg/L	0.005	0.005	
Westside Coalition	541XHCARR	Hospital Creek at River Road	3-Jan-06		Westside Coalition	samplewater	Bromide (Br)	0.017	mg/L	0.005	0.005	
Westside Coalition	541XHCARR	Hospital Creek at River Road	5-Apr-06		Westside Coalition	samplewater	Bromide (Br)	0.033	mg/L	0.010	0.005	
Westside Coalition	541XHCARR	Hospital Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	Color	1000	units	1	100	
Westside Coalition	541XHCARR	Hospital Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	Color	500	units	1	100	
Westside Coalition	541XHCARR	Hospital Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	Color	1500	units	1	100	
Westside Coalition	541XHCARR	Hospital Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Color	250	units	1	100	
Westside Coalition	541XHCARR	Hospital Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Color	250	units	1	100	
Westside Coalition	541XHCARR	Hospital Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Color	250	units	1	100	
Westside Coalition	541XHCARR	Hospital Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	Color	1500	units	1	100	
Westside Coalition	541XHCARR	Hospital Creek at River Road	15-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A)	3000	units	200	1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	10-May-05		Westside Coalition	samplewater	Color (A.P.H.A)	500	units	50	1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	14-Jun-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	10	1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	12-Jul-05		Westside Coalition	samplewater	Color (A.P.H.A)	40	units	1	1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	9-Aug-05		Westside Coalition	samplewater	Color (A.P.H.A)	1000	units	200	1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	14-Sep-05		Westside Coalition	samplewater	Color (A.P.H.A)	200	units	20	1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	12-Oct-05		Westside Coalition	samplewater	Color (A.P.H.A)	50	units	10	1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	8-Nov-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	4	1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	3-Jan-06		Westside Coalition	samplewater	Color (A.P.H.A)	8000	units	400	1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	5-Apr-06		Westside Coalition	samplewater	Color (A.P.H.A)	2000	units	100	1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	10-May-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	480	umho/c	1	1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	14-Jun-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	200	umho/c	1	1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	12-Jul-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	660	umho/c	1	1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	9-Aug-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	570	umho/c	1	1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	5.8	mg/L	0.2	0.2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	3.8	mg/L	0.2	0.2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	6.2	mg/L	0.2	0.2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	6	mg/L	0.2	0.2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	13	mg/L	0.2	0.2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	15-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	10	mg/L	5.0	0.2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	10-May-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.2	mg/L	0.4	0.2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	14-Jun-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.0	mg/L	0.2	0.2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	12-Jul-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.8	mg/L	0.4	0.2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	9-Aug-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.4	mg/L	2.0	0.2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	14-Sep-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.4	mg/L	0.2	0.2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	12-Oct-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	1.9	mg/L	0.2	0.2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	8-Nov-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.3	mg/L	0.2	0.2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	2-Jan-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	9.2	mg/L	1.0	0.2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	3-Jan-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	9.2	mg/L	0.2	0.2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	5-Apr-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	7.4	mg/L	0.8	0.2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	E. Coli	130	MPN/10	2	2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	E. Coli	500	MPN/10	2	2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	E. Coli	1600	MPN/10 >	2	2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	E. Coli	500	MPN/10	2	2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	E. Coli	1600	MPN/10	2	2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	15-Feb-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	>1600	MPN/10	2	2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	10-May-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	240	MPN/10	2	2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	14-Jun-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	170	MPN/10	2	2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	12-Jul-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	300	MPN/10	2	2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	9-Aug-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	500	MPN/10	2	2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	14-Sep-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	500	MPN/10	2	2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	12-Oct-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	500	MPN/10	2	2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	8-Nov-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	350	MPN/10	2	2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	3-Jan-06		Westside Coalition	samplewater	E. coli (3x5 MTF)	>1600	MPN/10	2	2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	5-Apr-06		Westside Coalition	samplewater	E. coli (3x5 MTF)	>1600	MPN/10	2	2	
Westside Coalition	541XHCARR	Hospital Creek at River Road	15-Feb-05		Westside Coalition	samplewater	pH	7.3	Std.Unit	N/A	-	
Westside Coalition	541XHCARR	Hospital Creek at River Road	10-May-05		Westside Coalition	samplewater	pH	7.7	Std.Unit	N/A	-	
Westside Coalition	541XHCARR	Hospital Creek at River Road	14-Jun-05		Westside Coalition	samplewater	pH	7.9	Std.Unit	N/A	-	
Westside Coalition	541XHCARR	Hospital Creek at River Road	12-Jul-05		Westside Coalition	samplewater	pH	7.8	Std.Unit	N/A	-	
Westside Coalition	541XHCARR	Hospital Creek at River Road	9-Aug-05		Westside Coalition	samplewater	pH	7.7	Std.Unit	N/A	-	
Westside Coalition	541XHCARR	Hospital Creek at River Road	14-Sep-05		Westside Coalition	samplewater	pH	8.2	Std.Unit	N/A	-	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XHCARR	Hospital Creek at River Road	10-May-05		Westside Coalition	samplewater	Turbidity	570	NTU	10	0.1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	14-Jun-05		Westside Coalition	samplewater	Turbidity	90	NTU	1.0	0.1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	12-Jul-05		Westside Coalition	samplewater	Turbidity	460	NTU	5.0	0.1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	9-Aug-05		Westside Coalition	samplewater	Turbidity	1300	NTU	20	0.1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	14-Sep-05		Westside Coalition	samplewater	Turbidity	140	NTU	2.0	0.1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	12-Oct-05		Westside Coalition	samplewater	Turbidity	43	NTU	1.0	0.1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	8-Nov-05		Westside Coalition	samplewater	Turbidity	31	NTU	0.4	0.1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	3-Jan-06		Westside Coalition	samplewater	Turbidity	2700	NTU	40	0.1	
Westside Coalition	541XHCARR	Hospital Creek at River Road	5-Apr-06		Westside Coalition	samplewater	Turbidity	630	NTU	10	0.1	
Westside Coalition	541XICARR	Ingram Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	Bromide	0.56	mg/L	0.005	0.02	
Westside Coalition	541XICARR	Ingram Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	Bromide	0.53	mg/L	0.01	0.02	
Westside Coalition	541XICARR	Ingram Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	Bromide	0.79	mg/L	0.01	0.02	
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Bromide	0.54	mg/L	0.01	0.02	
Westside Coalition	541XICARR	Ingram Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	Bromide	0.31	mg/L	0.01	0.02	
Westside Coalition	541XICARR	Ingram Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	Bromide	0.46	mg/L	0.005	0.015	
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	Bromide	0.15	mg/L	0.01	0.02	
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Feb-05		Westside Coalition	samplewater	Bromide (Br)	1.1	mg/L	0.040	0.005	
Westside Coalition	541XICARR	Ingram Creek at River Road	15-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.054	mg/L	0.005	0.005	
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Mar-05		Westside Coalition	samplewater	Bromide (Br)	1.1	mg/L	0.025	0.005	
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Apr-05		Westside Coalition	samplewater	Bromide (Br)	0.43	mg/L	0.010	0.005	
Westside Coalition	541XICARR	Ingram Creek at River Road	10-May-05		Westside Coalition	samplewater	Bromide (Br)	0.25	mg/L	0.005	0.005	
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Jun-05		Westside Coalition	samplewater	Bromide (Br)	0.15	mg/L	0.005	0.005	
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Jul-05		Westside Coalition	samplewater	Bromide (Br)	0.31	mg/L	0.010	0.005	
Westside Coalition	541XICARR	Ingram Creek at River Road	9-Aug-05		Westside Coalition	samplewater	Bromide (Br)	0.32	mg/L	0.010	0.005	
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Sep-05		Westside Coalition	samplewater	Bromide (Br)	0.36	mg/L	0.010	0.005	
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Oct-05		Westside Coalition	samplewater	Bromide (Br)	0.22	mg/L	0.010	0.005	
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Nov-05		Westside Coalition	samplewater	Bromide (Br)	0.63	mg/L	0.015	0.005	
Westside Coalition	541XICARR	Ingram Creek at River Road	13-Dec-05		Westside Coalition	samplewater	Bromide (Br)	1.0	mg/L	0.050	0.005	
Westside Coalition	541XICARR	Ingram Creek at River Road	3-Jan-06		Westside Coalition	samplewater	Bromide (Br)	0.24	mg/L	0.010	0.005	
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Feb-06		Westside Coalition	samplewater	Bromide (Br)	0.23	mg/L	0.005	0.005	
Westside Coalition	541XICARR	Ingram Creek at River Road	4-Apr-06		Westside Coalition	samplewater	Bromide (Br)	0.19	mg/L	0.010	0.005	
Westside Coalition	541XICARR	Ingram Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	Color	75	units	1	100	
Westside Coalition	541XICARR	Ingram Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	Color	750	units	1	100	
Westside Coalition	541XICARR	Ingram Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XICARR	Ingram Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	Color	40	units	1	100	
Westside Coalition	541XICARR	Ingram Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	Color	300	units	1	100	
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	Color	200	units	1	100	
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A.)	ND	units	1	1	
Westside Coalition	541XICARR	Ingram Creek at River Road	15-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A.)	2000	units	200	1	
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Mar-05		Westside Coalition	samplewater	Color (A.P.H.A.)	ND	units	1	1	
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Apr-05		Westside Coalition	samplewater	Color (A.P.H.A.)	500	units	50	1	
Westside Coalition	541XICARR	Ingram Creek at River Road	10-May-05		Westside Coalition	samplewater	Color (A.P.H.A.)	250	units	50	1	
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Jun-05		Westside Coalition	samplewater	Color (A.P.H.A.)	100	units	20	1	
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Jul-05		Westside Coalition	samplewater	Color (A.P.H.A.)	45	units	1	1	
Westside Coalition	541XICARR	Ingram Creek at River Road	9-Aug-05		Westside Coalition	samplewater	Color (A.P.H.A.)	1000	units	200	1	
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Sep-05		Westside Coalition	samplewater	Color (A.P.H.A.)	300	units	20	1	
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Oct-05		Westside Coalition	samplewater	Color (A.P.H.A.)	200	units	20	1	
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Nov-05		Westside Coalition	samplewater	Color (A.P.H.A.)	100	units	10	1	
Westside Coalition	541XICARR	Ingram Creek at River Road	13-Dec-05		Westside Coalition	samplewater	Color (A.P.H.A.)	15	units	1	1	
Westside Coalition	541XICARR	Ingram Creek at River Road	3-Jan-06		Westside Coalition	samplewater	Color (A.P.H.A.)	500	units	50	1	
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Feb-06		Westside Coalition	samplewater	Color (A.P.H.A.)	75	units	5	1	
Westside Coalition	541XICARR	Ingram Creek at River Road	4-Apr-06		Westside Coalition	samplewater	Color (A.P.H.A.)	600	units	20	1	
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Apr-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	900	umho/c	1	1	
Westside Coalition	541XICARR	Ingram Creek at River Road	10-May-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	650	umho/c	1	1	
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Jun-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	380	umho/c	1	1	
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Jul-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	670	umho/c	1	1	
Westside Coalition	541XICARR	Ingram Creek at River Road	9-Aug-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	630	umho/c	1	1	
Westside Coalition	541XICARR	Ingram Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	4.9	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	20	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	8.9	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	3.6	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	3.9	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	Dissolved Organic Carbon	6.7	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	1.5	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	15-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	6.6	mg/L	2.0	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Mar-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	1.7	mg/L	0.2	0.2	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte		Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Apr-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.3	mg/L	0.2	0.2		
Westside Coalition	541XICARR	Ingram Creek at River Road	10-May-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.1	mg/L	0.4	0.2		
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Jun-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.0	mg/L	1.0	0.2		
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Jul-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.9	mg/L	0.4	0.2		
Westside Coalition	541XICARR	Ingram Creek at River Road	9-Aug-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.5	mg/L	2.0	0.2		
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Sep-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.6	mg/L	1.0	0.2		
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Oct-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.5	mg/L	1.0	0.2		
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Nov-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.1	mg/L	0.2	0.2		
Westside Coalition	541XICARR	Ingram Creek at River Road	13-Dec-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.9	mg/L	0.2	0.2		
Westside Coalition	541XICARR	Ingram Creek at River Road	3-Jan-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	11	mg/L	1.0	0.2		
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Feb-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.3	mg/L	0.2	0.2		
Westside Coalition	541XICARR	Ingram Creek at River Road	4-Apr-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.1	mg/L	0.2	0.2		
Westside Coalition	541XICARR	Ingram Creek at River Road	06-Jul/2004		Westside Coalition	samplewater	E. Coli	300	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	E. Coli	110	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	E. Coli	1600	MPN/10 >	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	E. Coli	220	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	E. Coli	30	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	E. Coli	280	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	E. Coli	900	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Feb-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	2	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	15-Feb-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	>1600	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Mar-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	170	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Apr-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	900	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	10-May-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	50	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Jun-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	>1600	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Jul-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	110	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	9-Aug-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	170	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Sep-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	300	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Oct-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	170	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Nov-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	500	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	13-Dec-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	>1600	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	3-Jan-06		Westside Coalition	samplewater	E. coli (3x5 MTF)	>1600	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Feb-06		Westside Coalition	samplewater	E. coli (3x5 MTF)	300	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	4-Apr-06		Westside Coalition	samplewater	E. coli (3x5 MTF)	500	MPN/10	2	2		
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Feb-05		Westside Coalition	samplewater	pH	8.1	Std.Unit	N/A	-		
Westside Coalition	541XICARR	Ingram Creek at River Road	15-Feb-05		Westside Coalition	samplewater	pH	7.1	Std.Unit	N/A	-		
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Mar-05		Westside Coalition	samplewater	pH	8.1	Std.Unit	N/A	-		
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Apr-05		Westside Coalition	samplewater	pH	8.1	Std.Unit	N/A	-		
Westside Coalition	541XICARR	Ingram Creek at River Road	10-May-05		Westside Coalition	samplewater	pH	7.7	Std.Unit	N/A	-		
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Jun-05		Westside Coalition	samplewater	pH	7.9	Std.Unit	N/A	-		
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Jul-05		Westside Coalition	samplewater	pH	7.8	Std.Unit	N/A	-		
Westside Coalition	541XICARR	Ingram Creek at River Road	9-Aug-05		Westside Coalition	samplewater	pH	7.7	Std.Unit	N/A	-		
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Sep-05		Westside Coalition	samplewater	pH	8.0	Std.Unit	N/A	-		
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Oct-05		Westside Coalition	samplewater	pH	8.0	Std.Unit	N/A	-		
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Nov-05		Westside Coalition	samplewater	pH	8.2	Std.Unit	N/A	-		
Westside Coalition	541XICARR	Ingram Creek at River Road	13-Dec-05		Westside Coalition	samplewater	pH	8.2	Std.Unit	N/A	-		
Westside Coalition	541XICARR	Ingram Creek at River Road	3-Jan-06		Westside Coalition	samplewater	pH	8.2	Std.Unit	N/A	-		
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Feb-06		Westside Coalition	samplewater	pH	8.0	Std.Unit	N/A	-		
Westside Coalition	541XICARR	Ingram Creek at River Road	4-Apr-06		Westside Coalition	samplewater	pH	7.8	Std.Unit	N/A	-		
Westside Coalition	541XICARR	Ingram Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	pH, Lab	8.1	units	-88	-88		
Westside Coalition	541XICARR	Ingram Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	pH, Lab	8.2	units	-88	-88		
Westside Coalition	541XICARR	Ingram Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	pH, Lab	7.9	units	-88	-88		
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	pH, Lab	8.2	units	-88	-88		
Westside Coalition	541XICARR	Ingram Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	pH, Lab	8.1	units	-88	-88		
Westside Coalition	541XICARR	Ingram Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	pH, Lab	360	mg/L	5	5		
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	Total Dissolved Solids	650	mg/L	5	5		
Westside Coalition	541XICARR	Ingram Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	Total Dissolved Solids	700	mg/L	5	5		
Westside Coalition	541XICARR	Ingram Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	Total Dissolved Solids	900	mg/L	5	5		
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Total Dissolved Solids	650	mg/L	5	5		
Westside Coalition	541XICARR	Ingram Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	Total Dissolved Solids	360	mg/L	5	5		
Westside Coalition	541XICARR	Ingram Creek at River Road	18/Nov/2004		Westside Coalition	samplewater	Total Dissolved Solids	360	mg/L	5	5		
Westside Coalition	541XICARR	Ingram Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	Total Dissolved Solids	650	mg/L	5	5		
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	Total Dissolved Solids	500	mg/L	5	5		
Westside Coalition	541XICARR	Ingram Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	Total Dissolved Solids	580	mg/L	5	5		
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Feb-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	1300	mg/L	5	5		
Westside Coalition	541XICARR	Ingram Creek at River Road	15-Feb-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	300	mg/L	5	5		
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Mar-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	1300	mg/L	5	5		

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Apr-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	560	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	10-May-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	390	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Jun-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	240	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Jul-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	390	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	9-Aug-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	470	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Sep-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	430	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Oct-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	290	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Nov-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	740	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	13-Dec-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	1400	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	3-Jan-06		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	590	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Feb-06		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	340	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	4-Apr-06		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	310	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	06-Jul-2004		Westside Coalition	samplewater	Total Organic Carbon	6.2	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	Total Organic Carbon	26	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	Total Organic Carbon	10	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Total Organic Carbon	4.1	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	Total Organic Carbon	4.8	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	Total Organic Carbon	10	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Feb-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	1.6	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	15-Feb-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	11	mg/L	2.0	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Mar-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	1.8	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Apr-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	6.2	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	10-May-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.5	mg/L	0.4	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Jun-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	6.9	mg/L	1.0	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Jul-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	4.5	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	9-Aug-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	6.4	mg/L	2.0	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Sep-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	7.8	mg/L	1.0	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Oct-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.6	mg/L	1.0	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Nov-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	2.5	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	13-Dec-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.0	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	3-Jan-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	13	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Feb-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	2.8	mg/L	0.2	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	4-Apr-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	7.0	mg/L	0.4	0.2	
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Feb-05		Westside Coalition	samplewater	Total Suspended (TSS)	5.0	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	15-Feb-05		Westside Coalition	samplewater	Total Suspended (TSS)	1100	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Mar-05		Westside Coalition	samplewater	Total Suspended (TSS)	6.0	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Apr-05		Westside Coalition	samplewater	Total Suspended (TSS)	550	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	10-May-05		Westside Coalition	samplewater	Total Suspended (TSS)	390	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Jun-05		Westside Coalition	samplewater	Total Suspended (TSS)	560	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Jul-05		Westside Coalition	samplewater	Total Suspended (TSS)	1200	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	9-Aug-05		Westside Coalition	samplewater	Total Suspended (TSS)	1600	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Sep-05		Westside Coalition	samplewater	Total Suspended (TSS)	320	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Oct-05		Westside Coalition	samplewater	Total Suspended (TSS)	200	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Nov-05		Westside Coalition	samplewater	Total Suspended (TSS)	120	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	13-Dec-05		Westside Coalition	samplewater	Total Suspended (TSS)	11	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	3-Jan-06		Westside Coalition	samplewater	Total Suspended (TSS)	410	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Feb-06		Westside Coalition	samplewater	Total Suspended (TSS)	37	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	4-Apr-06		Westside Coalition	samplewater	Total Suspended (TSS)	260	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	Total Suspended Solids	280	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	Total Suspended Solids	1200	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	Total Suspended Solids	200	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Total Suspended Solids	260	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	Total Suspended Solids	28	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	Total Suspended Solids	180	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	Total Suspended Solids	150	mg/L	5	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	Turbidity	20	NTU	0.1	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	Turbidity	780	NTU	0.1	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	Turbidity	72	NTU	0.1	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Turbidity	120	NTU	0.1	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	Turbidity	16	NTU	0.1	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	Turbidity	120	NTU	0.1	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	Turbidity	92	NTU	0.1	5	
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Feb-05		Westside Coalition	samplewater	Turbidity	0.30	NTU	0.1	0.1	
Westside Coalition	541XICARR	Ingram Creek at River Road	15-Feb-05		Westside Coalition	samplewater	Turbidity	1000	NTU	20	0.1	
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Mar-05		Westside Coalition	samplewater	Turbidity	2.8	NTU	0.1	0.1	
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Apr-05		Westside Coalition	samplewater	Turbidity	440	NTU	5.0	0.1	
Westside Coalition	541XICARR	Ingram Creek at River Road	10-May-05		Westside Coalition	samplewater	Turbidity	250	NTU	5.0	0.1	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Jun-05		Westside Coalition	samplewater	Turbidity	140	NTU	2.0	0.1	
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Jul-05		Westside Coalition	samplewater	Turbidity	48	NTU	2.0	0.1	
Westside Coalition	541XICARR	Ingram Creek at River Road	9-Aug-05		Westside Coalition	samplewater	Turbidity	1100	NTU	20	0.1	
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Sep-05		Westside Coalition	samplewater	Turbidity	180	NTU	2.0	0.1	
Westside Coalition	541XICARR	Ingram Creek at River Road	12-Oct-05		Westside Coalition	samplewater	Turbidity	140	NTU	2.0	0.1	
Westside Coalition	541XICARR	Ingram Creek at River Road	8-Nov-05		Westside Coalition	samplewater	Turbidity	42	NTU	1.0	0.1	
Westside Coalition	541XICARR	Ingram Creek at River Road	13-Dec-05		Westside Coalition	samplewater	Turbidity	6.9	NTU	0.1	0.1	
Westside Coalition	541XICARR	Ingram Creek at River Road	3-Jan-06		Westside Coalition	samplewater	Turbidity	290	NTU	5.0	0.1	
Westside Coalition	541XICARR	Ingram Creek at River Road	14-Feb-06		Westside Coalition	samplewater	Turbidity	29	NTU	0.5	0.1	
Westside Coalition	541XICARR	Ingram Creek at River Road	4-Apr-06		Westside Coalition	samplewater	Turbidity	180	NTU	2.0	0.1	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22-Jun-05	9:50	UCD Phase II	samplewater	Ammonia as N	1.52	mg/L	0.04	0.1	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	7-Jul-05	10:20	UCD Phase II	samplewater	Ammonia as N	0.11	mg/L	0.04	0.1	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20-Jul-05	9:20	UCD Phase II	samplewater	Ammonia as N	0.586	mg/L	0.04	0.1	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	3-Aug-05	9:40	UCD Phase II	samplewater	Ammonia as N	0.16	mg/L	0.04	0.1	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22-Jun-05	9:50	UCD Phase II	samplewater	Arsenic,Total	6.78	µg/L	0.1	0.3	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	7-Jul-05	10:20	UCD Phase II	samplewater	Arsenic,Total	6.31	µg/L	0.1	0.3	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20-Jul-05	9:20	UCD Phase II	samplewater	Arsenic,Total	7.21	µg/L	0.1	0.3	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	3-Aug-05	9:40	UCD Phase II	samplewater	Arsenic,Total	6.23	µg/L	0.1	0.3	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22-Jun-05	9:50	UCD Phase II	samplewater	Boron,Total	0.0333	mg/L	0.0002	0.0006	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	7-Jul-05	10:20	UCD Phase II	samplewater	Boron,Total	0.243	mg/L	0.0002	0.0006	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20-Jul-05	9:20	UCD Phase II	samplewater	Boron,Total	0.203	mg/L	0.0002	0.0006	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	3-Aug-05	9:40	UCD Phase II	samplewater	Boron,Total	0.207	mg/L	0.0002	0.0006	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22-Jun-05	9:50	UCD Phase II	samplewater	Cadmium,Total	0.08	µg/L	0.01	0.03	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	7-Jul-05	10:20	UCD Phase II	samplewater	Cadmium,Total	0.07	µg/L	0.01	0.03	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20-Jul-05	9:20	UCD Phase II	samplewater	Cadmium,Total	0.09	µg/L	0.01	0.03	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	3-Aug-05	9:40	UCD Phase II	samplewater	Cadmium,Total	0.08	µg/L	0.01	0.03	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22-Jun-05	9:50	UCD Phase II	samplewater	Color	40	color	5	10	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	7-Jul-05	10:20	UCD Phase II	samplewater	Color	24	color	5	10	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20-Jul-05	9:20	UCD Phase II	samplewater	Color	15	color	5	10	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	3-Aug-05	9:40	UCD Phase II	samplewater	Color	38	color	5	10	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22-Jun-05	9:50	UCD Phase II	samplewater	Copper,Total	6.57	µg/L	0.01	0.03	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	7-Jul-05	10:20	UCD Phase II	samplewater	Copper,Total	6.77	µg/L	0.01	0.03	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20-Jul-05	9:20	UCD Phase II	samplewater	Copper,Total	8.43	µg/L	0.01	0.03	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	3-Aug-05	9:40	UCD Phase II	samplewater	Copper,Total	6.08	µg/L	0.01	0.03	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22-Jun-05	9:50	UCD Phase II	samplewater	Hardness as CaCO3	101	mg/L	1	1	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	7-Jul-05	10:20	UCD Phase II	samplewater	Hardness as CaCO3	121	mg/L	1	1	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20-Jul-05	9:20	UCD Phase II	samplewater	Hardness as CaCO3	152	mg/L	1	1	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	3-Aug-05	9:40	UCD Phase II	samplewater	Hardness as CaCO3	136	mg/L	5	10	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22-Jun-05	9:50	UCD Phase II	samplewater	Lead,Total	1.82	µg/L	0.01	0.03	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	7-Jul-05	10:20	UCD Phase II	samplewater	Lead,Total	2.57	µg/L	0.01	0.03	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20-Jul-05	9:20	UCD Phase II	samplewater	Lead,Total	3.05	µg/L	0.01	0.03	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	3-Aug-05	9:40	UCD Phase II	samplewater	Lead,Total	2	µg/L	0.01	0.03	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22-Jun-05	9:50	UCD Phase II	samplewater	Nickel,Total	5.57	µg/L	0.01	0.05	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	7-Jul-05	10:20	UCD Phase II	samplewater	Nickel,Total	5.69	µg/L	0.01	0.05	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20-Jul-05	9:20	UCD Phase II	samplewater	Nickel,Total	6.31	µg/L	0.01	0.05	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	3-Aug-05	9:40	UCD Phase II	samplewater	Nickel,Total	3.91	µg/L	0.01	0.05	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22-Jun-05	9:50	UCD Phase II	samplewater	Nitrate + Nitrite as N	7.46	mg/L	0.01	0.02	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	7-Jul-05	10:20	UCD Phase II	samplewater	Nitrate + Nitrite as N	1.85	mg/L	0.01	0.02	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20-Jul-05	9:20	UCD Phase II	samplewater	Nitrate + Nitrite as N	3.31	mg/L	0.005	0.01	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	3-Aug-05	9:40	UCD Phase II	samplewater	Nitrate + Nitrite as N	1.56	mg/L	0.005	0.01	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22-Jun-05	9:50	UCD Phase II	samplewater	Nitrite as N	0.223	mg/L	0.005	0.01	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	7-Jul-05	10:20	UCD Phase II	samplewater	Nitrite as N	0.0554	mg/L	0.005	0.01	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20-Jul-05	9:20	UCD Phase II	samplewater	Nitrite as N	0.106	mg/L	0.005	0.01	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	3-Aug-05	9:40	UCD Phase II	samplewater	Nitrite as N	0.0864	mg/L	0.005	0.01	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22-Jun-05	9:50	UCD Phase II	samplewater	OrthoPhosphate as P	0.269	mg/L	0.005	0.01	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	7-Jul-05	10:20	UCD Phase II	samplewater	OrthoPhosphate as P	0.212	mg/L	0.005	0.01	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20-Jul-05	9:20	UCD Phase II	samplewater	OrthoPhosphate as P	0.177	mg/L	0.005	0.01	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	3-Aug-05	9:40	UCD Phase II	samplewater	OrthoPhosphate as P	0.225	mg/L	0.005	0.01	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22-Jun-05	9:50	UCD Phase II	samplewater	Phosphorus as P,Total	388	µg/L	2	6	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	7-Jul-05	10:20	UCD Phase II	samplewater	Phosphorus as P,Total	306	µg/L	2	6	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20-Jul-05	9:20	UCD Phase II	samplewater	Phosphorus as P,Total	332	µg/L	2	6	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	3-Aug-05	9:40	UCD Phase II	samplewater	Phosphorus as P,Total	313	µg/L	2	6	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22-Jun-05	9:50	UCD Phase II	samplewater	Selenium,Total	1.91	µg/L	0.1	0.5	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	7-Jul-05	10:20	UCD Phase II	samplewater	Selenium,Total	1.99	µg/L	0.1	0.5	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20-Jul-05	9:20	UCD Phase II	samplewater	Selenium,Total	2.94	µg/L	0.1	0.5	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	3-Aug-05	9:40	UCD Phase II	samplewater	Selenium,Total	2.38	µg/L	0.1	0.5	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22-Jun-05	9:50	UCD Phase II	samplewater	Total Dissolved Solids	258	mg/L	10	10	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	7-Jul-05	10:20	UCD Phase II	samplewater	Total Dissolved Solids	292	mg/L	10	10	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20-Jul-05	9:20	UCD Phase II	samplewater	Total Dissolved Solids	315	mg/L	10	10	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	3-Aug-05	9:40	UCD Phase II	samplewater	Total Dissolved Solids	303	mg/L	10	10	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22-Jun-05	9:50	UCD Phase II	samplewater	Total Organic Carbon	8.908956	mg/L	0.5	1	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	7-Jul-05	10:20	UCD Phase II	samplewater	Total Organic Carbon	4.701865	mg/L	0.5	1	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20-Jul-05	9:20	UCD Phase II	samplewater	Total Organic Carbon	3.84	mg/L	0.2	1	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	3-Aug-05	9:40	UCD Phase II	samplewater	Total Organic Carbon	6.4	mg/L	0.2	1	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22-Jun-05	9:50	UCD Phase II	samplewater	Turbidity	45	NTU	10	10	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	7-Jul-05	10:20	UCD Phase II	samplewater	Turbidity	66	NTU	10	10	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20-Jul-05	9:20	UCD Phase II	samplewater	Turbidity	80	NTU	10	10	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	3-Aug-05	9:40	UCD Phase II	samplewater	Turbidity	60	NTU	10	10	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22-Jun-05	9:50	UCD Phase II	samplewater	Zinc,Total	13.8	µg/L	0.1	0.3	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	7-Jul-05	10:20	UCD Phase II	samplewater	Zinc,Total	20	µg/L	0.1	0.3	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20-Jul-05	9:20	UCD Phase II	samplewater	Zinc,Total	23.3	µg/L	0.1	0.3	
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	3-Aug-05	9:40	UCD Phase II	samplewater	Zinc,Total	13.7	µg/L	0.1	0.3	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	14/Dec/2004		Westside Coalition	samplewater	Bromide	0.31	mg/L	0.005	0.015	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	29/Dec/2004		Westside Coalition	samplewater	Bromide	0.27	mg/L	0.005	0.015	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	11/Jan/2005		Westside Coalition	samplewater	Bromide	0.2	mg/L	0.01	0.02	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	16-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.44	mg/L	0.015	0.005	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	8-Mar-05		Westside Coalition	samplewater	Bromide (Br)	0.15	mg/L	0.005	0.005	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	3-Jan-06		Westside Coalition	samplewater	Bromide (Br)	0.061	mg/L	0.010	0.005	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	11-Apr-06		Westside Coalition	samplewater	Bromide (Br)	0.37	mg/L	0.015	0.005	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	14/Dec/2004		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	29/Dec/2004		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	29/Dec/2004		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	29/Dec/2004		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	11/Jan/2005		Westside Coalition	samplewater	Color	-1	units	ND	1	100
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	16-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	1	100	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	8-Mar-05		Westside Coalition	samplewater	Color (A.P.H.A)	75	units	5	1	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	3-Jan-06		Westside Coalition	samplewater	Color (A.P.H.A)	50	units	5	1	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	11-Apr-06		Westside Coalition	samplewater	Color (A.P.H.A)	3000	units	100	1	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	14/Dec/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	50	units	2	1	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	29/Dec/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	3.2	mg/L	0.2	0.2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	11/Jan/2005		Westside Coalition	samplewater	Dissolved Organic Carbon	3.4	mg/L	0.2	0.2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	16-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	6.9	mg/L	0.2	0.2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	8-Mar-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.3	mg/L	1.0	0.2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	3-Jan-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	6.6	mg/L	0.2	0.2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	11-Apr-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.8	mg/L	0.4	0.2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	09/Nov/2004		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.4	mg/L	0.2	0.2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	14/Dec/2004		Westside Coalition	samplewater	E. Coli	30	MPN/10	2	2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	29/Dec/2004		Westside Coalition	samplewater	E. Coli	220	MPN/10	2	2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	11/Jan/2005		Westside Coalition	samplewater	E. Coli	170	MPN/10	2	2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	16-Feb-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	900	MPN/10	2	2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	8-Mar-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	1600	MPN/10	2	2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	3-Jan-06		Westside Coalition	samplewater	E. coli (3x5 MTF)	220	MPN/10	2	2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	11-Apr-06		Westside Coalition	samplewater	E. coli (3x5 MTF)	>1600	MPN/10	2	2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	14/Dec/2004		Westside Coalition	samplewater	E. coli (3x5 MTF)	90	MPN/10	2	2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	29/Dec/2004		Westside Coalition	samplewater	pH	7.9	Std.Unit	N/A	-	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	11/Jan/2005		Westside Coalition	samplewater	pH	8.1	Std.Unit	N/A	-	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	16-Feb-05		Westside Coalition	samplewater	pH	7.6	Std.Unit	N/A	-	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	8-Mar-05		Westside Coalition	samplewater	pH	8.1	Std.Unit	N/A	-	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	3-Jan-06		Westside Coalition	samplewater	pH, Lab	8	units	-88	-88	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	11-Apr-06		Westside Coalition	samplewater	pH, Lab	8	units	-88	-88	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	14/Dec/2004		Westside Coalition	samplewater	pH, Lab	8.1	units			
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	29/Dec/2004		Westside Coalition	samplewater	Total Dissolved Solids	430	mg/L	5	5	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	11/Jan/2005		Westside Coalition	samplewater	Total Dissolved Solids	340	mg/L	5	5	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	16-Feb-05		Westside Coalition	samplewater	Total Dissolved Solids	460	mg/L	5	5	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	8-Mar-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	740	mg/L	5	5	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	3-Jan-06		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	380	mg/L	5	5	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	11-Apr-06		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	290	mg/L	5	5	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	14/Dec/2004		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	740	mg/L	5	5	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	29/Dec/2004		Westside Coalition	samplewater	Total Organic Carbon	3.9	mg/L	0.2	0.2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	11/Jan/2005		Westside Coalition	samplewater	Total Organic Carbon	4.4	mg/L	0.2	0.2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	16-Feb-05		Westside Coalition	samplewater	Total Organic Carbon	7.6	mg/L	0.2	0.2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	8-Mar-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	6.4	mg/L	1.0	0.2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	3-Jan-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	8.0	mg/L	0.2	0.2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	11-Apr-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.9	mg/L	0.2	0.2	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	11-Apr-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	6.4	mg/L	0.2	0.2	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	16-Feb-05		Westside Coalition	samplewater	Total Suspended (TSS)	50	mg/L	5	5	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	8-Mar-05		Westside Coalition	samplewater	Total Suspended (TSS)	180	mg/L	5	5	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	3-Jan-06		Westside Coalition	samplewater	Total Suspended (TSS)	700	mg/L	5	5	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	11-Apr-06		Westside Coalition	samplewater	Total Suspended (TSS)	40	mg/L	5	5	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	14/Dec/2004		Westside Coalition	samplewater	Total Suspended Solids	100	mg/L	5	5	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	29/Dec/2004		Westside Coalition	samplewater	Total Suspended Solids	66	mg/L	5	5	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	11/Jan/2005		Westside Coalition	samplewater	Total Suspended Solids	340	mg/L	5	5	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	14/Dec/2004		Westside Coalition	samplewater	Turbidity	58	NTU	0.1	5	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	29/Dec/2004		Westside Coalition	samplewater	Turbidity	50	NTU	0.1	5	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	29/Dec/2004		Westside Coalition	samplewater	Turbidity	49	NTU	0.1	5	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	29/Dec/2004		Westside Coalition	samplewater	Turbidity	49	NTU	0.1	5	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	29/Dec/2004		Westside Coalition	samplewater	Turbidity	0.2	NTU	0.1	5	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	11/Jan/2005		Westside Coalition	samplewater	Turbidity	130	NTU	0.1	5	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	16-Feb-05		Westside Coalition	samplewater	Turbidity	30	NTU	0.5	0.1	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	8-Mar-05		Westside Coalition	samplewater	Turbidity	25	NTU	0.5	0.1	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	3-Jan-06		Westside Coalition	samplewater	Turbidity	940	NTU	10	0.1	
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Road	11-Apr-06		Westside Coalition	samplewater	Turbidity	13	NTU	0.2	0.1	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	10/Aug/2004		Westside Coalition	samplewater	Bromide	0.95	mg/L	0.01	0.02	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Sep/2004		Westside Coalition	samplewater	Bromide	0.81	mg/L	0.01	0.02	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	12/Oct/2004		Westside Coalition	samplewater	Bromide	0.39	mg/L	0.01	0.02	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Dec/2004		Westside Coalition	samplewater	Bromide	0.51	mg/L	0.005	0.015	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	28/Dec/2004		Westside Coalition	samplewater	Bromide	0.48	mg/L	0.005	0.015	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	11/Jan/2005		Westside Coalition	samplewater	Bromide	0.42	mg/L	0.01	0.02	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	10/Aug/2004		Westside Coalition	samplewater	Color	250	units	1	100	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Sep/2004		Westside Coalition	samplewater	Color	200	units	1	100	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	12/Oct/2004		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Dec/2004		Westside Coalition	samplewater	Color	75	units	1	100	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	28/Dec/2004		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	11/Jan/2005		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	10/Aug/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	8.3	mg/L	0.2	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Sep/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	4.6	mg/L	0.2	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	12/Oct/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	5.1	mg/L	0.2	2	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Dec/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	7.3	mg/L	0.2	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	28/Dec/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	12	mg/L	0.2	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	11/Jan/2005		Westside Coalition	samplewater	Dissolved Organic Carbon	9.1	mg/L	0.2	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	10/Aug/2004		Westside Coalition	samplewater	E. Coli	500	MPN/10	2	2	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Sep/2004		Westside Coalition	samplewater	E. Coli	1600	MPN/10 >	2	2	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	12/Oct/2004		Westside Coalition	samplewater	E. Coli	30	MPN/10	2	2	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	09/Nov/2004		Westside Coalition	samplewater	E. Coli	300	MPN/10	2	2	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Dec/2004		Westside Coalition	samplewater	E. Coli	70	MPN/10	2	2	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	29/Dec/2004		Westside Coalition	samplewater	E. Coli	130	MPN/10	2	2	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	11/Jan/2005		Westside Coalition	samplewater	E. Coli	240	MPN/10	2	2	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	10/Aug/2004		Westside Coalition	samplewater	pH, Lab	8.3	units	-88	-88	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Sep/2004		Westside Coalition	samplewater	pH, Lab	8	Std.Unit	-88	-88	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	12/Oct/2004		Westside Coalition	samplewater	pH, Lab	7.7	units	-88	-88	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Dec/2004		Westside Coalition	samplewater	pH, Lab	7.9	units	-88	-88	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	28/Dec/2004		Westside Coalition	samplewater	pH, Lab	8	units	-88	-88	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	11/Jan/2005		Westside Coalition	samplewater	pH, Lab	8	units	-88	-88	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	10/Aug/2004		Westside Coalition	samplewater	Total Dissolved Solids	930	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Sep/2004		Westside Coalition	samplewater	Total Dissolved Solids	580	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Dec/2004		Westside Coalition	samplewater	Total Dissolved Solids	570	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	28/Dec/2004		Westside Coalition	samplewater	Total Dissolved Solids	660	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	11/Jan/2005		Westside Coalition	samplewater	Total Dissolved Solids	680	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	12/Oct/2004		Westside Coalition	samplewater	Total Dissolved Solids	440	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	10/Aug/2004		Westside Coalition	samplewater	Total Organic Carbon	11	mg/L	0.2	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Sep/2004		Westside Coalition	samplewater	Total Organic Carbon	6.2	mg/L	0.2	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	12/Oct/2004		Westside Coalition	samplewater	Total Organic Carbon	6.5	mg/L	0.2	0.4	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Dec/2004		Westside Coalition	samplewater	Total Organic Carbon	9.4	mg/L	0.2	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	28/Dec/2004		Westside Coalition	samplewater	Total Organic Carbon	14	mg/L	0.2	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	11/Jan/2005		Westside Coalition	samplewater	Total Organic Carbon	12	mg/L	0.2	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	10/Aug/2004		Westside Coalition	samplewater	Total Suspended Solids	190	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	10/Aug/2004		Westside Coalition	samplewater	Total Suspended Solids	190	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	10/Aug/2004		Westside Coalition	samplewater	Total Suspended Solids	190	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Sep/2004		Westside Coalition	samplewater	Total Suspended Solids	170	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	12/Oct/2004		Westside Coalition	samplewater	Total Suspended Solids	51	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Dec/2004		Westside Coalition	samplewater	Total Suspended Solids	36	mg/L	5	5	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte		Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	28/Dec/2004		Westside Coalition	samplewater	Total Suspended Solids		32	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	11/Jan/2005		Westside Coalition	samplewater	Total Suspended Solids		41	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	10/Aug/2004		Westside Coalition	samplewater	Turbidity		140	NTU	0.1	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Sep/2004		Westside Coalition	samplewater	Turbidity		100	NTU	0.1	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	12/Oct/2004		Westside Coalition	samplewater	Turbidity		37	NTU	0.1	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Dec/2004		Westside Coalition	samplewater	Turbidity		26	NTU	0.1	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	28/Dec/2004		Westside Coalition	samplewater	Turbidity		21	NTU	0.1	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	11/Jan/2005		Westside Coalition	samplewater	Turbidity		34	NTU	0.1	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	8-Feb-05		Westside Coalition	samplewater	Bromide (Br)		0.51	mg/L	0.010	0.005	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	16-Feb-05		Westside Coalition	samplewater	Bromide (Br)		0.57	mg/L	0.020	0.005	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	8-Mar-05		Westside Coalition	samplewater	Bromide (Br)		1.2	mg/L	0.025	0.005	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	12-Apr-05		Westside Coalition	samplewater	Bromide (Br)		1.5	mg/L	0.040	0.005	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	10-May-05		Westside Coalition	samplewater	Bromide (Br)		0.80	mg/L	0.025	0.005	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	14-Jun-05		Westside Coalition	samplewater	Bromide (Br)		0.39	mg/L	0.010	0.005	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	12-Jul-05		Westside Coalition	samplewater	Bromide (Br)		0.46	mg/L	0.015	0.005	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	9-Aug-05		Westside Coalition	samplewater	Bromide (Br)		1.2	mg/L	0.030	0.005	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	14-Sep-05		Westside Coalition	samplewater	Bromide (Br)		1.3	mg/L	0.060	0.005	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	12-Oct-05		Westside Coalition	samplewater	Bromide (Br)		0.27	mg/L	0.010	0.005	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	8-Nov-05		Westside Coalition	samplewater	Bromide (Br)		0.33	mg/L	0.010	0.005	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	13-Dec-05		Westside Coalition	samplewater	Bromide (Br)		0.43	mg/L	0.010	0.005	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	3-Jan-06		Westside Coalition	samplewater	Bromide (Br)		0.48	mg/L	0.015	0.005	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	14-Feb-06		Westside Coalition	samplewater	Bromide (Br)		0.50	mg/L	0.010	0.005	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	28-Feb-06		Westside Coalition	samplewater	Bromide (Br)		0.47	mg/L	0.025	0.005	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	14-Mar-06		Westside Coalition	samplewater	Bromide (Br)		0.75	mg/L	0.030	0.005	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	11-Apr-06		Westside Coalition	samplewater	Bromide (Br)		1.1	mg/L	0.050	0.005	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	8-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A)		40	units	1	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	16-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A)		120	units	5	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	8-Mar-05		Westside Coalition	samplewater	Color (A.P.H.A)		150	units	10	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	12-Apr-05		Westside Coalition	samplewater	Color (A.P.H.A)		200	units	20	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	10-May-05		Westside Coalition	samplewater	Color (A.P.H.A)		200	units	20	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	14-Jun-05		Westside Coalition	samplewater	Color (A.P.H.A)		200	units	20	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	12-Jul-05		Westside Coalition	samplewater	Color (A.P.H.A)		50	units	1	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	9-Aug-05		Westside Coalition	samplewater	Color (A.P.H.A)		250	units	10	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	14-Sep-05		Westside Coalition	samplewater	Color (A.P.H.A)		300	units	20	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	12-Oct-05		Westside Coalition	samplewater	Color (A.P.H.A)		100	units	10	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	8-Nov-05		Westside Coalition	samplewater	Color (A.P.H.A)		120	units	5	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	13-Dec-05		Westside Coalition	samplewater	Color (A.P.H.A)		70	units	2	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	3-Jan-06		Westside Coalition	samplewater	Color (A.P.H.A)		200	units	10	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	14-Feb-06		Westside Coalition	samplewater	Color (A.P.H.A)		150	units	5	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	28-Feb-06		Westside Coalition	samplewater	Color (A.P.H.A)		120	units	5	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	14-Mar-06		Westside Coalition	samplewater	Color (A.P.H.A)		200	units	10	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	11-Apr-06		Westside Coalition	samplewater	Color (A.P.H.A)		300	units	10	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	12-Apr-05		Westside Coalition	samplewater	Conductivity - Specific (EC)		2800	µmho/c	1	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	10-May-05		Westside Coalition	samplewater	Conductivity - Specific (EC)		2400	µmho/c	1	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	14-Jun-05		Westside Coalition	samplewater	Conductivity - Specific (EC)		1100	µmho/c	1	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	12-Jul-05		Westside Coalition	samplewater	Conductivity - Specific (EC)		1200	µmho/c	1	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	9-Aug-05		Westside Coalition	samplewater	Conductivity - Specific (EC)		1400	µmho/c	1	1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	8-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		9.4	mg/L	1.0	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	16-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		8.9	mg/L	1.0	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	8-Mar-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		14	mg/L	1.0	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	12-Apr-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		17	mg/L	5.0	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	14-Jun-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		7.8	mg/L	1.0	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	12-Jul-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		14	mg/L	0.2	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	8-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		6.6	mg/L	1.0	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	14-Sep-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		8.2	mg/L	0.4	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	12-Oct-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		7.6	mg/L	0.4	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	8-Nov-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		6.9	mg/L	0.2	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	13-Dec-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		7.5	mg/L	0.4	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	3-Jan-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		7.9	mg/L	0.2	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	14-Feb-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		9.6	mg/L	0.2	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	28-Feb-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		10	mg/L	0.2	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	14-Mar-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		14	mg/L	0.2	0.2	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	11-Apr-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		170	MPN/10	2	2	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	8-Feb-05		Westside Coalition	samplewater	E. coli (3x5 MTF)		50	MPN/10	2	2	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	16-Feb-05		Westside Coalition	samplewater	E. coli (3x5 MTF)		300	MPN/10	2	2	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	8-Mar-05		Westside Coalition	samplewater	E. coli (3x5 MTF)		220	MPN/10	2	2	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	12-Apr-05		Westside Coalition	samplewater	E. coli (3x5 MTF)						
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	10-May-05		Westside Coalition	samplewater	E. coli (3x5 MTF)						

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte		Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	12-Jul-05		Westside Coalition	samplewater	Total Suspended (TSS)		83	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	9-Aug-05		Westside Coalition	samplewater	Total Suspended (TSS)		160	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	14-Sep-05		Westside Coalition	samplewater	Total Suspended (TSS)		180	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	12-Oct-05		Westside Coalition	samplewater	Total Suspended (TSS)		84	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	8-Nov-05		Westside Coalition	samplewater	Total Suspended (TSS)		40	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	13-Dec-05		Westside Coalition	samplewater	Total Suspended (TSS)		25	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	3-Jan-06		Westside Coalition	samplewater	Total Suspended (TSS)		53	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	14-Feb-06		Westside Coalition	samplewater	Total Suspended (TSS)		47	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	28-Feb-06		Westside Coalition	samplewater	Total Suspended (TSS)		93	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	14-Mar-06		Westside Coalition	samplewater	Total Suspended (TSS)		68	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	11-Apr-06		Westside Coalition	samplewater	Total Suspended (TSS)		91	mg/L	5	5	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	8-Feb-05		Westside Coalition	samplewater	Turbidity		57	NTU	1.0	0.1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	16-Feb-05		Westside Coalition	samplewater	Turbidity		33	NTU	0.5	0.1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	8-Mar-05		Westside Coalition	samplewater	Turbidity		61	NTU	1.0	0.1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	12-Apr-05		Westside Coalition	samplewater	Turbidity		130	NTU	2.0	0.1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	10-May-05		Westside Coalition	samplewater	Turbidity		150	NTU	2.0	0.1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	14-Jun-05		Westside Coalition	samplewater	Turbidity		160	NTU	2.0	0.1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	12-Jul-05		Westside Coalition	samplewater	Turbidity		30	NTU	1.0	0.1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	9-Aug-05		Westside Coalition	samplewater	Turbidity		100	NTU	1.0	0.1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	14-Sep-05		Westside Coalition	samplewater	Turbidity		160	NTU	2.0	0.1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	12-Oct-05		Westside Coalition	samplewater	Turbidity		34	NTU	1.0	0.1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	8-Nov-05		Westside Coalition	samplewater	Turbidity		24	NTU	0.5	0.1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	13-Dec-05		Westside Coalition	samplewater	Turbidity		12	NTU	0.2	0.1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	3-Jan-06		Westside Coalition	samplewater	Turbidity		62	NTU	1.0	0.1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	14-Feb-06		Westside Coalition	samplewater	Turbidity		33	NTU	0.5	0.1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	28-Feb-06		Westside Coalition	samplewater	Turbidity		17	NTU	0.2	0.1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	14-Mar-06		Westside Coalition	samplewater	Turbidity		46	NTU	1.0	0.1	
Westside Coalition	541XLBCHW	Los Banos Creek at Hwy 140	11-Apr-06		Westside Coalition	samplewater	Turbidity		61	NTU	1.0	0.1	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	06/Jul/2004		Westside Coalition	samplewater	Bromide		0.54	mg/L	0.005	0.02	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/Aug/2004		Westside Coalition	samplewater	Bromide		0.58	mg/L	0.01	0.02	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2004		Westside Coalition	samplewater	Bromide		0.58	mg/L	0.01	0.02	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Oct/2004		Westside Coalition	samplewater	Bromide		0.43	mg/L	0.01	0.02	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Jan/2005		Westside Coalition	samplewater	Bromide		0.049	mg/L	0.005	0.015	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Jan/2005		Westside Coalition	samplewater	Bromide		0.048	mg/L	0.01	0.02	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	06/Jul/2004		Westside Coalition	samplewater	Color		200	units	1	100	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/Aug/2004		Westside Coalition	samplewater	Color		200	units	1	100	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2004		Westside Coalition	samplewater	Color		25	units	1	100	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Oct/2004		Westside Coalition	samplewater	Color		100	units	1	100	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Jan/2005		Westside Coalition	samplewater	Color		1800	units	1	100	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Jan/2005		Westside Coalition	samplewater	Color		600	units	1	100	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	06/Jul/2004		Westside Coalition	samplewater	Dissolved Organic Carbon		6.1	mg/L	0.2	0.2	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/Aug/2004		Westside Coalition	samplewater	Dissolved Organic Carbon		5.8	mg/L	0.2	0.2	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2004		Westside Coalition	samplewater	Dissolved Organic Carbon		4.1	mg/L	0.2	0.2	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Oct/2004		Westside Coalition	samplewater	Dissolved Organic Carbon		2.6	mg/L	0.2	0.2	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Jan/2005		Westside Coalition	samplewater	Dissolved Organic Carbon		14	mg/L	0.2	0.2	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Jan/2005		Westside Coalition	samplewater	Dissolved Organic Carbon		6.7	mg/L	0.2	0.2	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	06/Jul/2004		Westside Coalition	samplewater	E. Coli		1600	MPN/10	2	2	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/Aug/2004		Westside Coalition	samplewater	E. Coli		300	MPN/10	2	2	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2004		Westside Coalition	samplewater	E. Coli		23	MPN/10	2	2	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Oct/2004		Westside Coalition	samplewater	E. Coli		30	MPN/10	2	2	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Jan/2005		Westside Coalition	samplewater	E. Coli		1600	MPN/10 >	2	2	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Jan/2005		Westside Coalition	samplewater	E. Coli		1600	MPN/10	2	2	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	06/Jul/2004		Westside Coalition	samplewater	pH, Lab		8	units	-88	-88	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/Aug/2004		Westside Coalition	samplewater	pH, Lab		8.1	units	-88	-88	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2004		Westside Coalition	samplewater	pH, Lab		8.3	units	-88	-88	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Oct/2004		Westside Coalition	samplewater	pH, Lab		8.3	units	-88	-88	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Jan/2005		Westside Coalition	samplewater	pH, Lab		7.7	units	-88	-88	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Jan/2005		Westside Coalition	samplewater	pH, Lab		7.9	units	-88	-88	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	06/Jul/2004		Westside Coalition	samplewater	Total Dissolved Solids		770	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2004		Westside Coalition	samplewater	Total Dissolved Solids		720	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Oct/2004		Westside Coalition	samplewater	Total Dissolved Solids		1200	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Jan/2005		Westside Coalition	samplewater	Total Dissolved Solids		410	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Jan/2005		Westside Coalition	samplewater	Total Dissolved Solids		220	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/Aug/2004		Westside Coalition	samplewater	Total Dissolved Solids		890	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	06/Jul/2004		Westside Coalition	samplewater	Total Organic Carbon		8.1	mg/L	0.2	0.2	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/Aug/2004		Westside Coalition	samplewater	Total Organic Carbon		7.8	mg/L	0.2	0.2	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2004		Westside Coalition	samplewater	Total Organic Carbon		5.1	mg/L	0.2	0.2	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Oct/2004		Westside Coalition	samplewater	Total Organic Carbon	3.1	mg/L	0.2	0.2	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Jan/2005		Westside Coalition	samplewater	Total Organic Carbon	19	mg/L	0.2	0.2	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Jan/2005		Westside Coalition	samplewater	Total Organic Carbon	10	mg/L	0.2	0.2	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	06/Jul/2004		Westside Coalition	samplewater	Total Suspended Solids	2300	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/Aug/2004		Westside Coalition	samplewater	Total Suspended Solids	200	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2004		Westside Coalition	samplewater	Total Suspended Solids	20	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Oct/2004		Westside Coalition	samplewater	Total Suspended Solids	100	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Jan/2005		Westside Coalition	samplewater	Total Suspended Solids	270	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Jan/2005		Westside Coalition	samplewater	Total Suspended Solids	190	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	06/Jul/2004		Westside Coalition	samplewater	Turbidity	960	NTU	0.1	5	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/Aug/2004		Westside Coalition	samplewater	Turbidity	120	NTU	0.1	5	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2004		Westside Coalition	samplewater	Turbidity	13	NTU	0.1	5	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Oct/2004		Westside Coalition	samplewater	Turbidity	120	NTU	0.1	5	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Jan/2005		Westside Coalition	samplewater	Turbidity	590	NTU	0.1	5	
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Jan/2005		Westside Coalition	samplewater	Turbidity	170	NTU	0.1	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	8-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.21	mg/L	0.010	0.005	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	16-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.025	mg/L	0.005	0.005	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	10-May-05		Westside Coalition	samplewater	Bromide (Br)	0.18	mg/L	0.005	0.005	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	14-Jun-05		Westside Coalition	samplewater	Bromide (Br)	0.10	mg/L	0.005	0.005	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	12-Jul-05		Westside Coalition	samplewater	Bromide (Br)	0.29	mg/L	0.005	0.005	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	9-Aug-05		Westside Coalition	samplewater	Bromide (Br)	0.27	mg/L	0.005	0.005	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	14-Sep-05		Westside Coalition	samplewater	Bromide (Br)	0.31	mg/L	0.010	0.005	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	13-Dec-05		Westside Coalition	samplewater	Bromide (Br)	0.30	mg/L	0.005	0.005	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	3-Jan-06		Westside Coalition	samplewater	Bromide (Br)	0.042	mg/L	0.005	0.005	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	4-Apr-06		Westside Coalition	samplewater	Bromide (Br)	0.081	mg/L	0.010	0.005	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	8-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A)	200	units	10	1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	16-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A)	2000	units	100	1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	10-May-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	20	1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	14-Jun-05		Westside Coalition	samplewater	Color (A.P.H.A)	200	units	20	1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	12-Jul-05		Westside Coalition	samplewater	Color (A.P.H.A)	45	units	1	1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	9-Aug-05		Westside Coalition	samplewater	Color (A.P.H.A)	400	units	20	1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	14-Sep-05		Westside Coalition	samplewater	Color (A.P.H.A)	200	units	20	1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	13-Dec-05		Westside Coalition	samplewater	Color (A.P.H.A)	40	units	2	1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	3-Jan-06		Westside Coalition	samplewater	Color (A.P.H.A)	1000	units	100	1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	4-Apr-06		Westside Coalition	samplewater	Color (A.P.H.A)	800	units	20	1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	10-May-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	530	µmho/c	1	1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	14-Jun-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	360	µmho/c	1	1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	12-Jul-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	660	µmho/c	1	1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	9-Aug-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	550	µmho/c	1	1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	8-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.9	mg/L	1.0	0.2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	15-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	8.1	mg/L	5.0	0.2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	10-May-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	6.4	mg/L	0.2	0.2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	14-Jun-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	7.8	mg/L	1.0	0.2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	12-Jul-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.4	mg/L	0.2	0.2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	9-Aug-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.0	mg/L	1.0	0.2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	14-Sep-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.4	mg/L	1.0	0.2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	13-Dec-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.1	mg/L	0.2	0.2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	3-Jan-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	13	mg/L	0.2	0.2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	4-Apr-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	10	mg/L	0.2	0.2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	8-Feb-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	7	MPN/10	2	2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	16-Feb-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	>1600	MPN/10	2	2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	10-May-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	300	MPN/10	2	2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	14-Jun-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	>1600	MPN/10	2	2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	12-Jul-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	1600	MPN/10	2	2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	9-Aug-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	280	MPN/10	2	2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	14-Sep-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	500	MPN/10	2	2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	13-Dec-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	170	MPN/10	2	2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	3-Jan-06		Westside Coalition	samplewater	E. coli (3x5 MTF)	>1600	MPN/10	2	2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	4-Apr-06		Westside Coalition	samplewater	E. coli (3x5 MTF)	>1600	MPN/10	2	2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	8-Feb-05		Westside Coalition	samplewater	pH	7.9	Std.Unit	N/A	-	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	16-Feb-05		Westside Coalition	samplewater	pH	7.5	Std.Unit	N/A	-	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	10-May-05		Westside Coalition	samplewater	pH	7.6	Std.Unit	N/A	-	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	14-Jun-05		Westside Coalition	samplewater	pH	7.7	Std.Unit	N/A	-	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	12-Jul-05		Westside Coalition	samplewater	pH	7.9	Std.Unit	N/A	-	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	9-Aug-05		Westside Coalition	samplewater	pH	7.7	Std.Unit	N/A	-	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	14-Sep-05		Westside Coalition	samplewater	pH	8.1	Std.Unit	N/A	-	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	13-Dec-05		Westside Coalition	samplewater	pH	7.9	Std.Unit	N/A	-	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	3-Jan-06		Westside Coalition	samplewater	pH	7.7	Std.Unit	N/A	-	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	4-Apr-06		Westside Coalition	samplewater	pH	7.6	Std.Unit	N/A	-	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	8-Feb-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	350	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	16-Feb-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	440	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	10-May-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	340	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	14-Jun-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	260	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	12-Jul-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	400	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	9-Aug-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	400	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	14-Sep-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	630	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	13-Dec-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	330	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	3-Jan-06		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	300	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	4-Apr-06		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	230	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	8-Feb-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	7.1	mg/L	1.0	0.2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	15-Feb-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	13	mg/L	5.0	0.2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	10-May-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	7.4	mg/L	0.4	0.2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	14-Jun-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	12	mg/L	1.0	0.2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	12-Jul-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	5.6	mg/L	0.2	0.2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	9-Aug-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	5.5	mg/L	1.0	0.2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	14-Sep-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	6.8	mg/L	1.0	0.2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	13-Dec-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.9	mg/L	0.2	0.2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	3-Jan-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	16	mg/L	0.2	0.2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	4-Apr-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	15	mg/L	0.2	0.2	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	8-Feb-05		Westside Coalition	samplewater	Total Suspended (TSS)	73	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	16-Feb-05		Westside Coalition	samplewater	Total Suspended (TSS)	690	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	10-May-05		Westside Coalition	samplewater	Total Suspended (TSS)	140	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	14-Jun-05		Westside Coalition	samplewater	Total Suspended (TSS)	93	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	12-Jul-05		Westside Coalition	samplewater	Total Suspended (TSS)	140	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	9-Aug-05		Westside Coalition	samplewater	Total Suspended (TSS)	330	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	14-Sep-05		Westside Coalition	samplewater	Total Suspended (TSS)	110	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	13-Dec-05		Westside Coalition	samplewater	Total Suspended (TSS)	16	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	3-Jan-06		Westside Coalition	samplewater	Total Suspended (TSS)	250	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	4-Apr-06		Westside Coalition	samplewater	Total Suspended (TSS)	170	mg/L	5	5	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	8-Feb-05		Westside Coalition	samplewater	Turbidity	80	NTU	1.0	0.1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	16-Feb-05		Westside Coalition	samplewater	Turbidity	940	NTU	10	0.1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	10-May-05		Westside Coalition	samplewater	Turbidity	100	NTU	2.0	0.1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	14-Jun-05		Westside Coalition	samplewater	Turbidity	80	NTU	2.0	0.1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	12-Jul-05		Westside Coalition	samplewater	Turbidity	110	NTU	2.0	0.1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	9-Aug-05		Westside Coalition	samplewater	Turbidity	160	NTU	2.0	0.1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	14-Sep-05		Westside Coalition	samplewater	Turbidity	91	NTU	2.0	0.1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	13-Dec-05		Westside Coalition	samplewater	Turbidity	10	NTU	0.2	0.1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	3-Jan-06		Westside Coalition	samplewater	Turbidity	380	NTU	10	0.1	
Westside Coalition	541XMRDRR	Marshall Road Drain near River Road	4-Apr-06		Westside Coalition	samplewater	Turbidity	140	NTU	2.0	0.1	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	10/Aug/2004		Westside Coalition	samplewater	Bromide	0.35	mg/L	0.01	0.02	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	14/Sep/2004		Westside Coalition	samplewater	Bromide	0.43	mg/L	0.01	0.02	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	12/Oct/2004		Westside Coalition	samplewater	Bromide	0.42	mg/L	0.01	0.02	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	14/Dec/2004		Westside Coalition	samplewater	Bromide	0.64	mg/L	0.005	0.015	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	28/Dec/2004		Westside Coalition	samplewater	Bromide	0.52	mg/L	0.005	0.015	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	11/Jan/2005		Westside Coalition	samplewater	Bromide	0.53	mg/L	0.01	0.02	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	8-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.96	mg/L	0.025	0.005	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	16-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.69	mg/L	0.025	0.005	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	8-Mar-05		Westside Coalition	samplewater	Bromide (Br)	0.53	mg/L	0.020	0.005	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	12-Apr-05		Westside Coalition	samplewater	Bromide (Br)	1.0	mg/L	0.030	0.005	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	10-May-05		Westside Coalition	samplewater	Bromide (Br)	0.58	mg/L	0.015	0.005	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	14-Jun-05		Westside Coalition	samplewater	Bromide (Br)	0.42	mg/L	0.015	0.005	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	12-Jul-05		Westside Coalition	samplewater	Bromide (Br)	0.33	mg/L	0.010	0.005	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	9-Aug-05		Westside Coalition	samplewater	Bromide (Br)	0.42	mg/L	0.010	0.005	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	14-Sep-05		Westside Coalition	samplewater	Bromide (Br)	0.30	mg/L	0.010	0.005	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	12-Oct-05		Westside Coalition	samplewater	Bromide (Br)	0.36	mg/L	0.010	0.005	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	8-Nov-05		Westside Coalition	samplewater	Bromide (Br)	0.51	mg/L	0.015	0.005	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	13-Dec-05		Westside Coalition	samplewater	Bromide (Br)	0.60	mg/L	0.015	0.005	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	3-Jan-06		Westside Coalition	samplewater	Bromide (Br)	0.54	mg/L	0.025	0.005	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	14-Feb-06		Westside Coalition	samplewater	Bromide (Br)	0.88	mg/L	0.035	0.005	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	28-Feb-06		Westside Coalition	samplewater	Bromide (Br)	0.77	mg/L	0.040	0.005	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	14-Mar-06		Westside Coalition	samplewater	Bromide (Br)	0.98	mg/L	0.045	0.005	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	11-Apr-06		Westside Coalition	samplewater	Bromide (Br)	1.0	mg/L	0.050	0.005	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	10/Aug/2004		Westside Coalition	samplewater	Color	40	units	1	100	
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis Drain	14/Sep/2004		Westside Coalition	samplewater	Color	150	units	1	100	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte		Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	12-Oct-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.7	mg/L	0.2	0.2		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	8-Nov-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	5.1	mg/L	0.2	0.2		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	13-Dec-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	15	mg/L	0.4	0.2		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	3-Jan-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	8.4	mg/L	0.4	0.2		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	14-Feb-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.2	mg/L	0.2	0.2		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	28-Feb-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.8	mg/L	0.2	0.2		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	14-Mar-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	4.5	mg/L	0.4	0.2		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	11-Apr-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	4.1	mg/L	0.2	0.2		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	8-Feb-05		Westside Coalition	samplewater	Total Suspended (TSS)	130	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	16-Feb-05		Westside Coalition	samplewater	Total Suspended (TSS)	100	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	8-Mar-05		Westside Coalition	samplewater	Total Suspended (TSS)	110	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	10-May-05		Westside Coalition	samplewater	Total Suspended (TSS)	67	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	14-Jun-05		Westside Coalition	samplewater	Total Suspended (TSS)	40	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	12-Jul-05		Westside Coalition	samplewater	Total Suspended (TSS)	66	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	9-Aug-05		Westside Coalition	samplewater	Total Suspended (TSS)	220	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	14-Sep-05		Westside Coalition	samplewater	Total Suspended (TSS)	130	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	12-Oct-05		Westside Coalition	samplewater	Total Suspended (TSS)	80	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	8-Nov-05		Westside Coalition	samplewater	Total Suspended (TSS)	110	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	13-Dec-05		Westside Coalition	samplewater	Total Suspended (TSS)	38	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	3-Jan-06		Westside Coalition	samplewater	Total Suspended (TSS)	360	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	14-Feb-06		Westside Coalition	samplewater	Total Suspended (TSS)	46	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	28-Feb-06		Westside Coalition	samplewater	Total Suspended (TSS)	73	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	14-Mar-06		Westside Coalition	samplewater	Total Suspended (TSS)	35	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	11-Apr-06		Westside Coalition	samplewater	Total Suspended (TSS)	68	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	10/Aug/2004		Westside Coalition	samplewater	Total Suspended Solids	19	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	14/Sep/2004		Westside Coalition	samplewater	Total Suspended Solids	55	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	12/Oct/2004		Westside Coalition	samplewater	Total Suspended Solids	84	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	14/Dec/2004		Westside Coalition	samplewater	Total Suspended Solids	21	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	28/Dec/2004		Westside Coalition	samplewater	Total Suspended Solids	79	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	11/Jan/2005		Westside Coalition	samplewater	Total Suspended Solids	52	mg/L	5	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	10/Aug/2004		Westside Coalition	Turbidity		21	NTU	0.1	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	14/Sep/2004		Westside Coalition	samplewater	Turbidity	46	NTU	0.1	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	12/Oct/2004		Westside Coalition	samplewater	Turbidity	50	NTU	0.1	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	14/Dec/2004		Westside Coalition	samplewater	Turbidity	13	NTU	0.1	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	28/Dec/2004		Westside Coalition	samplewater	Turbidity	83	NTU	0.1	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	11/Jan/2005		Westside Coalition	samplewater	Turbidity	49	NTU	0.1	5		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	8-Feb-05		Westside Coalition	samplewater	Turbidity	72	NTU	1.0	0.1		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	16-Feb-05		Westside Coalition	samplewater	Turbidity	90	NTU	1.0	0.1		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	8-Mar-05		Westside Coalition	samplewater	Turbidity	66	NTU	1.0	0.1		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	10-May-05		Westside Coalition	samplewater	Turbidity	55	NTU	1.0	0.1		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	14-Jun-05		Westside Coalition	samplewater	Turbidity	27	NTU	0.5	0.1		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	12-Jul-05		Westside Coalition	samplewater	Turbidity	42	NTU	2.0	0.1		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	9-Aug-05		Westside Coalition	samplewater	Turbidity	140	NTU	2.0	0.1		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	14-Sep-05		Westside Coalition	samplewater	Turbidity	98	NTU	1.0	0.1		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	12-Oct-05		Westside Coalition	samplewater	Turbidity	56	NTU	1.0	0.1		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	8-Nov-05		Westside Coalition	samplewater	Turbidity	57	NTU	1.0	0.1		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	13-Dec-05		Westside Coalition	samplewater	Turbidity	25	NTU	0.5	0.1		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	3-Jan-06		Westside Coalition	samplewater	Turbidity	430	NTU	5.0	0.1		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	14-Feb-06		Westside Coalition	samplewater	Turbidity	32	NTU	0.4	0.1		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	28-Feb-06		Westside Coalition	samplewater	Turbidity	26	NTU	0.4	0.1		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	14-Mar-06		Westside Coalition	samplewater	Turbidity	27	NTU	0.5	0.1		
Westside Coalition	541XNWHR	Newman Wasteway near Hills Ferry Road	11-Apr-06		Westside Coalition	samplewater	Turbidity	67	NTU	1.0	0.1		
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	Bromide	0.29	mg/L	0.005	0.02		
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	Bromide	0.28	mg/L	0.01	0.02		
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	Bromide	0.53	mg/L	0.01	0.02		
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	Bromide	0.36	mg/L	0.01	0.02		
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	Bromide	0.34	mg/L	0.01	0.02		
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Dec/2004		Westside Coalition	samplewater	Bromide	0.32	mg/L	0.005	0.015		
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	Bromide	0.17	mg/L	0.005	0.015		
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Jan/2005		Westside Coalition	samplewater	Bromide	0.013	mg/L	0.01	0.02		
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	Color	500	units	1	100		
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	Color	100	units	1	100		
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	Color	200	units	1	100		
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	Color	100	units	1	100		
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	Color	50	units	1	100		
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Dec/2004		Westside Coalition	samplewater	Color	150	units	1	100		
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	Color	400	units	1	100		

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	8-Nov-05		Westside Coalition	samplewater	Bromide (Br)	0.22	mg/L	0.005	0.005	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	13-Dec-05		Westside Coalition	samplewater	Bromide (Br)	0.36	mg/L	0.010	0.005	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	3-Jan-06		Westside Coalition	samplewater	Bromide (Br)	0.024	mg/L	0.005	0.005	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	14-Feb-06		Westside Coalition	samplewater	Bromide (Br)	0.089	mg/L	0.005	0.005	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	14-Mar-06		Westside Coalition	samplewater	Bromide (Br)	0.17	mg/L	0.005	0.005	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	4-Apr-06		Westside Coalition	samplewater	Bromide (Br)	0.035	mg/L	0.010	0.005	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	8-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	5	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	16-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A)	1000	units	50	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	8-Mar-05		Westside Coalition	samplewater	Color (A.P.H.A)	50	units	5	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	12-Apr-05		Westside Coalition	samplewater	Color (A.P.H.A)	75	units	5	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	10-May-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	20	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	14-Jun-05		Westside Coalition	samplewater	Color (A.P.H.A)	200	units	20	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	12-Jul-05		Westside Coalition	samplewater	Color (A.P.H.A)	45	units	1	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	9-Aug-05		Westside Coalition	samplewater	Color (A.P.H.A)	1000	units	200	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	14-Sep-05		Westside Coalition	samplewater	Color (A.P.H.A)	200	units	20	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	12-Oct-05		Westside Coalition	samplewater	Color (A.P.H.A)	150	units	10	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	8-Nov-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	10	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	13-Dec-05		Westside Coalition	samplewater	Color (A.P.H.A)	75	units	5	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	3-Jan-06		Westside Coalition	samplewater	Color (A.P.H.A)	200	units	20	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	14-Feb-06		Westside Coalition	samplewater	Color (A.P.H.A)	150	units	10	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	14-Mar-06		Westside Coalition	samplewater	Color (A.P.H.A)	80	units	4	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	4-Apr-06		Westside Coalition	samplewater	Color (A.P.H.A)	200	units	20	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	12-Apr-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	510	µmho/c	1	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	10-May-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	570	µmho/c	1	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	14-Jun-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	560	µmho/c	1	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	12-Jul-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	390	µmho/c	1	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	9-Aug-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	450	µmho/c	1	1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	8-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.8	mg/L	1.0	0.2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	15-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	7.1	mg/L	1.0	0.2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	8-Mar-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.3	mg/L	0.4	0.2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	12-Apr-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.3	mg/L	0.2	0.2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	10-May-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.4	mg/L	0.4	0.2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	14-Jun-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.4	mg/L	0.4	0.2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	12-Jul-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.2	mg/L	0.2	0.2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	9-Aug-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.5	mg/L	1.0	0.2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	14-Sep-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.8	mg/L	1.0	0.2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	12-Oct-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.4	mg/L	0.2	0.2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	8-Nov-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.6	mg/L	0.2	0.2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	13-Dec-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.3	mg/L	0.2	0.2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	3-Jan-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	7.8	mg/L	0.2	0.2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	14-Feb-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.3	mg/L	0.2	0.2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	14-Mar-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.9	mg/L	0.2	0.2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	4-Apr-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.0	mg/L	0.2	0.2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	8-Feb-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	30	MPN/10	2	2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	16-Feb-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	>1600	MPN/10	2	2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	8-Mar-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	300	MPN/10	2	2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	12-Apr-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	30	MPN/10	2	2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	10-May-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	240	MPN/10	2	2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	14-Jun-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	900	MPN/10	2	2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	12-Jul-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	>1600	MPN/10	2	2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	9-Aug-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	900	MPN/10	2	2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	14-Sep-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	300	MPN/10	2	2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	12-Oct-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	220	MPN/10	2	2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	8-Nov-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	900	MPN/10	2	2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	13-Dec-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	130	MPN/10	2	2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	3-Jan-06		Westside Coalition	samplewater	E. coli (3x5 MTF)	900	MPN/10	2	2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	14-Feb-06		Westside Coalition	samplewater	E. coli (3x5 MTF)	130	MPN/10	2	2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	14-Mar-06		Westside Coalition	samplewater	E. coli (3x5 MTF)	300	MPN/10	2	2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	4-Apr-06		Westside Coalition	samplewater	E. coli (3x5 MTF)	900	MPN/10	2	2	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	8-Feb-05		Westside Coalition	samplewater	pH	8.0	Std.Unit	N/A	-	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	16-Feb-05		Westside Coalition	samplewater	pH	7.9	Std.Unit	N/A	-	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	8-Mar-05		Westside Coalition	samplewater	pH	8.5	Std.Unit	N/A	-	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	12-Apr-05		Westside Coalition	samplewater	pH	8.1	Std.Unit	N/A	-	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	10-May-05		Westside Coalition	samplewater	pH	8.2	Std.Unit	N/A	-	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	14-Jun-05		Westside Coalition	samplewater	pH	8.3	Std.Unit	N/A	-	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	12-Jul-05		Westside Coalition	samplewater	pH	7.7	Std.Unit	N/A	-	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	9-Aug-05		Westside Coalition	samplewater	pH	7.9	Std.Unit	N/A	-	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	13-Dec-05		Westside Coalition	samplewater	Turbidity	33	NTU	0.5	0.1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	3-Jan-06		Westside Coalition	samplewater	Turbidity	63	NTU	2.0	0.1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	14-Feb-06		Westside Coalition	samplewater	Turbidity	55	NTU	1.0	0.1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	14-Mar-06		Westside Coalition	samplewater	Turbidity	21	NTU	0.4	0.1	
Westside Coalition	541XOCAHW	Orestimba Creek at Hwy 33	4-Apr-06		Westside Coalition	samplewater	Turbidity	89	NTU	2.0	0.1	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15-Jul-04	13:40	UCD Phase II	samplewater	Ammonia as N	0.237	mg/L	0.04	0.1	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29-Jul-04	15:00	UCD Phase II	samplewater	Ammonia as N	0.106	mg/L	0.04	0.1	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12-Aug-04	9:40	UCD Phase II	samplewater	Ammonia as N	0.043	mg/L	DNQ	0.04	0.1
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26-Aug-04	13:00	UCD Phase II	samplewater	Ammonia as N	-0.04	mg/L	ND	0.04	0.1
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	9-Sep-04	12:40	UCD Phase II	samplewater	Ammonia as N	0.048	mg/L	DNQ	0.04	0.1
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15-Jul-04	13:40	UCD Phase II	samplewater	Arsenic,Total	2.9	µg/L	0.1	0.3	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29-Jul-04	15:00	UCD Phase II	samplewater	Arsenic,Total	2.78	µg/L	0.1	0.3	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12-Aug-04	9:40	UCD Phase II	samplewater	Arsenic,Total	3.26	µg/L	0.1	0.5	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26-Aug-04	13:00	UCD Phase II	samplewater	Arsenic,Total	2.42	µg/L	0.1	0.5	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	9-Sep-04	12:40	UCD Phase II	samplewater	Arsenic,Total	2.85	µg/L	0.1	0.5	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15-Jul-04	13:40	UCD Phase II	samplewater	Boron,Total	205	mg/L	1	3	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29-Jul-04	15:00	UCD Phase II	samplewater	Boron,Total	191	mg/L	1	3	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12-Aug-04	9:40	UCD Phase II	samplewater	Boron,Total	287	mg/L	1	3	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26-Aug-04	13:00	UCD Phase II	samplewater	Boron,Total	254	mg/L	0.1	0.3	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	9-Sep-04	12:40	UCD Phase II	samplewater	Boron,Total	353	mg/L	0.1	0.3	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15-Jul-04	13:40	UCD Phase II	samplewater	Cadmium,Total	0.07	µg/L	0.01	0.02	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29-Jul-04	15:00	UCD Phase II	samplewater	Cadmium,Total	0.07	µg/L	0.01	0.02	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12-Aug-04	9:40	UCD Phase II	samplewater	Cadmium,Total	0.054	µg/L	0.01	0.03	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26-Aug-04	13:00	UCD Phase II	samplewater	Cadmium,Total	0.025	µg/L	DNQ	0.01	0.03
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	9-Sep-04	12:40	UCD Phase II	samplewater	Cadmium,Total	0.027	µg/L	DNQ	0.01	0.03
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15-Jul-04	13:40	UCD Phase II	samplewater	Color	12.8	color	2	5	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29-Jul-04	15:00	UCD Phase II	samplewater	Color	13.5	color	2	5	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12-Aug-04	9:40	UCD Phase II	samplewater	Color	10.8	color	2	5	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26-Aug-04	13:00	UCD Phase II	samplewater	Color	17	color	2	5	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	9-Sep-04	12:40	UCD Phase II	samplewater	Color	21	color	2	5	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15-Jul-04	13:40	UCD Phase II	samplewater	Copper,Total	12.2	µg/L	0.003	0.01	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29-Jul-04	15:00	UCD Phase II	samplewater	Copper,Total	13.2	µg/L	0.003	0.01	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12-Aug-04	9:40	UCD Phase II	samplewater	Copper,Total	10.9	µg/L	0.01	0.03	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26-Aug-04	13:00	UCD Phase II	samplewater	Copper,Total	6.28	µg/L	0.01	0.03	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	9-Sep-04	12:40	UCD Phase II	samplewater	Copper,Total	6.15	µg/L	0.01	0.03	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15-Jul-04	13:40	UCD Phase II	samplewater	Hardness as CaCO ₃	175	mg/L	1	1	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29-Jul-04	15:00	UCD Phase II	samplewater	Hardness as CaCO ₃	204	mg/L	1	1	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12-Aug-04	9:40	UCD Phase II	samplewater	Hardness as CaCO ₃	302	mg/L	1	1	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26-Aug-04	13:00	UCD Phase II	samplewater	Hardness as CaCO ₃	271	mg/L	1	1	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	9-Sep-04	12:40	UCD Phase II	samplewater	Hardness as CaCO ₃	347	mg/L	1	1	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15-Jul-04	13:40	UCD Phase II	samplewater	Lead,Total	4.3	µg/L	0.002	0.006	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29-Jul-04	15:00	UCD Phase II	samplewater	Lead,Total	4.23	µg/L	0.002	0.006	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12-Aug-04	9:40	UCD Phase II	samplewater	Lead,Total	3.32	µg/L	0.01	0.03	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26-Aug-04	13:00	UCD Phase II	samplewater	Lead,Total	1.48	µg/L	0.01	0.03	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	9-Sep-04	12:40	UCD Phase II	samplewater	Lead,Total	1.33	µg/L	0.01	0.03	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15-Jul-04	13:40	UCD Phase II	samplewater	Nickel,Total	22.8	µg/L	0.01	0.02	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29-Jul-04	15:00	UCD Phase II	samplewater	Nickel,Total	15.2	µg/L	0.01	0.02	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12-Aug-04	9:40	UCD Phase II	samplewater	Nickel,Total	17.7	µg/L	0.01	0.05	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26-Aug-04	13:00	UCD Phase II	samplewater	Nickel,Total	7.94	µg/L	0.01	0.05	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	9-Sep-04	12:40	UCD Phase II	samplewater	Nickel,Total	7.11	µg/L	0.01	0.05	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15-Jul-04	13:40	UCD Phase II	samplewater	Nitrate + Nitrite as N	4.81	mg/L	0.005	0.01	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29-Jul-04	15:00	UCD Phase II	samplewater	Nitrate + Nitrite as N	3.26	mg/L	0.005	0.01	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12-Aug-04	9:40	UCD Phase II	samplewater	Nitrate + Nitrite as N	5.18	mg/L	0.005	0.01	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26-Aug-04	13:00	UCD Phase II	samplewater	Nitrate + Nitrite as N	5.48	mg/L	0.005	0.01	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	9-Sep-04	12:40	UCD Phase II	samplewater	Nitrate + Nitrite as N	6.46	mg/L	0.005	0.01	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15-Jul-04	13:40	UCD Phase II	samplewater	Nitrite as N	0.332	mg/L	0.005	0.01	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29-Jul-04	15:00	UCD Phase II	samplewater	Nitrite as N	0.048	mg/L	0.005	0.01	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12-Aug-04	9:40	UCD Phase II	samplewater	Nitrite as N	0.0183	mg/L	0.005	0.01	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26-Aug-04	13:00	UCD Phase II	samplewater	Nitrite as N	0.019	mg/L	0.005	0.01	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	9-Sep-04	12:40	UCD Phase II	samplewater	Nitrite as N	0.0423	mg/L	0.005	0.01	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15-Jul-04	13:40	UCD Phase II	samplewater	OrthoPhosphate as P	0.136	mg/L	0.005	0.01	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29-Jul-04	15:00	UCD Phase II	samplewater	OrthoPhosphate as P	0.155	mg/L	0.005	0.01	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12-Aug-04	9:40	UCD Phase II	samplewater	OrthoPhosphate as P	0.113	mg/L	0.005	0.01	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26-Aug-04	13:00	UCD Phase II	samplewater	OrthoPhosphate as P	0.12	mg/L	0.005	0.01	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	9-Sep-04	12:40	UCD Phase II	samplewater	OrthoPhosphate as P	0.133	mg/L	0.005	0.01	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15-Jul-04	13:40	UCD Phase II	samplewater	Phosphorus as P,Total	318	µg/L	1	3	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29-Jul-04	15:00	UCD Phase II	samplewater	Phosphorus as P,Total	286	µg/L	1	3	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12-Aug-04	9:40	UCD Phase II	samplewater	Phosphorus as P,Total	225	µg/L	2	6	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26-Aug-04	13:00	UCD Phase II	samplewater	Phosphorus as P,Total	177	µg/L	2	6	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	9-Sep-04	12:40	UCD Phase II	samplewater	Phosphorus as P,Total	194	µg/L	2	6	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15-Jul-04	13:40	UCD Phase II	samplewater	Selenium,Total	1.78	µg/L	0.1	0.3	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29-Jul-04	15:00	UCD Phase II	samplewater	Selenium,Total	1.89	µg/L	0.1	0.3	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12-Aug-04	9:40	UCD Phase II	samplewater	Selenium,Total	3.28	µg/L	0.1	0.5	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26-Aug-04	13:00	UCD Phase II	samplewater	Selenium,Total	2.24	µg/L	0.1	0.5	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	9-Sep-04	12:40	UCD Phase II	samplewater	Selenium,Total	3.41	µg/L	0.1	0.5	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15-Jul-04	13:40	UCD Phase II	samplewater	Total Dissolved Solids	328	mg/L	10	10	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29-Jul-04	15:00	UCD Phase II	samplewater	Total Dissolved Solids	436	mg/L	10	10	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12-Aug-04	9:40	UCD Phase II	samplewater	Total Dissolved Solids	539	mg/L	10	10	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26-Aug-04	13:00	UCD Phase II	samplewater	Total Dissolved Solids	533	mg/L	10	10	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	9-Sep-04	12:40	UCD Phase II	samplewater	Total Dissolved Solids	642	mg/L	10	10	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15-Jul-04	13:40	UCD Phase II	samplewater	Total Organic Carbon	1.7	mg/L	0.24	1	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29-Jul-04	15:00	UCD Phase II	samplewater	Total Organic Carbon	16.76	mg/L	0.5	1	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12-Aug-04	9:40	UCD Phase II	samplewater	Total Organic Carbon	24.64	mg/L	0.5	1	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26-Aug-04	13:00	UCD Phase II	samplewater	Total Organic Carbon	22.91	mg/L	0.5	1	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	9-Sep-04	12:40	UCD Phase II	samplewater	Total Organic Carbon	2.51	mg/L	0.5	1	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15-Jul-04	13:40	UCD Phase II	samplewater	Turbidity	155	NTU	1	1	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29-Jul-04	15:00	UCD Phase II	samplewater	Turbidity	120	NTU	1	1	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12-Aug-04	9:40	UCD Phase II	samplewater	Turbidity	100	NTU	1	1	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26-Aug-04	13:00	UCD Phase II	samplewater	Turbidity	60	NTU	1	1	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	9-Sep-04	12:40	UCD Phase II	samplewater	Turbidity	50	NTU	1	1	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15-Jul-04	13:40	UCD Phase II	samplewater	Zinc,Total	22.1	µg/L	0.02	0.06	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29-Jul-04	15:00	UCD Phase II	samplewater	Zinc,Total	19.9	µg/L	0.02	0.06	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12-Aug-04	9:40	UCD Phase II	samplewater	Zinc,Total	20.2	µg/L	0.1	0.3	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26-Aug-04	13:00	UCD Phase II	samplewater	Zinc,Total	7.45	µg/L	0.1	0.3	
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	9-Sep-04	12:40	UCD Phase II	samplewater	Zinc,Total	6.42	µg/L	0.1	0.3	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	Bromide	0.39	mg/L	0.005	0.02	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	Bromide	0.34	mg/L	0.01	0.02	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	Bromide	0.41	mg/L	0.01	0.02	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Bromide	0.35	mg/L	0.01	0.02	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	Bromide	0.38	mg/L	0.01	0.02	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Dec/2004		Westside Coalition	samplewater	Bromide	0.41	mg/L	0.005	0.015	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	Bromide	0.25	mg/L	0.005	0.015	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	Bromide	0.009	mg/L	0.01	0.02	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	8-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.22	mg/L	0.010	0.005	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	16-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.015	mg/L	0.005	0.005	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	8-Mar-05		Westside Coalition	samplewater	Bromide (Br)	0.17	mg/L	0.010	0.005	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12-Apr-05		Westside Coalition	samplewater	Bromide (Br)	0.22	mg/L	0.005	0.005	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10-May-05		Westside Coalition	samplewater	Bromide (Br)	0.20	mg/L	0.005	0.005	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14-Jun-05		Westside Coalition	samplewater	Bromide (Br)	0.12	mg/L	0.005	0.005	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12-Jul-05		Westside Coalition	samplewater	Bromide (Br)	0.20	mg/L	0.005	0.005	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	9-Aug-05		Westside Coalition	samplewater	Bromide (Br)	0.22	mg/L	0.005	0.005	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14-Sep-05		Westside Coalition	samplewater	Bromide (Br)	0.29	mg/L	0.005	0.005	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12-Oct-05		Westside Coalition	samplewater	Bromide (Br)	0.19	mg/L	0.010	0.005	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	8-Nov-05		Westside Coalition	samplewater	Bromide (Br)	0.21	mg/L	0.005	0.005	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13-Dec-05		Westside Coalition	samplewater	Bromide (Br)	0.38	mg/L	0.010	0.005	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	3-Jan-06		Westside Coalition	samplewater	Bromide (Br)	0.020	mg/L	0.005	0.005	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14-Feb-06		Westside Coalition	samplewater	Bromide (Br)	0.12	mg/L	0.005	0.005	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14-Mar-06		Westside Coalition	samplewater	Bromide (Br)	0.16	mg/L	0.005	0.005	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	4-Apr-06		Westside Coalition	samplewater	Bromide (Br)	0.023	mg/L	0.010	0.005	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	Color	250	units	1	100	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	Color	200	units	1	100	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	Color	120	units	1	100	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	Color	50	units	1	100	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Dec/2004		Westside Coalition	samplewater	Color	30	units	1	100	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	Color	200	units	1	100	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	Color	150	units	1	100	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	8-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A.)	100	units	10	1	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	16-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A.)	1000	units	100	1	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	8-Mar-05		Westside Coalition	samplewater	Color (A.P.H.A.)	50	units	5	1	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12-Apr-05		Westside Coalition	samplewater	Color (A.P.H.A.)	100	units	5	1	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10-May-05		Westside Coalition	samplewater	Color (A.P.H.A.)	100	units	20	1	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14-Jun-05		Westside Coalition	samplewater	Color (A.P.H.A.)	200	units	20	1	
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12-Jul-05		Westside Coalition	samplewater	Color (A.P.H.A.)	35	units	1	1	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte		Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14-Mar-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.5	mg/L	0.2	0.2		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	4-Apr-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	6.7	mg/L	0.2	0.2		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	8-Feb-05		Westside Coalition	samplewater	Total Suspended (TSS)	92	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	16-Feb-05		Westside Coalition	samplewater	Total Suspended (TSS)	690	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	8-Mar-05		Westside Coalition	samplewater	Total Suspended (TSS)	38	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12-Apr-05		Westside Coalition	samplewater	Total Suspended (TSS)	56	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10-May-05		Westside Coalition	samplewater	Total Suspended (TSS)	95	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14-Jun-05		Westside Coalition	samplewater	Total Suspended (TSS)	160	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12-Jul-05		Westside Coalition	samplewater	Total Suspended (TSS)	820	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	9-Aug-05		Westside Coalition	samplewater	Total Suspended (TSS)	240	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14-Sep-05		Westside Coalition	samplewater	Total Suspended (TSS)	47	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12-Oct-05		Westside Coalition	samplewater	Total Suspended (TSS)	120	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	8-Nov-05		Westside Coalition	samplewater	Total Suspended (TSS)	120	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13-Dec-05		Westside Coalition	samplewater	Total Suspended (TSS)	76	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	3-Jan-06		Westside Coalition	samplewater	Total Suspended (TSS)	320	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14-Feb-06		Westside Coalition	samplewater	Total Suspended (TSS)	20	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14-Mar-06		Westside Coalition	samplewater	Total Suspended (TSS)	61	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	4-Apr-06		Westside Coalition	samplewater	Total Suspended (TSS)	240	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	06Jul/2004		Westside Coalition	samplewater	Total Suspended Solids	340	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	Total Suspended Solids	220	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	Total Suspended Solids	47	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Total Suspended Solids	54	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	Total Suspended Solids	91	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	18/Nov/2004		Westside Coalition	samplewater	Total Suspended Solids	92	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Dec/2004		Westside Coalition	samplewater	Total Suspended Solids	6	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	Total Suspended Solids	87	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	Total Suspended Solids	130	mg/L	5	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	06Jul/2004		Westside Coalition	samplewater	Turbidity	250	NTU	0.1	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	Turbidity	140	NTU	0.1	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	Turbidity	41	NTU	0.1	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Turbidity	71	NTU	0.1	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	Turbidity	56	NTU	0.1	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Dec/2004		Westside Coalition	samplewater	Turbidity	4.7	NTU	0.1	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	Turbidity	96	NTU	0.1	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	Turbidity	78	NTU	0.1	5		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	8-Feb-05		Westside Coalition	samplewater	Turbidity	64	NTU	1.0	0.1		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	16-Feb-05		Westside Coalition	samplewater	Turbidity	560	NTU	10	0.1		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	8-Mar-05		Westside Coalition	samplewater	Turbidity	21	NTU	0.5	0.1		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12-Apr-05		Westside Coalition	samplewater	Turbidity	40	NTU	0.5	0.1		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10-May-05		Westside Coalition	samplewater	Turbidity	87	NTU	2.0	0.1		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14-Jun-05		Westside Coalition	samplewater	Turbidity	140	NTU	2.0	0.1		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12-Jul-05		Westside Coalition	samplewater	Turbidity	56	NTU	1.0	0.1		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	9-Aug-05		Westside Coalition	samplewater	Turbidity	140	NTU	2.0	0.1		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14-Sep-05		Westside Coalition	samplewater	Turbidity	46	NTU	1.0	0.1		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12-Oct-05		Westside Coalition	samplewater	Turbidity	94	NTU	1.0	0.1		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	8-Nov-05		Westside Coalition	samplewater	Turbidity	71	NTU	1.0	0.1		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13-Dec-05		Westside Coalition	samplewater	Turbidity	48	NTU	1.0	0.1		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	3-Jan-06		Westside Coalition	samplewater	Turbidity	180	NTU	5.0	0.1		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14-Feb-06		Westside Coalition	samplewater	Turbidity	27	NTU	0.4	0.1		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14-Mar-06		Westside Coalition	samplewater	Turbidity	37	NTU	0.5	0.1		
Westside Coalition	541XOCARR	Orestimba Creek at River Road	4-Apr-06		Westside Coalition	samplewater	Turbidity	110	NTU	2.0	0.1		
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	15-Jul-04	9:50	UCD Phase II	samplewater	Ammonia as N	0.085	mg/L	DNQ	0.04	0.1	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	29-Jul-04	9:50	UCD Phase II	samplewater	Ammonia as N	0.22	mg/L	0.04	0.1		
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	12-Aug-04	14:30	UCD Phase II	samplewater	Ammonia as N	0.097	mg/L	DNQ	0.04	0.1	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	26-Aug-04	10:40	UCD Phase II	samplewater	Ammonia as N	0.113	mg/L	0.04	0.1		
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	9-Sep-04	10:20	UCD Phase II	samplewater	Ammonia as N	0.131	mg/L	0.04	0.1		
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	15-Jul-04	9:50	UCD Phase II	samplewater	Arsenic,Total	7.98	µg/L	0.1	0.3		
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	29-Jul-04	9:50	UCD Phase II	samplewater	Arsenic,Total	7.95	µg/L	0.1	0.3		
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	12-Aug-04	14:30	UCD Phase II	samplewater	Arsenic,Total	8.2	µg/L	0.1	0.5		
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	26-Aug-04	10:40	UCD Phase II	samplewater	Arsenic,Total	7.89	µg/L	0.1	0.5		
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	9-Sep-04	10:20	UCD Phase II	samplewater	Arsenic,Total	8.11	µg/L	0.1	0.5		
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	15-Jul-04	9:50	UCD Phase II	samplewater	Boron,Total	225	mg/L	1	3		
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	29-Jul-04	9:50	UCD Phase II	samplewater	Boron,Total	215	mg/L	1	3		
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	12-Aug-04	14:30	UCD Phase II	samplewater	Boron,Total	226	mg/L	1	3		
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	26-Aug-04	10:40	UCD Phase II	samplewater	Boron,Total	328	mg/L	0.1	0.3		
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	9-Sep-04	10:20	UCD Phase II	samplewater	Boron,Total	362	mg/L	0.1	0.3		
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	15-Jul-04	9:50	UCD Phase II	samplewater	Cadmium,Total	0.9	µg/L	0.01	0.02		

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	29-Jul-04	9:50	UCD Phase II	samplewater	Cadmium,Total	0.12	µg/L	0.01	0.02	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	12-Aug-04	14:30	UCD Phase II	samplewater	Cadmium,Total	0.088	µg/L	0.01	0.03	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	26-Aug-04	10:40	UCD Phase II	samplewater	Cadmium,Total	0.061	µg/L	0.01	0.03	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	9-Sep-04	10:20	UCD Phase II	samplewater	Cadmium,Total	0.052	µg/L	0.01	0.03	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	15-Jul-04	9:50	UCD Phase II	samplewater	Color	21	color	2	5	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	29-Jul-04	9:50	UCD Phase II	samplewater	Color	20	color	2	5	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	12-Aug-04	14:30	UCD Phase II	samplewater	Color	26.2	color	2	5	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	26-Aug-04	10:40	UCD Phase II	samplewater	Color	24	color	2	5	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	9-Sep-04	10:20	UCD Phase II	samplewater	Color	30	color	2	5	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	15-Jul-04	9:50	UCD Phase II	samplewater	Copper,Total	9.37	µg/L	0.003	0.01	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	29-Jul-04	9:50	UCD Phase II	samplewater	Copper,Total	9.66	µg/L	0.003	0.01	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	12-Aug-04	14:30	UCD Phase II	samplewater	Copper,Total	8.51	µg/L	0.01	0.03	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	26-Aug-04	10:40	UCD Phase II	samplewater	Copper,Total	4.76	µg/L	0.01	0.03	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	9-Sep-04	10:20	UCD Phase II	samplewater	Copper,Total	4.36	µg/L	0.01	0.03	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	15-Jul-04	9:50	UCD Phase II	samplewater	Hardness as CaCO ₃	163	mg/L	1	1	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	29-Jul-04	9:50	UCD Phase II	samplewater	Hardness as CaCO ₃	177	mg/L	1	1	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	12-Aug-04	14:30	UCD Phase II	samplewater	Hardness as CaCO ₃	160	mg/L	1	1	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	26-Aug-04	10:40	UCD Phase II	samplewater	Hardness as CaCO ₃	230	mg/L	1	1	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	9-Sep-04	10:20	UCD Phase II	samplewater	Hardness as CaCO ₃	208	mg/L	1	1	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	15-Jul-04	9:50	UCD Phase II	samplewater	Lead,Total	2.98	µg/L	0.002	0.006	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	29-Jul-04	9:50	UCD Phase II	samplewater	Lead,Total	3.56	µg/L	0.002	0.006	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	12-Aug-04	14:30	UCD Phase II	samplewater	Lead,Total	2.81	µg/L	0.01	0.03	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	26-Aug-04	10:40	UCD Phase II	samplewater	Lead,Total	1.16	µg/L	0.01	0.03	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	9-Sep-04	10:20	UCD Phase II	samplewater	Lead,Total	0.883	µg/L	0.01	0.03	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	15-Jul-04	9:50	UCD Phase II	samplewater	Nickel,Total	9.91	µg/L	0.01	0.02	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	29-Jul-04	9:50	UCD Phase II	samplewater	Nickel,Total	10.2	µg/L	0.01	0.02	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	12-Aug-04	14:30	UCD Phase II	samplewater	Nickel,Total	9.84	µg/L	0.01	0.05	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	26-Aug-04	10:40	UCD Phase II	samplewater	Nickel,Total	5.08	µg/L	0.01	0.05	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	9-Sep-04	10:20	UCD Phase II	samplewater	Nickel,Total	4.25	µg/L	0.01	0.05	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	15-Jul-04	9:50	UCD Phase II	samplewater	Nitrate + Nitrite as N	1.58	mg/L	0.005	0.01	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	29-Jul-04	9:50	UCD Phase II	samplewater	Nitrate + Nitrite as N	1.22	mg/L	0.005	0.01	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	12-Aug-04	14:30	UCD Phase II	samplewater	Nitrate + Nitrite as N	0.967	mg/L	0.005	0.01	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	26-Aug-04	10:40	UCD Phase II	samplewater	Nitrate + Nitrite as N	0.844	mg/L	0.005	0.01	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	9-Sep-04	10:20	UCD Phase II	samplewater	Nitrate + Nitrite as N	0.96	mg/L	0.005	0.01	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	15-Jul-04	9:50	UCD Phase II	samplewater	Nitrite as N	0.124	mg/L	0.005	0.01	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	29-Jul-04	9:50	UCD Phase II	samplewater	Nitrite as N	0.0714	mg/L	0.005	0.01	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	12-Aug-04	14:30	UCD Phase II	samplewater	Nitrite as N	0.0412	mg/L	0.005	0.01	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	26-Aug-04	10:40	UCD Phase II	samplewater	Nitrite as N	0.0527	mg/L	0.005	0.01	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	9-Sep-04	10:20	UCD Phase II	samplewater	Nitrite as N	0.0783	mg/L	0.005	0.01	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	15-Jul-04	9:50	UCD Phase II	samplewater	OrthoPhosphate as P	0.284	mg/L	0.005	0.01	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	29-Jul-04	9:50	UCD Phase II	samplewater	OrthoPhosphate as P	0.237	mg/L	0.005	0.01	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	12-Aug-04	14:30	UCD Phase II	samplewater	OrthoPhosphate as P	0.286	mg/L	0.005	0.01	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	26-Aug-04	10:40	UCD Phase II	samplewater	OrthoPhosphate as P	0.272	mg/L	0.005	0.01	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	9-Sep-04	10:20	UCD Phase II	samplewater	OrthoPhosphate as P	0.274	mg/L	0.005	0.01	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	15-Jul-04	9:50	UCD Phase II	samplewater	Phosphorus as P,Total	515	µg/L	1	3	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	29-Jul-04	9:50	UCD Phase II	samplewater	Phosphorus as P,Total	487	µg/L	1	3	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	12-Aug-04	14:30	UCD Phase II	samplewater	Phosphorus as P,Total	447	µg/L	2	6	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	26-Aug-04	10:40	UCD Phase II	samplewater	Phosphorus as P,Total	384	µg/L	2	6	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	9-Sep-04	10:20	UCD Phase II	samplewater	Phosphorus as P,Total	390	µg/L	2	6	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	15-Jul-04	9:50	UCD Phase II	samplewater	Selenium,Total	2.13	µg/L	0.1	0.3	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	29-Jul-04	9:50	UCD Phase II	samplewater	Selenium,Total	1.75	µg/L	0.1	0.3	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	12-Aug-04	14:30	UCD Phase II	samplewater	Selenium,Total	1.61	µg/L	0.1	0.5	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	26-Aug-04	10:40	UCD Phase II	samplewater	Selenium,Total	1.93	µg/L	0.1	0.5	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	9-Sep-04	10:20	UCD Phase II	samplewater	Selenium,Total	2.21	µg/L	0.1	0.5	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	15-Jul-04	9:50	UCD Phase II	samplewater	Total Dissolved Solids	388	mg/L	10	10	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	29-Jul-04	9:50	UCD Phase II	samplewater	Total Dissolved Solids	451	mg/L	10	10	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	12-Aug-04	14:30	UCD Phase II	samplewater	Total Dissolved Solids	444	mg/L	10	10	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	26-Aug-04	10:40	UCD Phase II	samplewater	Total Dissolved Solids	598	mg/L	10	10	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	9-Sep-04	10:20	UCD Phase II	samplewater	Total Dissolved Solids	610	mg/L	10	10	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	15-Jul-04	9:50	UCD Phase II	samplewater	Total Organic Carbon	3.9	mg/L	0.24	1	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	29-Jul-04	9:50	UCD Phase II	samplewater	Total Organic Carbon	17.98	mg/L	0.5	1	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	12-Aug-04	14:30	UCD Phase II	samplewater	Total Organic Carbon	19.35	mg/L	0.5	1	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	26-Aug-04	10:40	UCD Phase II	samplewater	Total Organic Carbon	21.48	mg/L	0.5	1	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	9-Sep-04	10:20	UCD Phase II	samplewater	Total Organic Carbon	5.68	mg/L	0.5	1	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	15-Jul-04	9:50	UCD Phase II	samplewater	Turbidity	99	NTU	1	1	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	29-Jul-04	9:50	UCD Phase II	samplewater	Turbidity	114	NTU	1	1	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	12-Aug-04	14:30	UCD Phase II	samplewater	Turbidity	85	NTU	1	1	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	26-Aug-04	10:40	UCD Phase II	samplewater	Turbidity	37	NTU	1	1	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	9-Sep-04	10:20	UCD Phase II	samplewater	Turbidity	31	NTU	1	1	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	15-Jul-04	9:50	UCD Phase II	samplewater	Zinc, Total	23.2	µg/L	0.02	0.06	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	29-Jul-04	9:50	UCD Phase II	samplewater	Zinc, Total	25.8	µg/L	0.02	0.06	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	12-Aug-04	14:30	UCD Phase II	samplewater	Zinc, Total	21.8	µg/L	0.1	0.3	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	26-Aug-04	10:40	UCD Phase II	samplewater	Zinc, Total	9.59	µg/L	0.1	0.3	
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner Island and	9-Sep-04	10:20	UCD Phase II	samplewater	Zinc, Total	7.58	µg/L	0.1	0.3	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	06/Jul/2004		Westside Coalition	samplewater	Bromide	0.76	mg/L	0.005	0.02	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	10/Aug/2004		Westside Coalition	samplewater	Bromide	0.74	mg/L	0.01	0.02	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	14/Sep/2004		Westside Coalition	samplewater	Bromide	0.88	mg/L	0.01	0.02	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	11/Jan/2005		Westside Coalition	samplewater	Bromide	0.077	mg/L	0.005	0.015	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	8-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.87	mg/L	0.025	0.005	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	15-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.73	mg/L	0.025	0.005	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	10-May-05		Westside Coalition	samplewater	Bromide (Br)	0.55	mg/L	0.015	0.005	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	12-Jul-05		Westside Coalition	samplewater	Bromide (Br)	0.46	mg/L	0.015	0.005	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	9-Aug-05		Westside Coalition	samplewater	Bromide (Br)	0.53	mg/L	0.015	0.005	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	14-Sep-05		Westside Coalition	samplewater	Bromide (Br)	0.33	mg/L	0.010	0.005	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	06/Jul/2004		Westside Coalition	samplewater	Color	150	units	1	100	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	10/Aug/2004		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	14/Sep/2004		Westside Coalition	samplewater	Color	150	units	1	100	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	11/Jan/2005		Westside Coalition	samplewater	Color	200	units	1	100	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	11/Jan/2005		Westside Coalition	samplewater	Color	200	units	1	100	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	8-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A)	50	units	10	1	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	15-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A)	150	units	10	1	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	10-May-05		Westside Coalition	samplewater	Color (A.P.H.A)	150	units	10	1	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	12-Jul-05		Westside Coalition	samplewater	Color (A.P.H.A)	150	units	10	1	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	9-Aug-05		Westside Coalition	samplewater	Color (A.P.H.A)	50	units	1	1	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	14-Sep-05		Westside Coalition	samplewater	Color (A.P.H.A)	200	units	20	1	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	10-May-05		Westside Coalition	samplewater	Color (A.P.H.A)	300	units	20	1	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	12-Jul-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	1500	µmho/c	1	1	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	9-Aug-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	1100	µmho/c	1	1	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	06/Jul/2004		Westside Coalition	samplewater	Conductivity - Specific (EC)	1200	µmho/c	1	1	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	10/Aug/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	110	mg/L	0.2	0.2	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	14/Sep/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	5.2	mg/L	0.2	0.2	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	11/Jan/2005		Westside Coalition	samplewater	Dissolved Organic Carbon	7.1	mg/L	0.2	0.2	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	8-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon	7.4	mg/L	0.2	0.2	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	15-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.2	mg/L	1.0	0.2	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	15-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.5	mg/L	1.0	0.2	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	10-May-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.3	mg/L	0.4	0.2	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	12-Jul-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.5	mg/L	0.4	0.2	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	9-Aug-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	6.2	mg/L	1.0	0.2	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	14-Sep-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.8	mg/L	1.0	0.2	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	06/Jul/2004		Westside Coalition	samplewater	E. Coli	900	MPN/10	2	2	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	10/Aug/2004		Westside Coalition	samplewater	E. Coli	240	MPN/10	2	2	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	11/Jan/2005		Westside Coalition	samplewater	E. Coli	300	MPN/10	2	2	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	8-Feb-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	110	MPN/10	2	2	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	15-Feb-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	130	MPN/10	2	2	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	10-May-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	500	MPN/10	2	2	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	12-Jul-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	900	MPN/10	2	2	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	9-Aug-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	900	MPN/10	2	2	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	14-Sep-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	300	MPN/10	2	2	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	8-Feb-05		Westside Coalition	samplewater	pH	7.9	Std.Unit	N/A	-	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	15-Feb-05		Westside Coalition	samplewater	pH	8.1	Std.Unit	N/A	-	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	10-May-05		Westside Coalition	samplewater	pH	8.0	Std.Unit	N/A	-	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	12-Jul-05		Westside Coalition	samplewater	pH	8.0	Std.Unit	N/A	-	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	9-Aug-05		Westside Coalition	samplewater	pH	7.8	Std.Unit	N/A	-	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	14-Sep-05		Westside Coalition	samplewater	pH	7.9	Std.Unit	N/A	-	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	06/Jul/2004		Westside Coalition	samplewater	pH, Lab	7.9	units	-88	-88	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	10/Aug/2004		Westside Coalition	samplewater	pH, Lab	8.1	units	-88	-88	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	14/Sep/2004		Westside Coalition	samplewater	pH, Lab	8.1	units	-88	-88	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	11/Jan/2005		Westside Coalition	samplewater	pH, Lab	7.7	units	-88	-88	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	06/Jul/2004		Westside Coalition	samplewater	Total Dissolved Solids	1100	mg/L	5	5	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	14/Sep/2004		Westside Coalition	samplewater	Total Dissolved Solids	920	mg/L	5	5	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	11/Jan/2005		Westside Coalition	samplewater	Total Dissolved Solids	220	mg/L	5	5	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	10/Aug/2004		Westside Coalition	samplewater	Total Dissolved Solids	1100	mg/L	5	5	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	8-Feb-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	1300	mg/L	5	5	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	15-Feb-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	1200	mg/L	5	5	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	10-May-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	930	mg/L	5	5	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	12-Jul-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	690	mg/L	5	5	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	9-Aug-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	840	mg/L	5	5	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	14-Sep-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	520	mg/L	5	5	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	06Jul/2004		Westside Coalition	samplewater	Total Organic Carbon	120	mg/L	0.2	0.2	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	10/Aug/2004		Westside Coalition	samplewater	Total Organic Carbon	6.7	mg/L	0.2	0.2	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	14/Sep/2004		Westside Coalition	samplewater	Total Organic Carbon	8.2	mg/L	0.2	0.2	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	11/Jan/2005		Westside Coalition	samplewater	Total Organic Carbon	10	mg/L	0.2	0.2	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	8-Feb-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	4.7	mg/L	1.0	0.2	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	15-Feb-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	5.5	mg/L	1.0	0.2	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	10-May-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	5.8	mg/L	0.4	0.2	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	12-Jul-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	6.9	mg/L	0.4	0.2	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	9-Aug-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	9.0	mg/L	1.0	0.2	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	14-Sep-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	6.9	mg/L	1.0	0.2	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	8-Feb-05		Westside Coalition	samplewater	Total Suspended (TSS)	99	mg/L	5	5	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	15-Feb-05		Westside Coalition	samplewater	Total Suspended (TSS)	100	mg/L	5	5	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	10-May-05		Westside Coalition	samplewater	Total Suspended (TSS)	140	mg/L	5	5	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	12-Jul-05		Westside Coalition	samplewater	Total Suspended (TSS)	220	mg/L	5	5	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	9-Aug-05		Westside Coalition	samplewater	Total Suspended (TSS)	270	mg/L	5	5	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	14-Sep-05		Westside Coalition	samplewater	Total Suspended (TSS)	160	mg/L	5	5	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	06Jul/2004		Westside Coalition	samplewater	Total Suspended Solids	210	mg/L	5	5	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	06Jul/2004		Westside Coalition	samplewater	Total Suspended Solids	200	mg/L	5	5	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	10/Aug/2004		Westside Coalition	samplewater	Total Suspended Solids	100	mg/L	5	5	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	14/Sep/2004		Westside Coalition	samplewater	Total Suspended Solids	180	mg/L	5	5	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	11/Jan/2005		Westside Coalition	samplewater	Total Suspended Solids	140	mg/L	5	5	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	06Jul/2004		Westside Coalition	samplewater	Turbidity	110	NTU	0.1	5	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	10/Aug/2004		Westside Coalition	samplewater	Turbidity	77	NTU	0.1	5	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	14/Sep/2004		Westside Coalition	samplewater	Turbidity	93	NTU	0.1	5	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	11/Jan/2005		Westside Coalition	samplewater	Turbidity	100	NTU	0.1	5	
Westside Coalition	541XROLFA	Ramona Lake Near Fig Avenue	11/Jan/2005		Westside Coalition	samplewater	Turbidity	100	NTU	0.1	5	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	8-Feb-05		Westside Coalition	samplewater	Turbidity	56	NTU	1.0	0.1	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	15-Feb-05		Westside Coalition	samplewater	Turbidity	62	NTU	1.0	0.1	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	10-May-05		Westside Coalition	samplewater	Turbidity	81	NTU	1.0	0.1	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	12-Jul-05		Westside Coalition	samplewater	Turbidity	32	NTU	1.0	0.1	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	9-Aug-05		Westside Coalition	samplewater	Turbidity	130	NTU	2.0	0.1	
Westside Coalition	541XROLFA	Ramona Lake near Fig Avenue	14-Sep-05		Westside Coalition	samplewater	Turbidity	120	NTU	2.0	0.1	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	06Jul/2004		Westside Coalition	samplewater	Bromide	0.29	mg/L	0.005	0.02	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	10/Aug/2004		Westside Coalition	samplewater	Bromide	0.39	mg/L	0.01	0.02	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	14/Sep/2004		Westside Coalition	samplewater	Bromide	0.51	mg/L	0.01	0.02	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	12/Oct/2004		Westside Coalition	samplewater	Bromide	0.46	mg/L	0.01	0.02	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	14-Sep-05		Westside Coalition	samplewater	Bromide (Br)	0.54	mg/L	0.015	0.005	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	12-Oct-05		Westside Coalition	samplewater	Bromide (Br)	0.19	mg/L	0.010	0.005	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	8-Nov-05		Westside Coalition	samplewater	Bromide (Br)	0.41	mg/L	0.010	0.005	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	13-Dec-05		Westside Coalition	samplewater	Bromide (Br)	0.40	mg/L	0.010	0.005	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	06Jul/2004		Westside Coalition	samplewater	Color	75	units	1	100	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	10/Aug/2004		Westside Coalition	samplewater	Color	200	units	1	100	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	14/Sep/2004		Westside Coalition	samplewater	Color	200	units	1	100	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	12/Oct/2004		Westside Coalition	samplewater	Color	25	units	1	100	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	14-Sep-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	10	1	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	12-Oct-05		Westside Coalition	samplewater	Color (A.P.H.A)	75	units	5	1	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	8-Nov-05		Westside Coalition	samplewater	Color (A.P.H.A)	50	units	1	1	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	13-Dec-05		Westside Coalition	samplewater	Color (A.P.H.A)	60	units	2	1	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	06Jul/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	3.4	mg/L	0.2	0.2	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	10/Aug/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	4.2	mg/L	0.2	0.2	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	14/Sep/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	4.3	mg/L	0.2	0.2	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	12/Oct/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	2.6	mg/L	0.2	0.2	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	14-Sep-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.7	mg/L	1.0	0.2	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	12-Oct-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.5	mg/L	0.2	0.2	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	8-Nov-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.5	mg/L	0.2	0.2	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	13-Dec-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.2	mg/L	0.2	0.2	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	06Jul/2004		Westside Coalition	samplewater	E. Coli	300	MPN/10	2	2	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	10/Aug/2004		Westside Coalition	samplewater	E. Coli	300	MPN/10	2	2	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	14/Sep/2004		Westside Coalition	samplewater	E. Coli	500	MPN/10	2	2	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	12/Oct/2004		Westside Coalition	samplewater	E. Coli	30	MPN/10	2	2	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	14-Sep-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	300	MPN/10	2	2	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	12-Oct-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	240	MPN/10	2	2	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	8-Nov-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	130	MPN/10	2	2	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	13-Dec-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	300	MPN/10	2	2	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	14-Sep-05		Westside Coalition	samplewater	pH	8.2	Std.Unit	N/A	-	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	12-Oct-05		Westside Coalition	samplewater	pH	8.1	Std.Unit	N/A	-	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	8-Nov-05		Westside Coalition	samplewater	pH	8.3	Std.Unit	N/A	-	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	13-Dec-05		Westside Coalition	samplewater	pH	8.2	Std.Unit	N/A	-	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	06 Jul/2004		Westside Coalition	samplewater	pH, Lab	8.1	units	-88	-88	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	10/Aug/2004		Westside Coalition	samplewater	pH, Lab	8.2	units	-88	-88	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	14/Sep/2004		Westside Coalition	samplewater	pH, Lab	8.2	units	-88	-88	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	12/Oct/2004		Westside Coalition	samplewater	pH, Lab	8.3	units	-88	-88	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	06 Jul/2004		Westside Coalition	samplewater	Total Dissolved Solids	390	mg/L	5	5	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	14/Sep/2004		Westside Coalition	samplewater	Total Dissolved Solids	600	mg/L	5	5	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	12/Oct/2004		Westside Coalition	samplewater	Total Dissolved Solids	700	mg/L	5	5	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	10/Aug/2004		Westside Coalition	samplewater	Total Dissolved Solids	530	mg/L	5	5	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	10/Aug/2004		Westside Coalition	samplewater	Total Dissolved Solids	530	mg/L	5	5	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	14-Sep-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	620	mg/L	5	5	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	12-Oct-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	260	mg/L	5	5	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	8-Nov-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	570	mg/L	5	5	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	13-Dec-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	500	mg/L	5	5	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	06 Jul/2004		Westside Coalition	samplewater	Total Organic Carbon	4.2	mg/L	0.2	0.2	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	10/Aug/2004		Westside Coalition	samplewater	Total Organic Carbon	6.3	mg/L	0.2	0.2	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	14/Sep/2004		Westside Coalition	samplewater	Total Organic Carbon	4.9	mg/L	0.2	0.2	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	12/Oct/2004		Westside Coalition	samplewater	Total Organic Carbon	3.1	mg/L	0.2	0.2	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	14-Sep-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	6.0	mg/L	1.0	0.2	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	12-Oct-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.4	mg/L	0.2	0.2	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	8-Nov-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.3	mg/L	0.2	0.2	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	13-Dec-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	4.2	mg/L	0.2	0.2	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	14-Sep-05		Westside Coalition	samplewater	Total Suspended (TSS)	69	mg/L	5	5	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	12-Oct-05		Westside Coalition	samplewater	Total Suspended (TSS)	53	mg/L	5	5	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	8-Nov-05		Westside Coalition	samplewater	Total Suspended (TSS)	18	mg/L	5	5	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	13-Dec-05		Westside Coalition	samplewater	Total Suspended (TSS)	27	mg/L	5	5	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	06 Jul/2004		Westside Coalition	samplewater	Total Suspended Solids	170	mg/L	5	5	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	06 Jul/2004		Westside Coalition	samplewater	Total Suspended Solids	390	mg/L	5	5	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	10/Aug/2004		Westside Coalition	samplewater	Total Suspended Solids	260	mg/L	5	5	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	14/Sep/2004		Westside Coalition	samplewater	Total Suspended Solids	310	mg/L	5	5	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	12/Oct/2004		Westside Coalition	samplewater	Total Suspended Solids	35	mg/L	5	5	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	06 Jul/2004		Westside Coalition	samplewater	Turbidity	77	NTU	0.1	5	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	10/Aug/2004		Westside Coalition	samplewater	Turbidity	170	NTU	0.1	5	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	14/Sep/2004		Westside Coalition	samplewater	Turbidity	98	NTU	0.1	5	
Westside Coalition	541XSCOAV	Salado Creek Near Olive Ave	12/Oct/2004		Westside Coalition	samplewater	Turbidity	20	NTU	0.1	5	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	14-Sep-05		Westside Coalition	samplewater	Turbidity	47	NTU	1.0	0.1	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	12-Oct-05		Westside Coalition	samplewater	Turbidity	36	NTU	0.5	0.1	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	8-Nov-05		Westside Coalition	samplewater	Turbidity	9.0	NTU	0.1	0.1	
Westside Coalition	541XSCOAV	Salado Creek near Olive Ave	13-Dec-05		Westside Coalition	samplewater	Turbidity	15	NTU	0.2	0.1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	10/Aug/2004		Westside Coalition	samplewater	Bromide	0.44	mg/L	0.01	0.02	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Sep/2004		Westside Coalition	samplewater	Bromide	0.57	mg/L	0.01	0.02	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12/Oct/2004		Westside Coalition	samplewater	Bromide	0.66	mg/L	0.01	0.02	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Dec/2004		Westside Coalition	samplewater	Bromide	0.86	mg/L	0.005	0.015	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	28/Dec/2004		Westside Coalition	samplewater	Bromide	0.77	mg/L	0.005	0.015	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11/Jun/2005		Westside Coalition	samplewater	Bromide	0.4	mg/L	0.01	0.02	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	8-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.82	mg/L	0.025	0.005	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	16-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.50	mg/L	0.015	0.005	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	8-Mar-05		Westside Coalition	samplewater	Bromide (Br)	0.68	mg/L	0.015	0.005	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12-Apr-05		Westside Coalition	samplewater	Bromide (Br)	0.59	mg/L	0.015	0.005	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	10-May-05		Westside Coalition	samplewater	Bromide (Br)	0.58	mg/L	0.010	0.005	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Jun-05		Westside Coalition	samplewater	Bromide (Br)	0.26	mg/L	0.010	0.005	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12-Jul-05		Westside Coalition	samplewater	Bromide (Br)	0.40	mg/L	0.010	0.005	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	9-Aug-05		Westside Coalition	samplewater	Bromide (Br)	0.40	mg/L	0.010	0.005	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Sep-05		Westside Coalition	samplewater	Bromide (Br)	0.33	mg/L	0.010	0.005	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12-Oct-05		Westside Coalition	samplewater	Bromide (Br)	0.56	mg/L	0.015	0.005	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	8-Nov-05		Westside Coalition	samplewater	Bromide (Br)	0.55	mg/L	0.015	0.005	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	13-Dec-05		Westside Coalition	samplewater	Bromide (Br)	0.80	mg/L	0.030	0.005	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	3-Jan-06		Westside Coalition	samplewater	Bromide (Br)	0.68	mg/L	0.030	0.005	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Feb-06		Westside Coalition	samplewater	Bromide (Br)	0.45	mg/L	0.010	0.005	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	28-Feb-06		Westside Coalition	samplewater	Bromide (Br)	0.50	mg/L	0.015	0.005	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Mar-06		Westside Coalition	samplewater	Bromide (Br)	0.68	mg/L	0.025	0.005	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11-Apr-06		Westside Coalition	samplewater	Bromide (Br)	0.55	mg/L	0.025	0.005	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	10/Aug/2004		Westside Coalition	samplewater	Color	200	units	1	100	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Sep/2004		Westside Coalition	samplewater	Color	100	units	1	100	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12/Oct/2004		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Dec/2004		Westside Coalition	samplewater	Color	50	units	1	100	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	28/Dec/2004		Westside Coalition	samplewater	Color	150	units	1	100	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11/Jan/2005		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	8-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A)	20	units	1	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	16-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	10	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	8-Mar-05		Westside Coalition	samplewater	Color (A.P.H.A)	75	units	5	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12-Apr-05		Westside Coalition	samplewater	Color (A.P.H.A)	150	units	5	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	10-May-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	10	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Jun-05		Westside Coalition	samplewater	Color (A.P.H.A)	200	units	20	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12-Jul-05		Westside Coalition	samplewater	Color (A.P.H.A)	40	units	1	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	9-Aug-05		Westside Coalition	samplewater	Color (A.P.H.A)	250	units	10	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Sep-05		Westside Coalition	samplewater	Color (A.P.H.A)	150	units	10	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12-Oct-05		Westside Coalition	samplewater	Color (A.P.H.A)	50	units	10	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	8-Nov-05		Westside Coalition	samplewater	Color (A.P.H.A)	150	units	10	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	13-Dec-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	5	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	3-Jan-06		Westside Coalition	samplewater	Color (A.P.H.A)	250	units	10	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Feb-06		Westside Coalition	samplewater	Color (A.P.H.A)	250	units	10	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	28-Feb-06		Westside Coalition	samplewater	Color (A.P.H.A)	50	units	10	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Mar-06		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	10	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11-Apr-06		Westside Coalition	samplewater	Color (A.P.H.A)	120	units	5	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12-Apr-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	1600	µmho/c	1	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	10-May-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	1200	µmho/c	1	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Jun-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	680	µmho/c	1	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12-Jul-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	870	µmho/c	1	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	9-Aug-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	750	µmho/c	1	1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	10/Aug/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	4.4	mg/L	0.2	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Sep/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	4.2	mg/L	0.2	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12/Oct/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	4.8	mg/L	0.2	2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Dec/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	6.1	mg/L	0.2	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	28/Dec/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	5.8	mg/L	0.2	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11/Jan/2005		Westside Coalition	samplewater	Dissolved Organic Carbon	6.7	mg/L	0.2	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	8-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.8	mg/L	0.4	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	16-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	6.7	mg/L	1.0	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	8-Mar-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	6.8	mg/L	0.4	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12-Apr-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	6.6	mg/L	2.0	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Jun-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.0	mg/L	1.0	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12-Jul-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.4	mg/L	0.4	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Sep-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.5	mg/L	1.0	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12-Oct-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.4	mg/L	0.2	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	8-Nov-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.3	mg/L	0.2	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	13-Dec-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.7	mg/L	0.4	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	3-Jan-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	6.2	mg/L	0.4	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Feb-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.4	mg/L	0.2	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	28-Feb-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.9	mg/L	0.2	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Mar-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.9	mg/L	0.2	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11-Apr-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	6.6	mg/L	0.2	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	10/Aug/2004		Westside Coalition	samplewater	E. Coli	170	MPN/10	2	2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Sep/2004		Westside Coalition	samplewater	E. Coli	50	MPN/10	2	2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12/Oct/2004		Westside Coalition	samplewater	E. Coli	130	MPN/10	2	2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	09/Nov/2004		Westside Coalition	samplewater	E. Coli	170	MPN/10	2	2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Dec/2004		Westside Coalition	samplewater	E. Coli	50	MPN/10	2	2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	29/Dec/2004		Westside Coalition	samplewater	E. Coli	240	MPN/10	2	2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11/Jan/2005		Westside Coalition	samplewater	E. Coli	240	MPN/10	2	2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	8-Feb-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	50	MPN/10	2	2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	16-Feb-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	1600	MPN/10	2	2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	8-Mar-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	27	MPN/10	2	2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12-Apr-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	33	MPN/10	2	2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	10-May-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	240	MPN/10	2	2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Jun-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	240	MPN/10	2	2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12-Jul-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	70	MPN/10	2	2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	9-Aug-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	140	MPN/10	2	2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Sep-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	170	MPN/10	2	2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12-Oct-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	130	MPN/10	2	2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	8-Nov-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	240	MPN/10	2	2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	13-Dec-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	1600	MPN/10	2	2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	3-Jan-06		Westside Coalition	samplewater	E. coli (3x5 MTF)	>1600	MPN/10	2	2	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	3-Jan-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	8.2	mg/L	0.4	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Feb-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	5.9	mg/L	0.2	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	28-Feb-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	5.9	mg/L	0.2	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Mar-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	5.6	mg/L	0.2	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11-Apr-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	8.3	mg/L	0.2	0.2	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	8-Feb-05		Westside Coalition	samplewater	Total Suspended (TSS)	78	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	16-Feb-05		Westside Coalition	samplewater	Total Suspended (TSS)	90	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	8-Mar-05		Westside Coalition	samplewater	Total Suspended (TSS)	29	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12-Apr-05		Westside Coalition	samplewater	Total Suspended (TSS)	80	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	10-May-05		Westside Coalition	samplewater	Total Suspended (TSS)	120	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Jun-05		Westside Coalition	samplewater	Total Suspended (TSS)	180	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12-Jul-05		Westside Coalition	samplewater	Total Suspended (TSS)	140	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	9-Aug-05		Westside Coalition	samplewater	Total Suspended (TSS)	150	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Sep-05		Westside Coalition	samplewater	Total Suspended (TSS)	120	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12-Oct-05		Westside Coalition	samplewater	Total Suspended (TSS)	78	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	8-Nov-05		Westside Coalition	samplewater	Total Suspended (TSS)	93	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	13-Dec-05		Westside Coalition	samplewater	Total Suspended (TSS)	64	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	3-Jan-06		Westside Coalition	samplewater	Total Suspended (TSS)	130	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Feb-06		Westside Coalition	samplewater	Total Suspended (TSS)	110	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	28-Feb-06		Westside Coalition	samplewater	Total Suspended (TSS)	57	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Mar-06		Westside Coalition	samplewater	Total Suspended (TSS)	59	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11-Apr-06		Westside Coalition	samplewater	Total Suspended (TSS)	38	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	10/Aug/2004		Westside Coalition	samplewater	Total Suspended Solids	190	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Sep/2004		Westside Coalition	samplewater	Total Suspended Solids	130	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Sep/2004		Westside Coalition	samplewater	Total Suspended Solids	130	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12/Oct/2004		Westside Coalition	samplewater	Total Suspended Solids	48	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Dec/2004		Westside Coalition	samplewater	Total Suspended Solids	74	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	28/Dec/2004		Westside Coalition	samplewater	Total Suspended Solids	130	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11/Jan/2005		Westside Coalition	samplewater	Total Suspended Solids	43	mg/L	5	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	10/Aug/2004		Westside Coalition	samplewater	Turbidity	96	NTU	0.1	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Sep/2004		Westside Coalition	samplewater	Turbidity	130	mg/L	0.1	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12/Oct/2004		Westside Coalition	samplewater	Turbidity	35	NTU	0.1	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Dec/2004		Westside Coalition	samplewater	Turbidity	35	NTU	0.1	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	28/Dec/2004		Westside Coalition	samplewater	Turbidity	53	NTU	0.1	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11/Jan/2005		Westside Coalition	samplewater	Turbidity	26	NTU	0.1	5	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	8-Feb-05		Westside Coalition	samplewater	Turbidity	50	NTU	1.0	0.1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	16-Feb-05		Westside Coalition	samplewater	Turbidity	51	NTU	1.0	0.1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	8-Mar-05		Westside Coalition	samplewater	Turbidity	16	NTU	0.5	0.1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12-Apr-05		Westside Coalition	samplewater	Turbidity	41	NTU	0.5	0.1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	10-May-05		Westside Coalition	samplewater	Turbidity	74	NTU	1.0	0.1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Jun-05		Westside Coalition	samplewater	Turbidity	100	NTU	2.0	0.1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12-Jul-05		Westside Coalition	samplewater	Turbidity	30	NTU	1.0	0.1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	9-Aug-05		Westside Coalition	samplewater	Turbidity	83	NTU	1.0	0.1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Sep-05		Westside Coalition	samplewater	Turbidity	72	NTU	1.0	0.1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12-Oct-05		Westside Coalition	samplewater	Turbidity	46	NTU	1.0	0.1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	8-Nov-05		Westside Coalition	samplewater	Turbidity	57	NTU	1.0	0.1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	13-Dec-05		Westside Coalition	samplewater	Turbidity	30	NTU	0.5	0.1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	3-Jan-06		Westside Coalition	samplewater	Turbidity	77	NTU	1.0	0.1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Feb-06		Westside Coalition	samplewater	Turbidity	63	NTU	1.0	0.1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	28-Feb-06		Westside Coalition	samplewater	Turbidity	25	NTU	0.4	0.1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14-Mar-06		Westside Coalition	samplewater	Turbidity	32	NTU	1.0	0.1	
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11-Apr-06		Westside Coalition	samplewater	Turbidity	21	NTU	0.5	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	10/Aug/2004		Westside Coalition	samplewater	Bromide	0.35	mg/L	0.01	0.02	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Sep/2004		Westside Coalition	samplewater	Bromide	0.49	mg/L	0.01	0.02	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12/Oct/2004		Westside Coalition	samplewater	Bromide	0.38	mg/L	0.01	0.02	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Dec/2004		Westside Coalition	samplewater	Bromide	0.55	mg/L	0.005	0.015	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	28/Dec/2004		Westside Coalition	samplewater	Bromide	0.49	mg/L	0.005	0.015	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11/Jan/2005		Westside Coalition	samplewater	Bromide	0.32	mg/L	0.01	0.02	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	8-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.67	mg/L	0.015	0.005	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	16-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.24	mg/L	0.010	0.005	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	8-Mar-05		Westside Coalition	samplewater	Bromide (Br)	0.46	mg/L	0.015	0.005	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12-Apr-05		Westside Coalition	samplewater	Bromide (Br)	0.51	mg/L	0.010	0.005	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	10-May-05		Westside Coalition	samplewater	Bromide (Br)	0.42	mg/L	0.010	0.005	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Jun-05		Westside Coalition	samplewater	Bromide (Br)	0.15	mg/L	0.005	0.005	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12-Jul-05		Westside Coalition	samplewater	Bromide (Br)	0.25	mg/L	0.005	0.005	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	9-Aug-05		Westside Coalition	samplewater	Bromide (Br)	0.28	mg/L	0.010	0.005	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Sep-05		Westside Coalition	samplewater	Bromide (Br)	0.34	mg/L	0.010	0.005	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12-Oct-05		Westside Coalition	samplewater	Bromide (Br)	0.32	mg/L	0.010	0.005	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	8-Nov-05		Westside Coalition	samplewater	Bromide (Br)	0.28	mg/L	0.005	0.005	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	13-Dec-05		Westside Coalition	samplewater	Bromide (Br)	0.58	mg/L	0.020	0.005	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	3-Jan-06		Westside Coalition	samplewater	Bromide (Br)	0.18	mg/L	0.010	0.005	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Feb-06		Westside Coalition	samplewater	Bromide (Br)	0.26	mg/L	0.005	0.005	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	28-Feb-06		Westside Coalition	samplewater	Bromide (Br)	0.25	mg/L	0.005	0.005	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Mar-06		Westside Coalition	samplewater	Bromide (Br)	0.55	mg/L	0.020	0.005	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11-Apr-06		Westside Coalition	samplewater	Bromide (Br)	0.47	mg/L	0.015	0.005	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	10/Aug/2004		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Sep/2004		Westside Coalition	samplewater	Color	150	units	1	100	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12/Oct/2004		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Dec/2004		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	28/Dec/2004		Westside Coalition	samplewater	Color	200	units	1	100	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11/Jan/2005		Westside Coalition	samplewater	Color	500	units	1	100	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	8-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A)	25	units	1	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	16-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A)	150	units	10	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	8-Mar-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	10	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12-Apr-05		Westside Coalition	samplewater	Color (A.P.H.A)	75	units	5	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	10-May-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	10	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Jun-05		Westside Coalition	samplewater	Color (A.P.H.A)	150	units	10	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12-Jul-05		Westside Coalition	samplewater	Color (A.P.H.A)	50	units	1	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	9-Aug-05		Westside Coalition	samplewater	Color (A.P.H.A)	200	units	10	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Sep-05		Westside Coalition	samplewater	Color (A.P.H.A)	150	units	10	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12-Oct-05		Westside Coalition	samplewater	Color (A.P.H.A)	120	units	5	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	8-Nov-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	10	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	13-Dec-05		Westside Coalition	samplewater	Color (A.P.H.A)	75	units	5	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	3-Jan-06		Westside Coalition	samplewater	Color (A.P.H.A)	1000	units	100	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Feb-06		Westside Coalition	samplewater	Color (A.P.H.A)	300	units	10	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	28-Feb-06		Westside Coalition	samplewater	Color (A.P.H.A)	120	units	5	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Mar-06		Westside Coalition	samplewater	Color (A.P.H.A)	200	units	20	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11-Apr-06		Westside Coalition	samplewater	Color (A.P.H.A)	150	units	10	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12-Apr-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	1100	umho/c	1	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	10-May-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	1100	umho/c	1	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Jun-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	470	umho/c	1	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12-Jul-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	560	umho/c	1	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	9-Aug-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	570	umho/c	1	1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	10/Aug/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	3.8	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Sep/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	3.9	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12/Oct/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	2.9	mg/L	0.2	2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Dec/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	3.3	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	28/Dec/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	3.5	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11/Jan/2005		Westside Coalition	samplewater	Dissolved Organic Carbon	6.6	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	8-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.8	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	16-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	6.1	mg/L	1.0	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	8-Mar-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.2	mg/L	0.4	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12-Apr-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.5	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Jun-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.7	mg/L	0.4	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12-Jul-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.2	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Sep-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.0	mg/L	1.0	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12-Oct-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.2	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	8-Nov-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.7	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	13-Dec-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.8	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	3-Jan-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.2	mg/L	0.4	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Feb-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.9	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	28-Feb-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.1	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Mar-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.1	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11-Apr-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.4	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	10/Aug/2004		Westside Coalition	samplewater	E. Coli	26	MPN/10	2	2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Sep/2004		Westside Coalition	samplewater	E. Coli	30	MPN/10	2	2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12/Oct/2004		Westside Coalition	samplewater	E. Coli	130	MPN/10	2	2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	09/Nov/2004		Westside Coalition	samplewater	E. Coli	17	MPN/10	2	2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Dec/2004		Westside Coalition	samplewater	E. Coli	240	MPN/10	2	2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	29/Dec/2004		Westside Coalition	samplewater	E. Coli	300	MPN/10	2	2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11/Jan/2005		Westside Coalition	samplewater	E. Coli	1600	MPN/10 >	2	2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	8-Feb-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	50	MPN/10	2	2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	16-Feb-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	240	MPN/10	2	2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	8-Mar-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	50	MPN/10	2	2	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11/Jan/2005		Westside Coalition	samplewater	Total Organic Carbon	11	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	8-Feb-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	4.9	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	16-Feb-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	7.9	mg/L	1.0	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	8-Mar-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	6.1	mg/L	0.4	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12-Apr-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	5.7	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Jun-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	5.8	mg/L	0.4	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12-Jul-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	5.0	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Sep-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	6.0	mg/L	1.0	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12-Oct-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	4.5	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	8-Nov-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.4	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	13-Dec-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.2	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	3-Jan-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	6.6	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Feb-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	5.9	mg/L	0.4	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	28-Feb-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	4.9	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Mar-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.5	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11-Apr-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	4.4	mg/L	0.2	0.2	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	8-Feb-05		Westside Coalition	samplewater	Total Suspended (TSS)	51	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	16-Feb-05		Westside Coalition	samplewater	Total Suspended (TSS)	130	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	8-Mar-05		Westside Coalition	samplewater	Total Suspended (TSS)	110	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12-Apr-05		Westside Coalition	samplewater	Total Suspended (TSS)	41	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	10-May-05		Westside Coalition	samplewater	Total Suspended (TSS)	89	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Jun-05		Westside Coalition	samplewater	Total Suspended (TSS)	100	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12-Jul-05		Westside Coalition	samplewater	Total Suspended (TSS)	83	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	9-Aug-05		Westside Coalition	samplewater	Total Suspended (TSS)	100	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Sep-05		Westside Coalition	samplewater	Total Suspended (TSS)	56	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12-Oct-05		Westside Coalition	samplewater	Total Suspended (TSS)	65	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	8-Nov-05		Westside Coalition	samplewater	Total Suspended (TSS)	73	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	13-Dec-05		Westside Coalition	samplewater	Total Suspended (TSS)	30	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	3-Jan-06		Westside Coalition	samplewater	Total Suspended (TSS)	390	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Feb-06		Westside Coalition	samplewater	Total Suspended (TSS)	130	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	28-Feb-06		Westside Coalition	samplewater	Total Suspended (TSS)	120	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Mar-06		Westside Coalition	samplewater	Total Suspended (TSS)	160	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11-Apr-06		Westside Coalition	samplewater	Total Suspended (TSS)	150	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	10/Aug/2004		Westside Coalition	samplewater	Total Suspended Solids	55	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Sep/2004		Westside Coalition	samplewater	Total Suspended Solids	77	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12/Oct/2004		Westside Coalition	samplewater	Total Suspended Solids	58	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Dec/2004		Westside Coalition	samplewater	Total Suspended Solids	200	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	28/Dec/2004		Westside Coalition	samplewater	Total Suspended Solids	350	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11/Jan/2005		Westside Coalition	samplewater	Total Suspended Solids	750	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11/Jan/2005		Westside Coalition	samplewater	Total Suspended Solids	770	mg/L	5	5	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	10/Aug/2004		Westside Coalition	turbidity		47	NTU	0.1	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Sep/2004		Westside Coalition	samplewater	Turbidity	55	NTU	0.1	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12/Oct/2004		Westside Coalition	samplewater	Turbidity	47	NTU	0.1	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Dec/2004		Westside Coalition	samplewater	Turbidity	79	NTU	0.1	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	28/Dec/2004		Westside Coalition	samplewater	Turbidity	120	NTU	0.1	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11/Jan/2005		Westside Coalition	samplewater	Turbidity	410	NTU	0.1	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	8-Feb-05		Westside Coalition	samplewater	Turbidity	38	NTU	0.5	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	16-Feb-05		Westside Coalition	samplewater	Turbidity	88	NTU	1.0	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	8-Mar-05		Westside Coalition	samplewater	Turbidity	59	NTU	1.0	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12-Apr-05		Westside Coalition	samplewater	Turbidity	29	NTU	0.5	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	10-May-05		Westside Coalition	samplewater	Turbidity	62	NTU	1.0	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Jun-05		Westside Coalition	samplewater	Turbidity	78	NTU	1.0	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12-Jul-05		Westside Coalition	samplewater	Turbidity	80	NTU	5.0	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	9-Aug-05		Westside Coalition	samplewater	Turbidity	54	NTU	1.0	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Sep-05		Westside Coalition	samplewater	Turbidity	45	NTU	1.0	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12-Oct-05		Westside Coalition	samplewater	Turbidity	39	NTU	0.5	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	8-Nov-05		Westside Coalition	samplewater	Turbidity	54	NTU	1.0	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	13-Dec-05		Westside Coalition	samplewater	Turbidity	20	NTU	0.5	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	3-Jan-06		Westside Coalition	samplewater	Turbidity	480	NTU	10	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Feb-06		Westside Coalition	samplewater	Turbidity	82	NTU	1.0	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	28-Feb-06		Westside Coalition	samplewater	Turbidity	54	NTU	1.0	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14-Mar-06		Westside Coalition	samplewater	Turbidity	79	NTU	2.0	0.1	
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11-Apr-06		Westside Coalition	samplewater	Turbidity	59	NTU	1.0	0.1	
Westside Coalition	541XSJRLA	San Joaquin River at Lander Ave	8-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.14	mg/L	0.005	0.005	
Westside Coalition	541XSJRLA	San Joaquin River at Lander Ave	16-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.28	mg/L	0.010	0.005	
Westside Coalition	541XSJRLA	San Joaquin River at Lander Ave	8-Mar-05		Westside Coalition	samplewater	Bromide (Br)	0.16	mg/L	0.005	0.005	
Westside Coalition	541XSJRLA	San Joaquin River at Lander Ave	12-Apr-05		Westside Coalition	samplewater	Bromide (Br)	0.14	mg/L	0.005	0.005	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XSJRLA	San Joaquin River at Lander Ave	16-Feb-05		Westside Coalition	samplewater	Turbidity	20	NTU	0.5	0.1	
Westside Coalition	541XSJRLA	San Joaquin River at Lander Ave	8-Mar-05		Westside Coalition	samplewater	Turbidity	18	NTU	0.5	0.1	
Westside Coalition	541XSJRLA	San Joaquin River at Lander Ave	12-Apr-05		Westside Coalition	samplewater	Turbidity	23	NTU	0.4	0.1	
Westside Coalition	541XSJRLA	San Joaquin River at Lander Ave	10-May-05		Westside Coalition	samplewater	Turbidity	33	NTU	0.5	0.1	
Westside Coalition	541XSJRLA	San Joaquin River at Lander Ave	14-Jun-05		Westside Coalition	samplewater	Turbidity	25	NTU	0.5	0.1	
Westside Coalition	541XSJRLA	San Joaquin River at Lander Ave	12-Jul-05		Westside Coalition	samplewater	Turbidity	12	NTU	0.2	0.1	
Westside Coalition	541XSJRLA	San Joaquin River at Lander Ave	9-Aug-05		Westside Coalition	samplewater	Turbidity	17	NTU	0.5	0.1	
Westside Coalition	541XSJRLA	San Joaquin River at Lander Ave	14-Sep-05		Westside Coalition	samplewater	Turbidity	33	NTU	0.5	0.1	
Westside Coalition	541XSJRLA	San Joaquin River at Lander Ave	12-Oct-05		Westside Coalition	samplewater	Turbidity	43	NTU	0.5	0.1	
Westside Coalition	541XSJRLA	San Joaquin River at Lander Ave	8-Nov-05		Westside Coalition	samplewater	Turbidity	30	NTU	0.5	0.1	
Westside Coalition	541XSJRLA	San Joaquin River at Lander Ave	13-Dec-05		Westside Coalition	samplewater	Turbidity	24	NTU	0.5	0.1	
Westside Coalition	541XSJRLA	San Joaquin River at Lander Ave	3-Jan-06		Westside Coalition	samplewater	Turbidity	110	NTU	2.0	0.1	
Westside Coalition	541XSJRLA	San Joaquin River at Lander Ave	14-Feb-06		Westside Coalition	samplewater	Turbidity	20	NTU	0.4	0.1	
Westside Coalition	541XSJRLA	San Joaquin River at Lander Ave	28-Feb-06		Westside Coalition	samplewater	Turbidity	9.7	NTU	0.1	0.1	
Westside Coalition	541XSJRLA	San Joaquin River at Lander Ave	14-Mar-06		Westside Coalition	samplewater	Turbidity	32	NTU	1.0	0.1	
Westside Coalition	541XSJRLA	San Joaquin River at Lander Ave	11-Apr-06		Westside Coalition	samplewater	Turbidity	32	NTU	0.5	0.1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	8-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.22	mg/L	0.010	0.005	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	8-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A)	45	units	1	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	16-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A)	75	units	5	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	7-Mar-05		Westside Coalition	samplewater	Color (A.P.H.A)	50	units	5	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	12-Apr-05		Westside Coalition	samplewater	Color (A.P.H.A)	60	units	2	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	10-May-05		Westside Coalition	samplewater	Color (A.P.H.A)	50	units	5	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	14-Jun-05		Westside Coalition	samplewater	Color (A.P.H.A)	60	units	2	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	12-Jul-05		Westside Coalition	samplewater	Color (A.P.H.A)	25	units	1	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	9-Aug-05		Westside Coalition	samplewater	Color (A.P.H.A)	50	units	5	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	14-Sep-05		Westside Coalition	samplewater	Color (A.P.H.A)	60	units	2	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	12-Oct-05		Westside Coalition	samplewater	Color (A.P.H.A)	50	units	1	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	8-Nov-05		Westside Coalition	samplewater	Color (A.P.H.A)	40	units	2	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	13-Dec-05		Westside Coalition	samplewater	Color (A.P.H.A)	30	units	1	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	3-Jan-06		Westside Coalition	samplewater	Color (A.P.H.A)	400	units	10	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	14-Feb-06		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	4	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	28-Feb-06		Westside Coalition	samplewater	Color (A.P.H.A)	30	units	2	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	14-Mar-06		Westside Coalition	samplewater	Color (A.P.H.A)	60	units	2	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	11-Apr-06		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	5	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	12-Apr-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	180	µmho/c	1	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	14-Jun-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	94	µmho/c	1	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	12-Jul-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	98	µmho/c	1	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	9-Aug-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	300	µmho/c	1	1	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	8-Feb-05		Westside Coalition	samplewater	pH	7.7	Std.Unit	N/A	-	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	16-Feb-05		Westside Coalition	samplewater	pH	7.8	Std.Unit	N/A	-	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	7-Mar-05		Westside Coalition	samplewater	pH	7.8	Std.Unit	N/A	-	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	12-Apr-05		Westside Coalition	samplewater	pH	7.8	Std.Unit	N/A	-	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	10-May-05		Westside Coalition	samplewater	pH	7.2	Std.Unit	N/A	-	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	14-Jun-05		Westside Coalition	samplewater	pH	7.5	Std.Unit	N/A	-	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	12-Jul-05		Westside Coalition	samplewater	pH	7.7	Std.Unit	N/A	-	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	9-Aug-05		Westside Coalition	samplewater	pH	8.0	Std.Unit	N/A	-	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	14-Sep-05		Westside Coalition	samplewater	pH	8.1	Std.Unit	N/A	-	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	12-Oct-05		Westside Coalition	samplewater	pH	8.1	Std.Unit	N/A	-	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	8-Nov-05		Westside Coalition	samplewater	pH	8.1	Std.Unit	N/A	-	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	13-Dec-05		Westside Coalition	samplewater	pH	7.8	Std.Unit	N/A	-	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	3-Jan-06		Westside Coalition	samplewater	pH	7.7	Std.Unit	N/A	-	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	14-Feb-06		Westside Coalition	samplewater	pH	7.9	Std.Unit	N/A	-	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	28-Feb-06		Westside Coalition	samplewater	pH	8.0	Std.Unit	N/A	-	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	14-Mar-06		Westside Coalition	samplewater	pH	8.0	Std.Unit	N/A	-	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	11-Apr-06		Westside Coalition	samplewater	pH	7.6	Std.Unit	N/A	-	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	8-Feb-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	160	mg/L	5	5	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	16-Feb-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	370	mg/L	5	5	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	7-Mar-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	370	mg/L	5	5	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	12-Apr-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	110	mg/L	5	5	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	10-May-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	50	mg/L	5	5	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	14-Jun-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	70	mg/L	5	5	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	12-Jul-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	61	mg/L	5	5	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	9-Aug-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	200	mg/L	5	5	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	14-Sep-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	240	mg/L	5	5	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	12-Oct-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	220	mg/L	5	5	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	8-Nov-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	250	mg/L	5	5	
Westside Coalition	541XSJRSD	San Joaquin River at Sack Dam	13-Dec-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	420	mg/L	5	5	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	3-Jan-06		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	370	mg/L	5	5	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	14-Feb-06		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	210	mg/L	5	5	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	28-Feb-06		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	260	mg/L	5	5	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	14-Mar-06		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	260	mg/L	5	5	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	11-Apr-06		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	74	mg/L	5	5	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	8-Feb-05		Westside Coalition	samplewater	Total Suspended (TSS)	27	mg/L	5	5	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	7-Mar-05		Westside Coalition	samplewater	Total Suspended (TSS)	NT				
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	12-Apr-05		Westside Coalition	samplewater	Total Suspended (TSS)	NT				
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	10-May-05		Westside Coalition	samplewater	Total Suspended (TSS)	NT				
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	14-Jun-05		Westside Coalition	samplewater	Total Suspended (TSS)	NT				
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	12-Jul-05		Westside Coalition	samplewater	Total Suspended (TSS)	NT				
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	9-Aug-05		Westside Coalition	samplewater	Total Suspended (TSS)	NT				
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	14-Sep-05		Westside Coalition	samplewater	Total Suspended (TSS)	NT				
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	12-Oct-05		Westside Coalition	samplewater	Total Suspended (TSS)	NT				
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	8-Nov-05		Westside Coalition	samplewater	Total Suspended (TSS)	NT				
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	13-Dec-05		Westside Coalition	samplewater	Total Suspended (TSS)	NT				
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	3-Jan-06		Westside Coalition	samplewater	Total Suspended (TSS)	NT				
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	12-Jul-05		Westside Coalition	samplewater	Total Suspended (TSS)	NT				
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	14-Feb-06		Westside Coalition	samplewater	Total Suspended (TSS)	NT				
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	28-Feb-06		Westside Coalition	samplewater	Total Suspended (TSS)	NT				
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	14-Mar-06		Westside Coalition	samplewater	Total Suspended (TSS)	NT				
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	11-Apr-06		Westside Coalition	samplewater	Total Suspended (TSS)	NT				
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	9-May-06		Westside Coalition	samplewater	Total Suspended (TSS)	NT				
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	13-Jun-06		Westside Coalition	samplewater	Total Suspended (TSS)	NT				
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	8-Feb-05		Westside Coalition	samplewater	Turbidity	61	NTU	1.0	0.1	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	16-Feb-05		Westside Coalition	samplewater	Turbidity	28	NTU	0.5	0.1	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	7-Mar-05		Westside Coalition	samplewater	Turbidity	16	NTU	0.5	0.1	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	12-Apr-05		Westside Coalition	samplewater	Turbidity	12	NTU	0.2	0.1	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	10-May-05		Westside Coalition	samplewater	Turbidity	18	NTU	0.5	0.1	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	14-Jun-05		Westside Coalition	samplewater	Turbidity	17	NTU	0.2	0.1	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	12-Jul-05		Westside Coalition	samplewater	Turbidity	8.8	NTU	0.1	0.1	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	9-Aug-05		Westside Coalition	samplewater	Turbidity	22	NTU	0.5	0.1	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	14-Sep-05		Westside Coalition	samplewater	Turbidity	14	NTU	0.2	0.1	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	12-Oct-05		Westside Coalition	samplewater	Turbidity	10	NTU	0.1	0.1	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	8-Nov-05		Westside Coalition	samplewater	Turbidity	10	NTU	0.2	0.1	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	13-Dec-05		Westside Coalition	samplewater	Turbidity	9.3	NTU	0.1	0.1	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	3-Jan-06		Westside Coalition	samplewater	Turbidity	100	NTU	1.0	0.1	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	14-Feb-06		Westside Coalition	samplewater	Turbidity	26	NTU	0.4	0.1	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	28-Feb-06		Westside Coalition	samplewater	Turbidity	12	NTU	0.2	0.1	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	14-Mar-06		Westside Coalition	samplewater	Turbidity	11	NTU	0.2	0.1	
Westside Coalition	541XSJRSRSD	San Joaquin River at Sack Dam	11-Apr-06		Westside Coalition	samplewater	Turbidity	31	NTU	0.5	0.1	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	10/Aug/2004		Westside Coalition	samplewater	Bromide	0.84	mg/L	0.01	0.02	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Sep/2004		Westside Coalition	samplewater	Bromide	1.5	mg/L	0.01	0.02	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	12/Oct/2004		Westside Coalition	samplewater	Bromide	1.6	mg/L	0.01	0.02	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Dec/2004		Westside Coalition	samplewater	Bromide	0.22	mg/L	0.005	0.015	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	28/Dec/2004		Westside Coalition	samplewater	Bromide	0.36	mg/L	0.005	0.015	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	11/Jan/2005		Westside Coalition	samplewater	Bromide	-0.005	mg/L	ND	0.01	0.02
Westside Coalition	541XSJRLA	SJR at Lander Avenue	10/Aug/2004		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Sep/2004		Westside Coalition	samplewater	Color	120	units	1	100	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	12/Oct/2004		Westside Coalition	samplewater	Color	100	units	1	100	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Dec/2004		Westside Coalition	samplewater	Color	75	units	1	100	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Dec/2004		Westside Coalition	samplewater	Color	75	units	1	100	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Dec/2004		Westside Coalition	samplewater	Color	75	units	1	100	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	28/Dec/2004		Westside Coalition	samplewater	Color	75	units	1	100	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	11/Jan/2005		Westside Coalition	samplewater	Color	200	units	1	100	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	10/Aug/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	5.5	mg/L	0.2	0.2	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Sep/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	5.4	mg/L	0.2	0.2	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	12/Oct/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	5.7	mg/L	0.2	2	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Dec/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	5.2	mg/L	0.2	0.2	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	28/Dec/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	6.7	mg/L	0.2	0.2	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	11/Jan/2005		Westside Coalition	samplewater	Dissolved Organic Carbon	6.8	mg/L	0.2	0.2	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	10/Aug/2004		Westside Coalition	samplewater	E. Coli	50	MPN/10	2	2	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	10/Aug/2004		Westside Coalition	samplewater	pH, Lab	8.5	units	-88	-88	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Sep/2004		Westside Coalition	samplewater	pH, Lab	8.5	Std.Unit	-88	-88	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	12/Oct/2004		Westside Coalition	samplewater	pH, Lab	8.5	units	-88	-88	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Dec/2004		Westside Coalition	samplewater	pH, Lab	8	units	-88	-88	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	28/Dec/2004		Westside Coalition	samplewater	pH, Lab	8	units	-88	-88	
Westside Coalition	541XSJRLA	SJR at Lander Avenue	11/Jan/2005		Westside Coalition	samplewater	pH, Lab	7.6	units			

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	SJWSP	SJR at WSID Pumps	9-Aug-05		Westside Coalition	samplewater	Bromide (Br)	0.40	mg/L	0.015	0.005	
Westside Coalition	SJWSP	SJR at WSID Pumps	9-Aug-05		Westside Coalition	samplewater	Color (A.P.H.A)	80	units	4	1	
Westside Coalition	SJWSP	SJR at WSID Pumps	9-Aug-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	770	µmho/c	1	1	
Westside Coalition	SJWSP	SJR at WSID Pumps	9-Aug-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.1	mg/L	0.4	0.2	
Westside Coalition	SJWSP	SJR at WSID Pumps	9-Aug-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	13	MPN/10	2	2	
Westside Coalition	SJWSP	SJR at WSID Pumps	9-Aug-05		Westside Coalition	samplewater	pH	7.8	Std.Unit	N/A	-	
Westside Coalition	SJWSP	SJR at WSID Pumps	9-Aug-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	510	mg/L	5	5	
Westside Coalition	SJWSP	SJR at WSID Pumps	9-Aug-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	4.1	mg/L	0.4	0.2	
Westside Coalition	SJWSP	SJR at WSID Pumps	9-Aug-05		Westside Coalition	samplewater	Total Suspended (TSS)	53	mg/L	5	5	
Westside Coalition	SJWSP	SJR at WSID Pumps	9-Aug-05		Westside Coalition	samplewater	Turbidity	33	NTU	0.4	0.1	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.22	mg/L	0.010	0.005	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Mar-05		Westside Coalition	samplewater	Bromide (Br)	0.16	mg/L	0.005	0.005	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	14-Jun-05		Westside Coalition	samplewater	Bromide (Br)	0.031	mg/L	0.005	0.005	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	12-Jul-05		Westside Coalition	samplewater	Bromide (Br)	0.14	mg/L	0.005	0.005	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	9-Aug-05		Westside Coalition	samplewater	Bromide (Br)	0.077	mg/L	0.005	0.005	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	14-Sep-05		Westside Coalition	samplewater	Bromide (Br)	0.079	mg/L	0.005	0.005	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	12-Oct-05		Westside Coalition	samplewater	Bromide (Br)	0.011	mg/L	0.005	0.005	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Nov-05		Westside Coalition	samplewater	Bromide (Br)	0.0050	mg/L	0.005	0.005	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	11-Apr-06		Westside Coalition	samplewater	Bromide (Br)	0.0090	mg/L	0.005	0.005	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A)	45	units	1	1	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Mar-05		Westside Coalition	samplewater	Color (A.P.H.A)	250	units	5	1	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	14-Jun-05		Westside Coalition	samplewater	Color (A.P.H.A)	150	units	10	1	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	12-Jul-05		Westside Coalition	samplewater	Color (A.P.H.A)	50	units	1	1	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	9-Aug-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	20	1	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	14-Sep-05		Westside Coalition	samplewater	Color (A.P.H.A)	150	units	10	1	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	12-Oct-05		Westside Coalition	samplewater	Color (A.P.H.A)	100	units	5	1	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Nov-05		Westside Coalition	samplewater	Color (A.P.H.A)	150	units	10	1	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	11-Apr-06		Westside Coalition	samplewater	Color (A.P.H.A)	220	units	5	1	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	14-Jun-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	120	µmho/c	1	1	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	12-Jul-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	270	µmho/c	1	1	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	9-Aug-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	150	µmho/c	1	1	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	7.9	mg/L	1.0	0.2	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Mar-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	9.0	mg/L	1.0	0.2	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	14-Jun-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	5.0	mg/L	0.4	0.2	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	12-Jul-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.6	mg/L	0.4	0.2	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	14-Sep-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	3.4	mg/L	1.0	0.2	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	12-Oct-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.8	mg/L	0.2	0.2	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Nov-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	2.2	mg/L	0.2	0.2	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	11-Apr-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	6.9	mg/L	0.4	0.2	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Feb-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	240	MPN/10	2	2	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Mar-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	80	MPN/10	2	2	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	14-Jun-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	>1600	MPN/10	2	2	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	12-Jul-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	240	MPN/10	2	2	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	9-Aug-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	500	MPN/10	2	2	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	14-Sep-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	500	MPN/10	2	2	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	12-Oct-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	280	MPN/10	2	2	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Nov-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	500	MPN/10	2	2	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	11-Apr-06		Westside Coalition	samplewater	E. coli (3x5 MTF)	30	MPN/10	2	2	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Feb-05		Westside Coalition	samplewater	pH	7.7	Std.Unit	N/A	-	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Mar-05		Westside Coalition	samplewater	pH	8.0	Std.Unit	N/A	-	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	14-Jun-05		Westside Coalition	samplewater	pH	7.3	Std.Unit	N/A	-	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	12-Jul-05		Westside Coalition	samplewater	pH	7.7	Std.Unit	N/A	-	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	9-Aug-05		Westside Coalition	samplewater	pH	7.5	Std.Unit	N/A	-	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	14-Sep-05		Westside Coalition	samplewater	pH	7.7	Std.Unit	N/A	-	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	12-Oct-05		Westside Coalition	samplewater	pH	7.6	Std.Unit	N/A	-	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Nov-05		Westside Coalition	samplewater	pH	7.4	Std.Unit	N/A	-	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	11-Apr-06		Westside Coalition	samplewater	pH	7.6	Std.Unit	N/A	-	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Feb-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	430	mg/L	5	5	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Mar-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	320	mg/L	5	5	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	14-Jun-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	100	mg/L	5	5	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	12-Jul-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	160	mg/L	5	5	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	9-Aug-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	120	mg/L	5	5	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	14-Sep-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	110	mg/L	5	5	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	12-Oct-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	82	mg/L	5	5	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Nov-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	68	mg/L	5	5	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	11-Apr-06		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	120	mg/L	5	5	
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Feb-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	11	mg/L	1.0	0.2	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte		Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Mar-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	13	mg/L	1.0	0.2		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	14-Jun-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	7.1	mg/L	0.4	0.2		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	12-Jul-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	6.4	mg/L	0.4	0.2		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	14-Sep-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	4.8	mg/L	1.0	0.2		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	12-Oct-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.8	mg/L	0.2	0.2		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Nov-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.2	mg/L	0.2	0.2		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	11-Apr-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	11	mg/L	0.4	0.2		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Feb-05		Westside Coalition	samplewater	Total Suspended (TSS)	43	mg/L	5	5		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Mar-05		Westside Coalition	samplewater	Total Suspended (TSS)	58	mg/L	5	5		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	14-Jun-05		Westside Coalition	samplewater	Total Suspended (TSS)	94	mg/L	5	5		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	12-Jul-05		Westside Coalition	samplewater	Total Suspended (TSS)	47	mg/L	5	5		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	9-Aug-05		Westside Coalition	samplewater	Total Suspended (TSS)	160	mg/L	5	5		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	14-Sep-05		Westside Coalition	samplewater	Total Suspended (TSS)	74	mg/L	5	5		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	12-Oct-05		Westside Coalition	samplewater	Total Suspended (TSS)	53	mg/L	5	5		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Nov-05		Westside Coalition	samplewater	Total Suspended (TSS)	140	mg/L	5	5		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	11-Apr-06		Westside Coalition	samplewater	Total Suspended (TSS)	23	mg/L	5	5		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Feb-05		Westside Coalition	samplewater	Turbidity	46	NTU	1.0	0.1		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Mar-05		Westside Coalition	samplewater	Turbidity	46	NTU	0.5	0.1		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	14-Jun-05		Westside Coalition	samplewater	Turbidity	64	NTU	1.0	0.1		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	12-Jul-05		Westside Coalition	samplewater	Turbidity	16	NTU	0.2	0.1		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	9-Aug-05		Westside Coalition	samplewater	Turbidity	60	NTU	2.0	0.1		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	14-Sep-05		Westside Coalition	samplewater	Turbidity	62	NTU	1.0	0.1		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	12-Oct-05		Westside Coalition	samplewater	Turbidity	40	NTU	0.5	0.1		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	8-Nov-05		Westside Coalition	samplewater	Turbidity	54	NTU	1.0	0.1		
Westside Coalition	541XTSAER	Turner Slough at Edminster Road	11-Apr-06		Westside Coalition	samplewater	Turbidity	25	NTU	0.5	0.1		
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	14/Dec/2004		Westside Coalition	samplewater	Bromide	0.46	mg/L	0.005	0.015		
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	14/Dec/2004		Westside Coalition	samplewater	Color	100	units	1	100		
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	14/Dec/2004		Westside Coalition	samplewater	Dissolved Organic Carbon	4.7	mg/L	0.2	0.2		
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	09/Nov/2004		Westside Coalition	samplewater	E. Coli	300	MPN/10	2	2		
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	14/Dec/2004		Westside Coalition	samplewater	E. Coli	240	MPN/10	2	2		
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	14/Dec/2004		Westside Coalition	samplewater	pH, Lab	7.7	units	-88	-88		
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	14/Dec/2004		Westside Coalition	samplewater	Total Dissolved Solids	94	mg/L	5	5		
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	14/Dec/2004		Westside Coalition	samplewater	Total Organic Carbon	6.5	mg/L	0.2	0.2		
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	14/Dec/2004		Westside Coalition	samplewater	Total Suspended Solids	44	mg/L	5	5		
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	14/Dec/2004		Westside Coalition	samplewater	Turbidity	42	NTU	0.1	5		
Westside Coalition	WWARP	Westley Wasteway at Refuge Ponds	9-Aug-05		Westside Coalition	samplewater	Bromide (Br)	0.26	mg/L	0.005	0.005		
Westside Coalition	WWARP	Westley Wasteway at Refuge Ponds	9-Aug-05		Westside Coalition	samplewater	Color (A.P.H.A.)	150	units	10	1		
Westside Coalition	WWARP	Westley Wasteway at Refuge Ponds	9-Aug-05		Westside Coalition	samplewater	Conductivity - Specific (EC)	560	µmho/c	1	1		
Westside Coalition	WWARP	Westley Wasteway at Refuge Ponds	9-Aug-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)	4.7	mg/L	1.0	0.2		
Westside Coalition	WWARP	Westley Wasteway at Refuge Ponds	9-Aug-05		Westside Coalition	samplewater	E. coli (3x5 MTF)	500	MPN/10	2	2		
Westside Coalition	WWARP	Westley Wasteway at Refuge Ponds	9-Aug-05		Westside Coalition	samplewater	pH	7.8	Std.Unit	N/A	-		
Westside Coalition	WWARP	Westley Wasteway at Refuge Ponds	9-Aug-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	370	mg/L	5	5		
Westside Coalition	WWARP	Westley Wasteway at Refuge Ponds	9-Aug-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	5.8	mg/L	1.0	0.2		
Westside Coalition	WWARP	Westley Wasteway at Refuge Ponds	9-Aug-05		Westside Coalition	samplewater	Total Suspended (TSS)	160	mg/L	5	5		
Westside Coalition	WWARP	Westley Wasteway at Refuge Ponds	9-Aug-05		Westside Coalition	samplewater	Turbidity	86	NTU	1.0	0.1		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	06/Jul/2004		Westside Coalition	samplewater	Bromide	0.42	mg/L	0.005	0.02		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10/Aug/2004		Westside Coalition	samplewater	Bromide	0.49	mg/L	0.01	0.02		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Sep/2004		Westside Coalition	samplewater	Bromide	0.61	mg/L	0.01	0.02		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12/Oct/2004		Westside Coalition	samplewater	Bromide	0.49	mg/L	0.01	0.02		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Feb-05		Westside Coalition	samplewater	Bromide (Br)	0.22	mg/L	0.010	0.005		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Mar-05		Westside Coalition	samplewater	Bromide (Br)	0.20	mg/L	0.005	0.005		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Apr-05		Westside Coalition	samplewater	Bromide (Br)	0.13	mg/L	0.005	0.005		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10-May-05		Westside Coalition	samplewater	Bromide (Br)	0.12	mg/L	0.005	0.005		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Jun-05		Westside Coalition	samplewater	Bromide (Br)	0.057	mg/L	0.005	0.005		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Jul-05		Westside Coalition	samplewater	Bromide (Br)	0.15	mg/L	0.005	0.005		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	9-Aug-05		Westside Coalition	samplewater	Bromide (Br)	0.24	mg/L	0.005	0.005		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Sep-05		Westside Coalition	samplewater	Bromide (Br)	0.33	mg/L	0.010	0.005		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Oct-05		Westside Coalition	samplewater	Bromide (Br)	0.34	mg/L	0.010	0.005		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Nov-05		Westside Coalition	samplewater	Bromide (Br)	0.18	mg/L	0.005	0.005		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13-Dec-05		Westside Coalition	samplewater	Bromide (Br)	0.27	mg/L	0.010	0.005		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Feb-06		Westside Coalition	samplewater	Bromide (Br)	0.12	mg/L	0.005	0.005		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	06/Jul/2004		Westside Coalition	samplewater	Color	75	units	1	100		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10/Aug/2004		Westside Coalition	samplewater	Color	200	units	1	100		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Sep/2004		Westside Coalition	samplewater	Color	100	units	1	100		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12/Oct/2004		Westside Coalition	samplewater	Color	25	units	1	100		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Feb-05		Westside Coalition	samplewater	Color (A.P.H.A.)	45	units	1	1		
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Mar-05		Westside Coalition	samplewater	Color (A.P.H.A.)	35	units	1	1		

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte		Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Apr-05		Westside Coalition	samplewater	Color (A.P.H.A)		80	units	2	1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10-May-05		Westside Coalition	samplewater	Color (A.P.H.A)		100	units	10	1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Jun-05		Westside Coalition	samplewater	Color (A.P.H.A)		50	units	10	1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Jul-05		Westside Coalition	samplewater	Color (A.P.H.A)		40	units	1	1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	9-Aug-05		Westside Coalition	samplewater	Color (A.P.H.A)		150	units	10	1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Sep-05		Westside Coalition	samplewater	Color (A.P.H.A)		100	units	20	1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Oct-05		Westside Coalition	samplewater	Color (A.P.H.A)		50	units	5	1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Nov-05		Westside Coalition	samplewater	Color (A.P.H.A)		60	units	4	1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13-Dec-05		Westside Coalition	samplewater	Color (A.P.H.A)		35	units	1	1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Feb-06		Westside Coalition	samplewater	Color (A.P.H.A)		50	units	5	1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Apr-05		Westside Coalition	samplewater	Conductivity - Specific (EC)		540	µmho/c	1	1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10-May-05		Westside Coalition	samplewater	Conductivity - Specific (EC)		420	µmho/c	1	1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Jun-05		Westside Coalition	samplewater	Conductivity - Specific (EC)		240	µmho/c	1	1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Jul-05		Westside Coalition	samplewater	Conductivity - Specific (EC)		340	µmho/c	1	1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	9-Aug-05		Westside Coalition	samplewater	Conductivity - Specific (EC)		470	µmho/c	1	1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	06/Jul/2004		Westside Coalition	samplewater	Dissolved Organic Carbon		4.4	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10/Aug/2004		Westside Coalition	samplewater	Dissolved Organic Carbon		4.2	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Sep/2004		Westside Coalition	samplewater	Dissolved Organic Carbon		4.1	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12/Oct/2004		Westside Coalition	samplewater	Dissolved Organic Carbon		4	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Feb-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		7.9	mg/L	0.4	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Mar-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		4.7	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Apr-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		7.5	mg/L	0.4	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10-May-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		3.0	mg/L	0.4	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Jun-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		4.0	mg/L	0.4	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Jul-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		2.7	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	9-Aug-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		3.6	mg/L	0.4	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Sep-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		3.7	mg/L	1.0	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Oct-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		1.8	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Nov-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		2.2	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13-Dec-05		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		4.1	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Feb-06		Westside Coalition	samplewater	Dissolved Organic Carbon (DOC)		2.2	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	06/Jul/2004		Westside Coalition	samplewater	E. Coli		1600	MPN/10	2	2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10/Aug/2004		Westside Coalition	samplewater	E. Coli		170	MPN/10	2	2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Sep/2004		Westside Coalition	samplewater	E. Coli		500	MPN/10	2	2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12/Oct/2004		Westside Coalition	samplewater	E. Coli		220	MPN/10	2	2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Feb-05		Westside Coalition	samplewater	E. coli (3x5 MTF)		240	MPN/10	2	2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Mar-05		Westside Coalition	samplewater	E. coli (3x5 MTF)		22	MPN/10	2	2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Apr-05		Westside Coalition	samplewater	E. coli (3x5 MTF)		900	MPN/10	2	2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10-May-05		Westside Coalition	samplewater	E. coli (3x5 MTF)		500	MPN/10	2	2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Jun-05		Westside Coalition	samplewater	E. coli (3x5 MTF)		140	MPN/10	2	2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Jul-05		Westside Coalition	samplewater	E. coli (3x5 MTF)		240	MPN/10	2	2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	9-Aug-05		Westside Coalition	samplewater	E. coli (3x5 MTF)		300	MPN/10	2	2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Sep-05		Westside Coalition	samplewater	E. coli (3x5 MTF)		300	MPN/10	2	2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Oct-05		Westside Coalition	samplewater	E. coli (3x5 MTF)		50	MPN/10	2	2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Nov-05		Westside Coalition	samplewater	E. coli (3x5 MTF)		240	MPN/10	2	2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13-Dec-05		Westside Coalition	samplewater	E. coli (3x5 MTF)		900	MPN/10	2	2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Feb-06		Westside Coalition	samplewater	E. coli (3x5 MTF)		50	MPN/10	2	2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Feb-05		Westside Coalition	samplewater	pH		8.0	Std.Unit	N/A	-	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Mar-05		Westside Coalition	samplewater	pH		8.3	Std.Unit	N/A	-	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Apr-05		Westside Coalition	samplewater	pH		7.9	Std.Unit	N/A	-	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10-May-05		Westside Coalition	samplewater	pH		7.7	Std.Unit	N/A	-	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Jun-05		Westside Coalition	samplewater	pH		9.2	Std.Unit	N/A	-	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Jul-05		Westside Coalition	samplewater	pH		7.7	Std.Unit	N/A	-	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	9-Aug-05		Westside Coalition	samplewater	pH		7.8	Std.Unit	N/A	-	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Sep-05		Westside Coalition	samplewater	pH		8.2	Std.Unit	N/A	-	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Oct-05		Westside Coalition	samplewater	pH		8.2	Std.Unit	N/A	-	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Nov-05		Westside Coalition	samplewater	pH		8.4	Std.Unit	N/A	-	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13-Dec-05		Westside Coalition	samplewater	pH		8.2	Std.Unit	N/A	-	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Feb-06		Westside Coalition	samplewater	pH		8.0	Std.Unit	N/A	-	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	06/Jul/2004		Westside Coalition	samplewater	pH, Lab		8.1	units	-88	-88	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10/Aug/2004		Westside Coalition	samplewater	pH, Lab		8.1	units	-88	-88	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Sep/2004		Westside Coalition	samplewater	pH, Lab		8.2	units	-88	-88	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12/Oct/2004		Westside Coalition	samplewater	pH, Lab		8.1	units	-88	-88	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	06/Jul/2004		Westside Coalition	samplewater	Total Dissolved Solids		530	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Sep/2004		Westside Coalition	samplewater	Total Dissolved Solids		710	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12/Oct/2004		Westside Coalition	samplewater	Total Dissolved Solids		630	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10/Aug/2004		Westside Coalition	samplewater	Total Dissolved Solids		600	mg/L	5	5	

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Feb-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	400	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Mar-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	330	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Apr-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	300	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10-May-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	240	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Jun-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	160	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Jul-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	210	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	9-Aug-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	310	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Sep-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	390	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Oct-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	380	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Nov-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	210	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13-Dec-05		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	410	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Feb-06		Westside Coalition	samplewater	Total Dissolved Solids (TDS)	210	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	06/Jul/2004		Westside Coalition	samplewater	Total Organic Carbon	6.5	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10/Aug/2004		Westside Coalition	samplewater	Total Organic Carbon	5.5	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Sep/2004		Westside Coalition	samplewater	Total Organic Carbon	4.7	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12/Oct/2004		Westside Coalition	samplewater	Total Organic Carbon	4.9	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Feb-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	9.7	mg/L	0.4	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Mar-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	6.2	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Apr-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	11	mg/L	0.4	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10-May-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.6	mg/L	0.4	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Jun-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	5.2	mg/L	0.4	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Jul-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.3	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	9-Aug-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	4.5	mg/L	0.4	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Sep-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	3.8	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Oct-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	2.4	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Nov-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	2.8	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13-Dec-05		Westside Coalition	samplewater	Total Organic Carbon (TOC)	5.2	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Feb-06		Westside Coalition	samplewater	Total Organic Carbon (TOC)	2.8	mg/L	0.2	0.2	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Feb-05		Westside Coalition	samplewater	Total Suspended (TSS)	10	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Mar-05		Westside Coalition	samplewater	Total Suspended (TSS)	6.0	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Apr-05		Westside Coalition	samplewater	Total Suspended (TSS)	36	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10-May-05		Westside Coalition	samplewater	Total Suspended (TSS)	130	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Jun-05		Westside Coalition	samplewater	Total Suspended (TSS)	72	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Jul-05		Westside Coalition	samplewater	Total Suspended (TSS)	210	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	9-Aug-05		Westside Coalition	samplewater	Total Suspended (TSS)	190	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Sep-05		Westside Coalition	samplewater	Total Suspended (TSS)	180	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Oct-05		Westside Coalition	samplewater	Total Suspended (TSS)	63	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Nov-05		Westside Coalition	samplewater	Total Suspended (TSS)	59	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13-Dec-05		Westside Coalition	samplewater	Total Suspended (TSS)	11	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Feb-06		Westside Coalition	samplewater	Total Suspended (TSS)	49	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	06/Jul/2004		Westside Coalition	samplewater	Total Suspended Solids	53	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10/Aug/2004		Westside Coalition	samplewater	Total Suspended Solids	270	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Sep/2004		Westside Coalition	samplewater	Total Suspended Solids	100	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12/Oct/2004		Westside Coalition	samplewater	Total Suspended Solids	26	mg/L	5	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	06/Jul/2004		Westside Coalition	samplewater	Turbidity	22	NTU	0.1	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10/Aug/2004		Westside Coalition	samplewater	Turbidity	160	NTU	0.1	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Sep/2004		Westside Coalition	samplewater	Turbidity	62	NTU	0.1	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12/Oct/2004		Westside Coalition	samplewater	Turbidity	22	NTU	0.1	5	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Feb-05		Westside Coalition	samplewater	Turbidity	4.0	NTU	0.1	0.1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Mar-05		Westside Coalition	samplewater	Turbidity	5.1	NTU	0.1	0.1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Apr-05		Westside Coalition	samplewater	Turbidity	11	NTU	0.2	0.1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10-May-05		Westside Coalition	samplewater	Turbidity	70	NTU	1.0	0.1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Jun-05		Westside Coalition	samplewater	Turbidity	47	NTU	1.0	0.1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Jul-05		Westside Coalition	samplewater	Turbidity	110	NTU	5.0	0.1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	9-Aug-05		Westside Coalition	samplewater	Turbidity	80	NTU	1.0	0.1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Sep-05		Westside Coalition	samplewater	Turbidity	100	NTU	2.0	0.1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12-Oct-05		Westside Coalition	samplewater	Turbidity	26	NTU	0.5	0.1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	8-Nov-05		Westside Coalition	samplewater	Turbidity	21	NTU	0.4	0.1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13-Dec-05		Westside Coalition	samplewater	Turbidity	5.5	NTU	0.1	0.1	
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14-Feb-06		Westside Coalition	samplewater	Turbidity	17	NTU	0.5	0.1	